

**Crystal Data:** Triclinic. *Point Group:*  $\bar{1}$ . As prismatic crystals and aggregates to 1.7 mm.

**Physical Properties:** *Cleavage:* Perfect on {100} and {001}. *Tenacity:* Brittle. *Fracture:* Splintery. Hardness = 4.5-5 D(meas.) = 2.86(1) D(calc.) = 2.85 Fluoresces purplish pink under SW UV.

**Optical Properties:** Translucent. *Color:* Colorless to white. *Streak:* White. *Luster:* Vitreous to silky.

*Optical Class:* Biaxial (+).  $\alpha = 1.602(1)$   $\beta = 1.611(1)$   $\gamma = 1.643(1)$   $2V(\text{meas.}) = 56-59(2)^\circ$   $2V(\text{calc.}) = 57^\circ$  *Orientation:*  $X \wedge c = 10-11^\circ$ ,  $Y \wedge a = 10-14^\circ$ ,  $Z \wedge b = 0-5^\circ$ . *Dispersion:* Weak,  $r > v$ .

**Cell Data:** *Space Group:*  $P\bar{1}$ .  $a = 7.9098(2)$   $b = 7.0320(2)$   $c = 6.9863(2)$   $\alpha = 90.596(2)^\circ$   $\beta = 95.589(2)^\circ$   $\gamma = 102.767(2)^\circ$   $Z = 2$

**X-ray Powder Pattern:** Iwagi Islet, Ehime Prefecture, Japan.

2.897 (100), 3.055 (49), 3.295 (41), 3.225 (33), 3.845 (20), 2.284 (19), 2.720 (15)

Chemistry:	(1)	(2)	(3)
SiO <sub>2</sub>	54.94	54.98	56.98
TiO <sub>2</sub>	0.00	0.01	
Al <sub>2</sub> O <sub>3</sub>	0.01	0.00	
FeO	0.38	0.28	
MnO	0.80	0.56	
MgO	0.04	0.04	
CaO	34.14	33.63	35.45
Na <sub>2</sub> O	4.37	4.21	
Li <sub>2</sub> O	2.52	2.78	4.72
K <sub>2</sub> O	0.00	0.01	
H <sub>2</sub> O	2.80	2.80	2.85
Total	100.00	99.30	100.00

(1) Iwagi Islet, Ehime Prefecture, Japan; normalized average of 16 laser ablation-inductively coupled plasma-mass spectrometric analyses, H<sub>2</sub>O by TG-DTA; corresponds to (Li<sub>0.55</sub>Na<sub>0.46</sub>) $\Sigma=1.01$  (Ca<sub>1.98</sub>Mn<sub>0.03</sub>Fe<sub>0.02</sub>) $\Sigma=2.04$ Si<sub>2.98</sub>O<sub>8</sub>(OH)<sub>1.01</sub>. (2) Iwagi Islet, Ehime Prefecture, Japan; average of 10 electron microprobe analyses, H<sub>2</sub>O by TG-DTA, Li<sub>2</sub>O by laser-induced breakdown spectroscopy; corresponds to (Li<sub>0.61</sub>Na<sub>0.44</sub>) $\Sigma=1.05$ (Ca<sub>1.96</sub>Mn<sub>0.04</sub>Fe<sub>0.01</sub>) $\Sigma=2.01$ Si<sub>2.99</sub>O<sub>8</sub>(OH)<sub>1.01</sub>. (3) LiCa<sub>2</sub>Si<sub>3</sub>O<sub>8</sub>(OH).

**Polymorphism & Series:** An ordered (CaMn) intermediate member of the pectolite-serandite series.

**Occurrence:** In a metasomatic aegirine-augite albite.

**Association:** Aegirine-augite, pectolite, sugilite, albite.

**Distribution:** From the eastern part of Iwagi Islet, Ehime Prefecture, Japan.

**Name:** Honors Professor Emeritus Nobuhide Murakami (1923-1994) Department of Geology and Mineralogical Sciences, Faculty of Science, Yamaguchi University, Japan for his contributions to petrology and mineralogy, particularly the discovery of sugilite and katayamalite at Iwagi Islet.

**Type Material:** National Museum of Nature and Science, Tsukuba (NSM M44916) and the Geological and Mineralogical Museum, Faculty of Science, Yamaguchi University, Japan (95235G).

**References:** (1) Imaoka, T., M. Nagashima, T. Kano, J.-I. Kimura, Q. Chang, and C. Fukuda (2017) Murakamiite, LiCa<sub>2</sub>Si<sub>3</sub>O<sub>8</sub>(OH), a Li-analog of pectolite, from the Iwagi Islet, southwest Japan. *Eur. J. Mineral.*, 29(6), 1045-1053. (2) (2018) *Amer. Mineral.*, 103, 1712-1713 (abs. ref. 1). (3) Nagashima, M., T. Imaoka, C. Fukuda, and T. Pettke (2018) Relationship between cation substitution and hydrogen-bond system in hydrous pyroxenoids with three-periodic single-chain of SiO<sub>4</sub> tetrahedra: pectolite, murakamiite, marshallussmanite, serandite and tanohataite. *Eur. J. Mineral.*, 30(3), 451-463.