6.4.2 Climate Resilience Co-benefits from GHG Reduction Strategies in CA2020

The GHG reduction measures described in Chapter 4, *Reducing Community Emissions*, will also contribute to the climate readiness of Sonoma County and its resources. Measures under Building Energy will help conserve energy and expand localized, renewable energy generation. These measures will reduce community reliance on the electrical grid, which is vulnerable to climate hazards including extreme weather events, sea-level rise, and heat waves. This, in turn, will help reduce climate-related personal and economic risks for residents and businesses in Sonoma County.


GHG reduction measures under on-road transportation will reduce vehicle miles traveled and increase alternative modes of travel, such as walking, biking, and transit. These measures help reduce stress on the county's aging transportation infrastructure, which is also vulnerable to climate change hazards. Reducing stress on the transportation system helps protect a significant capital investment and avoid service disruptions and the resulting risks to residents and businesses throughout the county.

GHG reduction measures for other sources also provide various resiliency benefits. Strategies to reduce emissions from livestock and fertilizer will also help preserve soil fertility, conserve water, reduce energy use, and support sustainable agricultural products, all of which benefit a community adapting to a changed climate. Increasing reuse of materials and recycling from solid waste helps reduce natural resource use in the manufacture of goods from original materials, thus helping to preserve water supplies, energy supplies, and natural resources that will likely be stressed in the future due to climate change impacts. Protection or enhancement of forests, wetlands, floodplains, or stream systems will not only increase carbon sequestration, but will also bring benefits for water supply, flood control, temperature moderation, and pollination. GHG reduction measures that reduce water demand help reduce climate change vulnerabilities by reducing the demand for stressed water supplies, reducing the amount of water treatment, and reducing the costs associated with water consumption.

6.5 Next Steps

The pervasive nature of anticipated climate change hazards in Sonoma County requires that both public and private entities play a role in enhancing local resilience. The vulnerability assessment summarized above represents some of the first steps in the overall climate readiness sequence, as shown on Figure 6-7.

Figure 6-7. Overall Climate Readiness Sequence for Sonoma County



In line with the goals summarized in Table 6-6, existing efforts to prepare for climate change should be integrated, expanded, and evaluated to explore how well they are serving the community by increasing climate resilience.

On an ongoing basis, climate readiness strategies should be explicitly integrated into existing plans and programs that are already used to promote public health, safety, and prosperity in Sonoma County, including the following.

- Hazard Mitigation Plans. Sonoma County's 2016 hazard mitigation plan will be the first to incorporate current knowledge about climate change and climate hazards facing the county.
- locations vulnerable to flood, landslide, and coastal Plan, particularly as they relate to locations vulnerable to flood, landslide, and coastal hazards, and locations important for water supply, groundwater recharge, and shoreline protection. As required under new state law (Senate Bill 379, 2015), general plan safety elements must include "climate adaptation and resiliency strategies," including "goals, policies, and objectives for their communities based on the most current information available regarding climate change adaptation and resiliency." Senate Bill 379 also allows jurisdictions to use adopted climate action plans, such as CA2020, to meet this new requirement.

- Parks, trails, and open space plans.
- Water supply, stormwater, and flood management plans and ordinances. Sonoma County Water Agency is also undertaking an in-depth climate adaptation plan for its operations.
- Environmental impact reports.
- Transportation and other capital improvement plans.
- Public health monitoring.
- Emergency preparedness plans.
- Street tree and water-efficiency ordinances.
- Zoning, building, and fire codes.
- Groundwater management plans.
- Administrative policies, procedures, and initiatives.

In every area, from road-building to public health to transit, help is needed to translate technical information about a changed climate future into appropriate actionable steps. Climate adaptation efforts in Sonoma County have already identified a need for Climate Ready Advisors who can help residents, businesses, local governments, and non-governmental organizations make sense of the growing volume of climate hazard information and produce climate-smart decisions, plans, budgets, and priorities.

Local leaders, residents, and stakeholders, such as RCPA, must work together to respond to the county's climate vulnerabilities, implement the goals in Table 6-6, and evaluate how well current and new strategies are increasing community readiness for climate change.

An effective response to the climate challenge requires substantial investment, and therefore calls for a deep analysis of how to make that investment cost effective. As the cities and County have already done with Health Action and an array of new clean-power programs, the community will need to re-imagine and re-align its investments so that new and existing incentives, disincentives, and funding streams result in climate-resilient behavior throughout Sonoma County.



7.1 Chapter 1

7.1.1 Print and Web References

- Blasing, T. J. 2014. *Recent Greenhouse Gas Concentrations*. DOI: 10.3334/CDIAC/atg.032. Updated February.
- California Air Resources Board. 2014. *California Greenhouse Gas Inventory for 2000–2012— by Category, as Defined in the 2008 Scoping Plan*. Last Revised: August 1, 2013. Available: http://www.arb.ca.gov/cc/inventory/data/tables/ghg_inventory_scopingplan_00-12_2014-03-24.pdf. Accessed: April 28, 2015.
- Center for Climate and Energy Solutions. No date. *The Greenhouse Effect*. Available: http://www.c2es.org/facts-figures/basics/greenhouse-effect. Accessed: April 28, 2015.
- City of Santa Rosa. 2012. *Climate Action Plan*. June 5. Available: http://ci.santa-rosa.ca.us/doclib/Documents/CDP_SR_FINAL_CAP_20120711.pdf. Accessed: April 30, 2015.
- Climate Protection Campaign. 2008. *Sonoma County Community Climate Action Plan.* October. Available: http://www.coolplan.org/ccap-report/CCAP_Final_11-05-08.pdf>. Accessed: April 30, 2015.
- Cook, J., D. Nuccitelli, S. Green, M. Richardson, B. Winkler, R. Painting, R. Way, P. Jacobs, and A. Skuce. 2013. Quantifying the Consensus on Anthropogenic Global Warming in the Scientific Literature. *Environmental Research Letters* 8(2):024024. Available: http://iopscience.iop.org/1748-9326/8/2/024024/pdf/1748-9326_8_2_024024.pdf>. Accessed: April 28, 2015.
- Maizlish, N., J. Woodcock, S. Co, B. Ostro, A. Fanai, and D. Fairley. 2011. *Health Co-Benefits and Transportation-Related Reductions in Greenhouse Gas Emissions in the Bay Area*. November. Available:
 - http://www.cdph.ca.gov/programs/CCDPHP/Documents/ITHIM_Technical_Report11-21-11.pdf>. Accessed: May 21, 2014.
- Intergovernmental Panel on Climate Change. 2013. Anthropogenic and Natural Radiative Forcing. In: Climate Change 2013: Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change. Available:
 - http://www.climatechange2013.org/images/report/WG1AR5_Chapter08_FINAL.pdf. Accessed: April 28, 2015.

- U.S. Environmental Protection Agency. 2014. *Greenhouse Gas Equivalencies Calculator*. Last updated: April 16, 2014. Available: http://www.epa.gov/cleanenergy/energy-resources/calculator.html#results. Accessed: May 1, 2015.
- U.S. Environmental Protection Agency. 2015. *Sources of Greenhouse Gas Emissions*. Available: http://www.epa.gov/climatechange/ghgemissions/sources.html. Accessed: April 28, 2015.

7.1.2 Personal Communications

None

7.2 Chapter 2

7.2.1 Print and Web References

- California Air Pollution Control Officers Association. 2010. *Quantifying Greenhouse Gas Mitigation Measures: A Resource for Local Government to Assess Emission Reductions from Greenhouse Gas Mitigation Measures*. August. Available: http://www.capcoa.org/wp-content/uploads/2010/11/CAPCOA-Quantification-Report-9-14-Final.pdf.
- California Air Resources Board. 2007. *California Greenhouse Gas Inventory By IPCC Category*November 19. Available:
 http://www.arb.ca.gov/cc/inventory/archive/tables/ghg_inventory_ipcc_90_04_sum_2007-11-19.pdf. Accessed: June 25, 2015.
- California Air Resources Board. 2014a. *California Greenhouse Gas Inventory for 2000-2012 by Category as Defined in the 2008 Scoping Plan*. March 24. Available: http://www.arb.ca.gov/cc/inventory/data/tables/ghg_inventory_scopingplan_00-12_2014-03-24.pdf. Accessed: June 25, 2015.
- California Air Resources Board. 2014b. 2020 BAU Forecast. May 27. Available: http://www.arb.ca.gov/cc/inventory/data/tables/2020_bau_forecast_by_scoping_category_2014-05-22.pdf. Accessed: June 25, 2015.
- California Air Resources Board. 2014. *First Update to the Climate Change Scoping Plan*. May. Available: http://www.arb.ca.gov/cc/scopingplan/2013_update/first_update_climate_change_scoping
- California Department of Finance. 2005. E-6 Revised Historical Population Estimates and Components of Change, July 1, 1990-2000. February. Available: http://www.dof.ca.gov/research/demographic/reports/estimates/e-6/1990-

_plan.pdf>. Accessed: May 4, 2015.

2000/documents/E-6_90-00.xls>. Accessed:

- California Department of Finance. 2014. Report P-1 (Total Population) State and County Population Projections July 1, 2010-2060 (5-year increments). December 15. Available: http://www.dof.ca.gov/research/demographic/reports/projections/P-1/documents/P-1_Total_CAProj_2010-2060_5-Year.xls. Accessed: June 25, 2015.
- California Department of Water Resources. 2015. Basins and Subbasins of the North Coast Hydrologic Region. Last modified: 03/25/2015. Available: http://www.water.ca.gov/groundwater/bulletin118/northcoast.cfm. Accessed: July 6, 2015.
- California Energy Commission. 2004. *Baseline Greenhouse Gas Emissions for Forest, Range and Agricultural Lands in California*. Available: http://www.energy.ca.gov/pier/project_reports/500-04-069.html. Accessed: May 12, 2015.
- Greenblatt, Jeffery B. 2013. Estimating Policy-Driven Greenhouse Gas Emissions Trajectories in California: The California Greenhouse Gas Inventory Spreadsheet (GHGIS) Model. November. Available: http://eetd.lbl.gov/sites/all/files/lbnl-6451e.pdf>. Accessed: May 4, 2015.
- ICLEI Local Governments for Sustainability USA. 2012. *U.S. Community Protocol for Accounting and Reporting Greenhouse Gas Emissions*. Available: http://www.icleiusa.org/tools/ghg-protocol/community-protocol. Accessed: April 30, 2015.
- Kroodsma, D. and C. Field. 2006, *Carbon Sequestration in California Agriculture*, 1980 2000. Ecological Applications 16 (5), 2006, pp 1975-1985.
- National Oceanic and Atmospheric Administration. 2014. *The NOAA Annual Greenhouse Gas Index (AGGI)*. Last updated: Summer 2014. Available: http://www.esrl.noaa.gov/gmd/aggi/aggi.html. Accessed: May 4, 2015.
- Sonoma County. No Date. *Sonoma County Vegetation Mapping & Lidar Program.* Available: http://sonomavegmap.org/>. Accessed: July 7, 2015.
- Sonoma County Agricultural Commissioner. 2011. *Sonoma County 2010 Crop Report*. May. Available: http://www.sonoma-county.org/agcomm/pdf/crop_reports/2010_crop_report.pdf.
- The Nature Conservancy and Sonoma County Agricultural Preservation and Open Space District. 2016. *Conserving Landscapes, Protecting the Climate: The Climate Action through Conservation Project.* Sonoma County Estimates of 2010 Carbon Stocks by Landcover Class and Carbon Pool. Available:

http://scienceforconservation.org/downloads/climate_action_through_conservation. Accessed: March 2, 2016

7.2.2 Personal Communications

Barney, C. Senior Transportation Planner, Sonoma County Transportation Authority. September 11, 2013. Email message to Brian Schuster (ICF International) with socioeconomic data for Sonoma County.

7.3 Chapter 3

7.3.1 Print and Web References

- Center for Climate Protection. 2014. Proven and Promising Climate Measures from U.S.

 Communities for Possible Application in Sonoma County. Available:

 http://climateprotection.org/proven-promising-climate-measures-u-s-communities-possible-application-sonoma-county/. Accessed: April 26, 2016
- ConSol. 2010. Water Use in the California Residential Home. January. Available: http://www.cbia.org/go/cbia/?LinkServID=E242764F-88F9-4438-9992948EF86E49EA. Accessed: May 21, 2014.
- Energy + Environmental Economics. 2015. Summary of the California State Agency's PATHWAYS

 Project: Long-term Greenhouse Gas Reduction Scenarios. January 26. Available:

 http://www.energy.ca.gov/commission/fact_sheets/documents/E3_Project_Overview_2015
 0130.pdf>. Accessed: July 10, 2015.
- ICLEI Local Governments for Sustainability USA. 2012. *U.S. Community Protocol for Accounting and Reporting Greenhouse Gas Emissions*. Available: http://www.icleiusa.org/tools/ghg-protocol/community-protocol. Accessed: April 30, 2015.
- NCE. 2014, *California Local Streets & Roads Needs Assessment 2014 Update*. Prepared for: Save California Streets. October. Available: http://www.savecaliforniastreets.org/wp-content/uploads/2014/10/2014-Statewide-Report-FINAL-10-28-14.pdf. Accessed: July 16, 2015.
- U.S. EPA. 2015. *Overview of Greenhouse Gases*. Last Updated: May 7, 2015. Available: http://epa.gov/climatechange/ghgemissions/gases/n2o.html. Accessed: July 9, 2015.

7.3.2 Personal Communications

None

7.4 Chapter 4

7.4.1 Print and Web References

- California Air Resources Board. 2014b. *First Update to the Climate Change Scoping Plan*. May.
 - http://www.arb.ca.gov/cc/scopingplan/2013_update/first_update_climate_change_scoping_plan.pdf. Accessed: May 21, 2014.
- Hansen J., M. Sato, P. Kharecha, D. Beerling, R. Berner, V. Masson-Delmotte, M. Pagani, M. Raymo, D. L. Royer, and J. C. Zachos. 2012. Target Atmospheric CO2: Where Should Humanity Aim? Available: http://arxiv.org/ftp/arxiv/papers/0804/0804.1126.pdf>. Accessed: May 7, 2015.

- Intergovernmental Panel on Climate Change. 2013. Anthropogenic and Natural Radiative Forcing. In: Climate Change 2013: Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change. Available:
 - http://www.climatechange2013.org/images/report/WG1AR5_Chapter08_FINAL.pdf. Accessed: April 30, 2014.
- National Oceanic and Atmospheric Administration. 2014. *The NOAA Annual Greenhouse Gas Index (AGGI)*. Last updated: Summer 2014. Available:
 - http://www.esrl.noaa.gov/gmd/aggi/aggi.html. Accessed: November 12, 2014.
- United Nations. 1992. *United Nations Framework Convention on Climate Change (UNFCC)*. Article 2. Available: http://unfccc.int/resource/docs/convkp/conveng.pdf>.

7.4.2 Personal Communications

None

7.5 Chapter 5

7.5.1 Print and Web References

- Gilleran Energy Management, Inc. 2015. *Windsor Greenhouse Gas Action Planning Update*. Page 5-119. February 10. Available: http://windsor-ca.granicus.com/MetaViewer.php?view.id=2&clip.id=509&meta.id=35924> Accessed:
 - ca.granicus.com/MetaViewer.php?view_id=2&clip_id=509&meta_id=35924>. Accessed: February 5, 2016.
- Metropolitan Transportation Commission/Association of Bay Area Governments. 2010. *Bay Area Census*. Available: http://www.bayareacensus.ca.gov/cities/cities.htm>. Accessed: July 13, 2015.
- U.S. Census Bureau. 2014. Quick Facts. Available: http://www.census.gov/quickfacts/. Accessed: July 14, 2015.
- California Department of Finance. 2015. *E-5 Population and Housing Estimates for Cities, Counties, and the State, 2011-2015 with 2010 Census Benchmark*. May. Available: http://www.dof.ca.gov/research/demographic/reports/estimates/e-5/2011-20/documents/E-5_2015_InternetVersion.xls. Accessed: July 1, 2015.
- U.S. Energy Information Administration. 2009. *Residential Energy Consumption Survey 2009 Survey Data* Table CE2.5. Available:
 - http://www.eia.gov/consumption/residential/data/2009/index.cfm?view=consumption#summary. Accessed: July 1, 2015.
- U.S. Geological Survey. 2014. *Estimated Use of Water in the United States County-Level Data for 2010*. Available: http://water.usgs.gov/watuse/data/2010/index.html. Accessed: July 1, 2015.

7.5.2 Personal Communications

None

7.6 Chapter 6

7.6.1 Print and Web References

Flint, L. E., A. L. Flint, J. H. Thorne, and R. Boynton. 2013. *Fine-scale hydrologic modeling for regional landscape applications: the California Basin Characterization Model development and performance*. Ecological Processes 2:25. Available: http://www.ecologicalprocesses.com/content/pdf/2192-1709-2-25.pdf. Accessed: January 19, 2016.

Cornwall, C., S. Moore, D. DiPietro, S. Veloz, L. Micheli, L. Casey, and M. Mersich. 2014. *Climate Ready Sonoma County: Climate Hazards and Vulnerabilities*. Prepared as part of Climate Action 2020 by North Bay Climate Adaptation Initiative for Sonoma County Regional Climate Protection Authority. Santa Rosa, California. Available:

http://www.sctainfo.org/pdf/Climate%20Ready_Hazards_Vulnerabilities.pdf.

7.6.2 Personal Communications

None