

# MONGOLIAN BBQ BUFFET



Small white label with illegible text.

Small white label with illegible text.

Small white label with illegible text.

Small white label with illegible text.

Small white label with illegible text.

Small white label with illegible text.















Use only. Set back 10" (254 mm) minimum from the edge of the ceiling and 13.8" (343 mm) to the surface below the warmer. For non-combustible surroundings, do not install closer than 1" (25 mm) to the ceiling and 8" (203 mm) to the surface below the warmer.

**AVERTISSEMENT—RISQUE D'INCENDIE**—Ces appareils doivent être utilisés avec précaution et être installés à une distance de 10" (254 mm) de l'arête de la surface inférieure du warmer. Pour un environnement non inflammable, ne pas installer à moins de 25 mm (1") du plafond et de 203 mm (8") de la surface située en dessous du warmer. Environnement non inflammable : ne pas installer à moins de 25 mm (1") du plafond et de 203 mm (8") de la surface située en dessous du warmer.

**FOR POWER SUPPLY CONNECTIONS, USE COPPER WIRE OF AT LEAST 14 AWG.**

**EMPLOYER DU FIL POUR LES CONNEXIONS D'ALIMENTATION, UTILISER DU FIL EN COPRE D'AU MOINS 14 AWG.**

PRINCESS CRUISES  
Chicken Strips

PRINCESS CRUISES  
Beef Julienne

PRINCESS CRUISES  
Bay Shrimp

PRINCESS CRUISES  
Calamari Strips



FOR POWER SUPPLY  
CONNECTIONS USE  
COPPER WIRE SUTABLE  
FOR AT LEAST 80°C (180°F).  
EMPLOYER DU FIL DE CUIVRE  
POUR AU MOINS  
80°C (180°F) POUR LES  
CONNEXIONS D'ALIMENTATION.







