

**Crystal Data:** Monoclinic. *Point Group:* 2/m. Forms rims (to 0.05 mm thick) on lepidolite and as clusters of tabular grains to 0.25 mm.

**Physical Properties:** *Cleavage:* Perfect on {001}. *Tenacity:* Flexible. *Fracture:* n.d. Hardness = n.d. D(meas.) = n.d. D(calc.) = 2.95

**Optical Properties:** Transparent. *Color:* Colorless. *Streak:* n.d. *Luster:* Vitreous. *Optical Class:* Biaxial (-).  $\alpha = 1.586$  (calculated)  $\beta = 1.586$   $\gamma = 1.590$   $2V(\text{meas.}) = 25^\circ$  *Orientation:*  $Y = b$ ,  $Z = a$ .

**Cell Data:** *Space Group:* C2/c.  $a = 5.191$   $b = 9.025$   $c = 20.40$   $\beta = 95.37^\circ$   $Z = 4$

**X-Ray Diffraction Pattern:** Mt. Vasin-Myl'k, Voron'í Tundras, Kola Peninsula, Russia. 2.575 (100), 4.55 (80), 10.1 (60), 3.35 (60), 3.49 (50), 2.017 (50), 3.02 (45)

Chemistry:	(1)	(1)	
Na <sub>2</sub> O	0.03	MnO	0.14
K <sub>2</sub> O	3.70	Al <sub>2</sub> O <sub>3</sub>	21.33
Rb <sub>2</sub> O	12.18	SiO <sub>2</sub>	53.14
Cs <sub>2</sub> O	2.02	F	6.41
Li <sub>2</sub> O	4.0	<u>-O = F<sub>2</sub></u>	<u>2.70</u>
CaO	0.03	Total	100.30
MgO	0.02		

(1) Mt. Vasin-Myl'k, Voron'í Tundras, Kola Peninsula, Russia; average electron microprobe analysis, Li by ICP-OES; corresponds to  $(\text{Rb}_{0.54}\text{K}_{0.33}\text{Cs}_{0.06})_{\Sigma=0.93}(\text{Al}_{1.42}\text{Li}_{1.11}\text{Mn}_{0.01})_{\Sigma=2.54}(\text{Si}_{3.68}\text{Al}_{0.32})_{\Sigma=4}\text{O}_{10}[\text{F}_{1.40}(\text{OH})_{0.60}]_{\Sigma=2}$ .

**Polymorphism & Series:** Continuous solid-solution series with lepidolite; 2*M*<sub>1</sub> polytype.

**Mineral Group:** Mica group.

**Occurrence:** In veinlets or pods inside pollucite aggregates found in rare-element granitic pegmatites, a late-stage mineral formed after pollucite.

**Association:** Pollucite, lepidolite, muscovite, albite, quartz, K-Rb-feldspar, rubicline, spodumene, montebrasite, elbaite.

**Distribution:** At Mt. Vasin-Myl'k, Voron'í Tundras, Kola Peninsula, Russia [TL]. From the Red Cross Lake pegmatites, Manitoba, and the Eastern Moblan pegmatite, Frotet-Evans greenstone belt, Quebec, Canada.

**Name:** Honors Russian mineralogist A. V. Voloshin (b. 1937).

**Type Material:** A.E. Fersman Mineralogical Museum, RAS, Moscow, Russia.

**References:** (1) Pekov, I.V., N.N. Kononkova, A.A. Agakhanov, D.I. Belakovskiy, S.S. Kazantsev, and N.V. Zubkova (2009) Voloshinite, a new rubidium mica from granite pegmatites of Voron'í Tundras (Kola Peninsula) (English abstract). *Zap. Ross. Mineral. Obshch.*, 138(3), 90-100.  
 (2) Grew, E.S., G. Hystad, M.P.C. Toapanta, A. Eleish, A. Ostroverkhova, J. Golden, and R.M. Hazen (2019) Lithium mineral evolution and ecology: comparison with boron and beryllium. *Eur. J. Mineral.*, 31(4), 755-774.