

A Simplified Introduction to L^AT_EX

Harvey J. Greenberg¹
University of Colorado at Denver
Mathematics Department
PO Box 173364
Denver, CO 80217-3364
hjgreenberg@gmail.com

November 29, 2010

¹Minor updates, corrections and PDF version by Dan Luecking, `luecking at uark dot edu`

Table of Contents

List of Figures	iii
List of Tables	vi
Preface	viii
Acknowledgments	ix
Sources of \LaTeX Software	ix
1 Overview	1
2 Text	5
2.1 Fonts and Paragraphs	6
2.2 Lists	13
2.3 Making Tables	16
2.4 Special Characters	23
2.5 Tabbing	25
2.6 Line, Page, and Word Breaks	26
2.7 Spacing	27
Exercises	28
3 Bibliography with $\text{BIB}\TeX$	30
3.1 Overview	30
3.2 The bib File	31
3.2.1 Main body	31
3.2.2 Web citations	36
3.2.3 Additional features	37
3.3 Declaration and Citation	40
Exercises	41
4 Counters, Labels, and References	42
4.1 Basic Concepts	42
4.2 Intrinsic Counters	43
4.3 Figures and Tables	44
4.4 Defining Your Own	46
Exercises	49

5	Math Mode	50
5.1	Mathematical Symbols	50
5.2	Fractions and Variable Size Functionality	52
5.3	Arrays and Equations	57
5.4	Special Functions and Alphabets	64
5.5	Derivatives and Integrals	66
5.6	Theorems and Definitions	68
5.7	Refinements	70
5.8	Grammar	73
	Exercises	74
6	Graphics	79
6.1	Picture Environment	79
6.2	PSTricks	86
6.3	Importing pictures	97
	Exercises	100
7	Making Special Parts	103
7.1	Cover Page	103
7.2	Abstract	105
7.3	Other Front Matter	106
7.4	Back Matter	108
7.5	Footnotes	109
	Exercises	109
8	Taking Control	110
8.1	Your Own Abbreviations and Commands	110
8.2	Your Own Names, Titles and Numbers	111
8.3	Your Own Environments	113
8.4	Your Own Margins and Spacing	113
8.5	Your Own Output Control	118
8.6	Your Own Bibliography	119
	Closing Remarks	120
	Appendix	121
	Some Tips	128
	References	130

List of Figures

1	The Structure of a \LaTeX Document.	1
2	Your First \LaTeX Source File	2
3	Command Sequence from Source to Postscript	4
4	An Introductory Document Source (Result in Figure 5) . . .	5
5	An Introductory Document Result (Source in Figure 4) . . .	6
6	Positioning Paragraphs Source (Result in Figure 7)	7
7	Positioning Paragraphs Result (Source in Figure 6)	7
8	Centering Source (Result in Figure 9)	8
9	Centering Result (Source in Figure 8)	8
10	Some Font Sizes Source (Result in Figure 11)	10
11	Some Font Sizes Result (Source in Figure 10)	10
12	Skipping Line Spaces Source (Result in Figure 13)	12
13	Skipping Line Spaces Result (Source in Figure 12)	12
14	Description List Environment	14
15	Itemize List Environment Source (Result in Figure 16)	15
16	Itemize List Environment Result (Source in Figure 15)	15
17	Enumerate List Environment Source (Result in Figure 18) . .	16
18	Enumerate List Environment Result (Source in Figure 17) . .	16
19	A 2×3 Table	17
20	A 2×3 Table with Horizontal and Vertical Lines	17
21	A Table with Partially Spanning Horizontal and Vertical Lines	17
22	Nested Tables Source (Result in Figure 23)	18
23	Nested Tables Result (Source in Figure 22)	19
24	$\backslash\text{parbox}$ Source (Result in Figure 25)	21
25	$\backslash\text{parbox}$ Result (Source in Figure 24)	21
26	Multicolumn Source (Result in Figure 27)	22
27	Multicolumn Result (Source in Figure 26)	22
28	Obtaining Brackets in a Description List Environment	23
29	Tabbing Source (Result in Figure 30)	26
30	Tabbing Result (Source in Figure 29)	26
31	Adding bibtex to the Command Sequence	31
32	A Document to Print the Bibliographic Database	41
33	Framed Figure 34 Source	46
34	Framed Figure with Caption at Bottom	46
35	Framed Figure with Caption at Top	46
36	Alternative <code>enumerate</code> Symbols Source (Result in Figure 37) .	48
37	Alternative <code>enumerate</code> Symbols Result (Source in Figure 36) .	48

38	Variable Sizes Source (Result in Figure 39)	54
39	Variable Sizes Result (Source in Figure 38)	54
40	<code>\displaystyle</code> Source (Result in Figure 41)	54
41	<code>\displaystyle</code> Result (Source in Figure 40)	54
42	Examples to Compare Text and Display Modes	55
43	<code>eqnarray</code> Environment Source (Result in Figure 44)	59
44	<code>eqnarray</code> Environment Result (Source in Figure 43)	59
45	Matrix Equation Source (Result in Figure 46)	60
46	Matrix Equation Result (Source in Figure 45)	60
47	Nested Arrays Source (Result in Figure 48)	60
48	Nested Arrays Result (Source in Figure 47)	60
49	Horizontal Braces Source (Result in Figure 50)	62
50	Horizontal Braces Result (Source in Figure 49)	62
51	<code>\flushleft</code> in <code>parbox</code> Source (Result in Figure 52)	63
52	<code>\flushleft</code> in <code>parbox</code> Result (Source in Figure 51)	63
53	<code>\raggedright</code> in <code>parbox</code> Source (Result in Figure 54)	64
54	<code>\raggedright</code> in <code>parbox</code> Result (Source in Figure 53)	64
55	<code>gather*</code> Environment Source (Result in Figure 56)	71
56	<code>gather*</code> Environment Result (Source in Figure 55)	71
57	Commutative Diagram Source (Result in Figure 58)	73
58	Commutative Diagram Result (Source in Figure 57)	73
59	Vertical Diagram Source (Result in Figure 60)	80
60	Vertical Diagram Result (Source in Figure 59)	80
61	Variety of Objects in Picture Environment	80
62	Source for Figure 61	81
63	Line Parameters	83
64	PSTricks Source for Connecting Nodes	91
65	Graph Source (Result in Figure 66)	91
66	Graph Result (Source in Figure 65)	91
67	Source Code for Drawing Histogram of Test Scores	93
68	Sequence of PSTricks Commands to Draw Histogram	96
69	Applying <code>\includegraphics</code> to Import an eps File	98
70	Specifying Dimensions in <code>\includegraphics</code>	98
71	Title Page Source (Result in Figure 72)	103
72	Title Page Result (Source in Figure 71)	103
73	Adding Addresses to Authors	104
74	Footnotes in the Cover Page Source (Result in Figure 75)	105
75	Footnotes in the Cover Page Result (Source in Figure 74)	105
76	Making an Abstract Source (Result in Figure 77)	106

77	Making an Abstract Result (Source in Figure 76)	106
78	Some Front Matter Specifications for This Document	107
79	Adding <code>makeindex</code> to the Command Sequence	108
80	Setting a Footnote Source (Result in Figure 81)	109
81	Setting a Footnote Result (Source in Figure 80)	109
82	Setting a Footnote Source (Result in Figure 83)	109
83	Setting a Footnote Result (Source in Figure 82)	109
84	Document Margins	115
85	Varying <code>\itemsep</code> to control item spacing in a list	117
86	Array with Fixed Width Column Source (Result in Figure 87)	117
87	Array with Fixed Width Column Result (Source in Figure 86)	117
88	<code>\ifthenelse</code> Source (Results in Figure 89)	118
89	<code>\ifthenelse</code> Results (Source in Figure 88)	118
90	Most of the Preamble for this Book	121

List of Tables

1	Intrinsic Font Styles	9
2	Writing Special Characters	24
3	Some Accents for Letters	24
4	The Tabbing Environment	25
5	The <code>\kill</code> Tabbing Command	25
6	Figure and Table Location Options	45
7	Numerals to Print Counters	47
8	Default Settings for <code>enumerate</code> Counters	49
9	Some Mathematical Operations	50
10	Set Notation	51
11	The <code>\mathfont</code> Commands	52
12	Variable Size Mathematical Operation Symbols	53
13	Some Symbols in Logic	55
14	Order Relations	56
15	Transpose of a Vector	59
16	Some Common Mathematical Functions	65
17	Examples of Mathematical Functions	65
18	Notation Using <code>mathbb</code> Fonts from <code>amssymb</code> Package	66
19	Some Basic Drawing Commands in <code>PSTricks</code>	88
20	Boxes in <code>PSTricks</code>	89
21	Parameters for <code>\psaxes</code>	95
22	Intrinsic Name Parameters	112
23	Margin Parameters	116
24	Spacing Parameters	116
25	Conversions of Common Units of Measurement	121
26	Reference Tables	122
27	Commands/Environments for Text Font Appearance	122
28	Commands/Environments for Controlling Text Position	123
29	Text Accents and Special Symbols	123
30	Commands for Counters	123
31	Commands/Environments to Organize Document	123
32	Commands to Control Document Style	124
33	Commands to Control Fonts in Math Mode	124
34	Accents in Math Mode	124
35	Spacing Commands in Math Mode	124
36	Greek and Special Letters	125
37	Frequently Used Mathematical Symbols	125

38	Binary Operations	125
39	Operators and Quantifiers	125
40	Special Functions	126
41	Relation Symbols	126
42	Arrows	126
43	Dots, Circles, Triangles and Lines	127
44	Variable Size Symbols	127
45	Special Symbols in Both Text and Math Modes	127
46	Commands and Parameters in Picture Environment	128

Preface

The majority of this book is about using $\text{\LaTeX} 2_{\epsilon}$ [2, 10], a descendant of \LaTeX , designed by Leslie Lamport [9], based on \TeX , originated by Donald E. Knuth [8]. This is a *typesetting* program, not a word processor. You enter some editor that saves plain text files. Then, you type text freely until you need something special, such as *italic* font or a complex mathematical expression, like

$$\lim_{\epsilon \rightarrow 0_+} \frac{\int_{a_i}^{a_i+\epsilon} \sqrt{1 + (x - \mu)^2} dx}{\Phi(\epsilon)}.$$

It was the desire to have high quality, low cost publications in mathematics and related disciplines that caused Knuth (pronounced **Kah-nooth**) to invent \TeX (pronounced **Tek**) in the late 1970's. Originally believing that he could write a program in less than a year that could typeset documents, he actually ended up defining an entire branch of research in computer science. It was 10 years later that he published his seminal book [8], but he published articles along the way, and he permanently changed the way mathematical documents are prepared. \LaTeX (pronounced **Lah-tek** or **Lay-tek**) is a collection of *macros* built on top of \TeX that “represents a balance between functionality and ease of use” [9, p. xiii]. $\text{\LaTeX} 2_{\epsilon}$ is the current version, developed by a team of volunteers: Johannes L. Braams, David P. Carlisle, Alan Jeffrey, Frank Mittelbach, Chris Rowley, and Rainer Schöpf [2].

A comprehensive coverage of \LaTeX and the many enhancements to it is given by the *The \LaTeX Companion* [5]. By contrast, this book is designed to be a succinct introduction, omitting many of the things $\text{\LaTeX} 2_{\epsilon}$ can do. My goal is to offer enough of an introduction that someone not acquainted with \LaTeX (or with \TeX) can write a term paper, thesis, or article, using $\text{\LaTeX} 2_{\epsilon}$ to produce high quality results. Exercises are provided for guided instruction, which should be just a few classes. For one who is well acquainted with computers, particularly unix, the basics that are covered should take less than 10 hours, and one could do all of the exercises. For one who is just learning how to use a computer, it will take longer, especially getting used to functioning at the command line. In any case, the finer points require more study.

Happy \LaTeXing.
— Harvey J. Greenberg
Denver, Colorado

Acknowledgments

The author thanks the many contributors in the `comp.text.tex` newsgroup, particularly Donald Arseneau, Herman Bruyninckx, David Carlisle, Robin Fairbairns, Jonathan Fine, Denis Girou, David Haller, Dan Luecking, Timothy Murphy, Sebastian Rahtz, Axel Reichert, Thomas Ruedas, Bernd Schandl, Anton Schwaighofer, Mårten Svantesson, and Matt Swift, who were very generous with taking time to answer so many questions on a regular basis. I also received useful comments from people who read an earlier draft that I made available on the web, notably William Briggs. I especially thank Kasper B. Graversen whose in-depth review has made this version much better than my original. One student, Andrea Dean, provided feedback that led to several points of clarification. Last, but not least, I thank Allen G. Holder, who taught me \LaTeX in the first place.

Sources of \LaTeX Software

The basic \LaTeX software system is available free of charge for unix systems, and MiKTeX [13] is available free of charge for DOS systems. The best source of these, and additional packages that extend the \LaTeX capabilities (to which I refer in this book), is at the Comprehensive TeX Archive Network (CTAN) [4], at three host sites (and many mirrors):

1. <http://ctan.tug.org/> in Boston, MA, USA,
2. <http://www.tex.ac.uk/> in Cambridge, UK, and
3. <http://www.dante.de/> in Mainz, Germany (in German).

These all describe how to search and browse the FTP sites for software and documents.

1 Overview

You will create a file, called the \LaTeX *source*, which is plain text. To keep things simple, its suffix is `.tex`. For example, I refer to `myfile.tex` as a plain text source file that you create. Figure 1 shows the structure of this file, which I shall describe in greater detail throughout this book.




Figure 1: The Structure of a \LaTeX Document.

In the preamble, there are many options, depending upon the style; the intrinsic document styles are: `article`, `book`, `letter`, `report`, and `slides`. Most publishers have their own style, which they provide for you to download. Among these are professional societies, notably the American Mathematical Society (`amsmath` style) and the Society for Industrial and Applied Mathematics (`siam` style).

The focus throughout this book is on the article style. Further, I shall be using defaults for almost everything, concentrating on getting started with using \LaTeX as quickly as possible. Later, some of the options, like margin settings and other preamble specifications are covered, as well as more advanced topics for customizing your document.

Are you ready to write your first \LaTeX document? Copy the source file shown in Figure 2 and name it `myfile.tex`. Then, at the command line, enter:

```
latex myfile
```

(In an MS Windows system, the *command line* is the DOS command line, which you enter by running Start→Programs→MS-DOS Prompt, or by Start→Run and entering `cmd` or `command` into the window.)

```
\documentclass{article}
\begin{document}

    Hello world.

\end{document}
```

Figure 2: Your First L^AT_EX Source File

This is called *compiling* your source, which creates several output files. The only one you need to be concerned with now is the *dvi file*, which the latex program (called a “compiler”) names `myfile.dvi`. One of three things will have occurred:

Case 1. You got messages, but they were not fatal errors.

Among the non-fatal messages you will generally see are warnings like:

```
Overfull \hbox ...
Overfull \vbox ...
Underfull \hbox ...
Underfull \vbox ...
```

Do not worry about these.

Case 2. You got a fatal error message.

You must find and correct it. This is called *debugging* your source. Sometimes the error message tells you what went wrong, such as missing a brace (characters `{` and `}`, which you will come to know and love), or some command was not recognized due to being misspelled. Many times the message is not very informative, so you are advised to compile often. That way you will know that what you did in the last few minutes contains the error.

Case 3. You got no messages.

Something went wrong and you need to ask for help.

If all went well, the first thing to do is **SAVE A BACKUP** by copying your source file to another subdirectory, or to a different name. In unix do this by entering:

```
cp -p myfile.tex myfile-1.tex
```

(The `-p` is to keep the date and time of the source file.) Change `-1` to another qualifier each time (e.g., `-2 ...`), so you have a collection of backups. If you are running under DOS, use `copy myfile.tex destination`, where the *destination* is either `a:` or some backup file name. (If you are familiar with DOS, nothing more need be said; if not, you need to learn how to create, edit, and save plain text files.)

Next you want to view the result. If you are in a unix environment, you can view the result with the *dvi viewer*, `xdvi`. At the command line enter:

```
xdvi myfile
```

and it will come on your screen. (There is more to do if you are working remotely, in which case you might ask someone for help.)

If you are using DOS, the viewer that comes with MiKTeX [13], a free software system by Christian Schenk, is called YAP. At the DOS command line you enter:

```
YAP myfile
```

You will see various options for viewing and printing.

Under unix, `xdvi` does not have a print option, so you first need to convert the dvi file to postscript. This is done with the program, `dvips`. At the command line enter:

```
dvips myfile -o
```

(The `-o` tells the system you want the output to go to a file, rather than just print; your installation might already have file output as the default, in which case the `-o` is not needed.) This will result in the creation of the postscript file `myfile.ps`. You can print it by any number of ways, including the unix command, `lpr myfile.ps`.

The same conversion program can be run under DOS (and comes with MiKTeX), and you might want to obtain `myfile.ps` for a variety of reasons, including posting it on the web. To view or print a postscript file under DOS, you can run a program called `ghostview`. You will need to find out more about viewing and printing postscript files that suit your particular needs.

Summarizing, you begin by entering a plain text editor. In unix this could be pico, emacs, vi or vim. In DOS you can use EDIT at the command line, or you can use Notepad, Wordpad or MS Word. If you use a word processor, however, you must take absolutely no advantage of its formatting. You should even put in hard return characters (i.e., press `↵`Enter at the end of a line instead of letting the word processor do it for you), and **never use tabs**. In MS Word, when saving the file, be sure to specify plain text, and you must continue to specify the suffix as `.tex` (otherwise, it will use `.doc` as its suffix). If you want to check that the file is really plain text, enter

```
EDIT myfile.tex
```

at the DOS command line and see how the file appears. (There are some free text editors on the web; use your favorite search engine to find them.)

Once you have your source ready to compile, enter `latex myfile`, and if all is well, enter your dvi viewer. Under unix or DOS use `dvips` to convert the dvi file to a postscript (ps) file, which can be printed. These steps are given in Figure 3. Execute these commands for the source file shown in Figure 2. The result should be one line of output: Hello World. Congratulations!




Figure 3: Command Sequence from Source to Postscript

Now change your document to specify a font size of 12pt (default is 10pt) by changing your first line to the following:

```
\documentclass[12pt]{article}
```

The “pt” (abbreviation for “point”) is one of the units of measurement, about $\frac{1}{72}$ in; other units used in many parts of L^AT_EX are in (inches), cm (centimeters), and em (like the letter m, which is a printer measure equal to the width of M in the current font).

This book is designed for quick entry into using L^AT_EX, but do not be reluctant to read the last chapter. It tells you how to define your own commands and how to separate them into an input file that simplifies changing

things, like notation. I also cannot elaborate just yet on “using packages,” indicated in Figure 1, except to say that they are used to fulfill some function, and I shall introduce specific packages throughout this book. (One of the strengths of \LaTeX is the community of people who provide packages for everyone to use at no cost.) The orientation here is by function, beginning with how to write text.

2 Text

We begin by illustrating the most common text formatting, much like you would want in a word processor. (The power of \LaTeX will be evident when we get to mathematical expressions, but even some text, especially tables, will demonstrate the superior quality of the \LaTeX results.) First, consider how to make sections and subsections in article style. Figure 4 is the source that produces the result in Figure 5, showing how sections and subsections are defined. Note the automatic numbering, and how extra spaces and blank lines have no effect.

```

\documentclass[12pt]{article}

% We have defined the document to be an article using 12 point font.
% Blank lines mean nothing here, in the preamble.

\begin{document}                % Begin document "environment".

\section{This is a Section}
\subsection{This is a subsection}
This is the body of the subsection.
I can move to a new line anytime, and I can put in      lots
of      blanks      with      no      effect.

Skipping four lines is the same as skipping one line
--- it starts a new paragraph.

\subsection{Here is another subsection}
\section{Here is another section}
\end{document}

```

Figure 4: An Introductory Document Source (Result in Figure 5)




Figure 5: An Introductory Document Result (Source in Figure 4)

2.1 Fonts and Paragraphs

Figure 6 shows the source to produce different paragraph positions: centered, flush left, flush right, and justified (the default). Note that these are *environments*, a concept you need to understand about \LaTeX . The general form of an environment uses the following syntax:

```
\begin{environment}
      :
\end{environment}
```

```
\begin{center}
  The text is centered because I have entered the center environment.
  Text remains centered as long as we remain in this environment.
\end{center}
\begin{flushleft}
  Now we are out of the centering environment, and have begun the
  flushleft environment.
\end{flushleft}
\begin{flushright}
  This is another paragraph, but in the flushright environment.
  You will have occasion to use all four paragraph positions.
\end{flushright}

I am back to normal justification. The added space you see between
the above paragraphs is due to entering those environments.
```

Figure 6: Positioning Paragraphs Source (Result in Figure 7)

The text is centered because I have entered the center environment. Text remains centered as long as we remain in this environment.

Now we are out of the centering environment, and have begun the flushleft environment.

This is another paragraph, but in the flushright environment. You will have occasion to use all four paragraph positions.

I am back to normal justification. The added space you see between the above paragraphs is due to entering those environments.

Figure 7: Positioning Paragraphs Result (Source in Figure 6)

Instead of the `center` environment, you can use the `\centerline` command; they differ in that the environment skips a line before and after the paragraph, shown in Figures 8 and 9.

```

This precedes center environment.
\begin{center} This line is centered. \end{center}
This continues after centering.

This precedes centerline.

\centerline{This line is centered.}
This continues after centering.

```

Figure 8: Centering Source (Result in Figure 9)

```

This precedes center environment.

                This line is centered.

This continues after centering.
This precedes centerline.
                This line is centered.

This continues after centering.

```

Figure 9: Centering Result (Source in Figure 8)

You can also suppress indentation of the first line of a paragraph with the `\noindent` command. Here is an example:

```
\noindent This paragraph is not indented. produces:
This paragraph is not indented.
```

Table 1 lists the fonts that are intrinsic in a basic latex installation. (More fonts are available in packages, usually free of charge.) In technical writing, you will have particular use for the italic font, as it is used when introducing

a new term. For example,

A `\textit{group}` is defined on a set of elements `\dots`
 \Rightarrow A *group* is defined on a set of elements ...

(The \Rightarrow symbol can be read as “produces.”) Note the use of the `\dots` command, which produces the ellipsis.

Table 1: Intrinsic Font Styles

What you write	How it appears
This is <code>\textbf{boldface}</code> .	\Rightarrow This is boldface .
This is <code>\textit{italic}</code> .	\Rightarrow This is <i>italic</i> .
This is <code>\textrm{roman}</code> .	\Rightarrow This is roman.
This is <code>\textsc{small caps}</code> .	\Rightarrow This is SMALL CAPS.
This is <code>\textsf{sans serif}</code> .	\Rightarrow This is sans serif.
This is <code>\textsl{slanted}</code> .	\Rightarrow This is <i>slanted</i> .
This is <code>\texttt{typewriter}</code> .	\Rightarrow This is typewriter.

Some combinations of font styles can be produced. For example,

`\textbf{\textit{bolditalic}}` \Rightarrow ***bolditalic***.

The *argument* of `\textbf` is `\textit{bolditalic}`. The general form is `\textfont{text}`, where *font* is one of {bf, it, rm, sc, sf, sl, tt}, as seen in Table 1.

Not all combinations are in the basic L^AT_EX 2_ε installation. In particular, you must put `\usepackage[T1]{fontenc}` in your preamble to obtain:

`\textbf{\textsc{bold small caps}}` \Rightarrow **BOLD SMALL CAPS**.

Font size can also be varied at will. Figures 10 and 11 give the source and result for common variations. Notice how the paragraph spacing changes to accommodate the variation in font size. These size variations can be combined with font styles, such as using `{\Large\textbf{heading}}` for some heading.

```

You can make the text {\large large} or {\Large larger} or
even {\LARGE larger still}. You can also make it {\huge huge}.
You might want to make something {\small small} or
{\footnotesize smaller} or even {\scriptsize smaller still}.
You can make it really {\tiny tiny}.

```

Figure 10: Some Font Sizes Source (Result in Figure 11)

```

You can make the text large or larger or even larger still.
You can also make it huge. You might want to make some-
thing small or smaller or even smaller still. You can make it really
tiny.

```

Figure 11: Some Font Sizes Result (Source in Figure 10)

The use of braces to enclose a font size specification is like an environment. Optionally, we can explicitly use the environment syntax: `\begin{size} ... \end{size}`. For example, `\begin{large} This is large. \end{large}` produces the same result as `{\large This is large.}`. The environment syntax is useful when you want to keep the size for a large block of text, and the braces format is useful for short phrases. (There is no intrinsic environment for font styles.)

It is straightforward to underline text — just write `\underline{text}`. We can also **frame** text just by writing `\frame{text}`. We can give **frame** some room around the edges by using `\fbox` instead. (More on framing in §6, p. 79.) To overline is as straightforward, but learning it must wait until we enter *math mode*.

Now consider ways to indent a block of text. Here is an example using the *quote environment*, which was generated by putting `\begin{quote}` before the text and `\end{quote}` after it:

The construction of the real number system, notably by Dedekind cuts, was motivated by the need to fix calculus, which ran into trouble due to insufficient rigor in dealing with limits.

The quote environment is intended for short quotes, generally one short paragraph (as above), or a sequence of one line quotes, separated by blank

lines. The `quotation` environment is used for long quotations, having more than one paragraph (separated by blank lines). The indentation is the same as the quote, except the first line of each new paragraph is indented. (Just as in the regular text, this can be overridden by the `\noindent` command.) Here is an example that was created by putting `\begin{quotation}` before the text and `\end{quotation}` after it.

“Computers do not dream, any more than they play. We are far from certain what dreams are good for, but we know what they indicate: a great deal of information processing goes on far beneath the surface of man’s purposive behavior, in ways and for reasons that are only very indirectly reflected in his overt activity.”

— Alan M. Turing

“There are reports that many executives make their decisions by flipping a coin or by throwing darts, etc. It is also rumored that some college professors prepare their grades on such a basis. Sometimes it is important to make a completely ‘unbiased’ decision; this ability is occasionally useful in computer algorithms, for example in situations where a fixed decision made each time would cause the algorithm to run more slowly.”

— Donald E. Knuth

The quotes are by two pioneers of algorithms, Alan M. Turing and Donald E. Knuth. Their names appear on the right, after their quote, by skipping a line and entering `\hfill` (which means *horizontal fill*), to make the line flush right. Here are some other things to notice about this example:

- There are left and right quotation marks. I used ‘ ‘ ’ ’, not " ", to create this more stylistic quotation punctuation.
- The dash that appears before each name is created by three minus signs, ---. The more minus signs you use, the longer the dash. The convention is that one dash is for hyphenation, two are for ranges, such as page numbers, and three are for punctuation — i.e., use --- preceding “i.e.”
- There is extra space between the two quotations. This was done with the `\bigskip` command.

Figures 12 and 13 illustrate three levels of skipping: small, medium and big. Later, we shall look at a way to have a much finer range of vertical spacing.

```

This is a first line. \bigskip

The space you see above is a big skip. \medskip

The space you see just above is a medium skip. \smallskip

The space you now see just above is a small skip.

This is just an ordinary line space.

```

Figure 12: Skipping Line Spaces Source (Result in Figure 13)

```

This is a first line.

The space you see above is a big skip.

The space you see just above is a medium skip.

The space you now see just above is a small skip.

This is just an ordinary line space.

```

Figure 13: Skipping Line Spaces Result (Source in Figure 12)

The `verse` environment indents oppositely: lines after the first. The following was generated by putting `\begin{verse}` before the text and `\end{verse}` after it:

Neglect of mathematics works injury to all knowledge, since he who is ignorant of it cannot know the other sciences or the things of this world. And what is worse, men who are thus ignorant are unable to perceive their own ignorance and so do not seek a remedy. — Roger Bacon

The italics were specified in the usual way, by enclosing Bacon's verse with `\textit{...}`. (Designed for poetry, each line is a stanza in the verse, and if a stanza runs long, this form of indentation makes it clear.) Bacon's name appears flush right, again from the `\hfill` command, but this time it is on the last line of the verse, rather than a new line. This is achieved by not skipping a line after the verse:

```
\begin{verse}
\textit{Neglect of mathematics ...}
} \hfill --- Roger Bacon
\end{verse}
```

2.2 Lists

There are three intrinsic list environments, distinguished by what appears at the beginning of each item: number, bullet, or your description (perhaps nothing). To illustrate, here is the use of a `description` list environment to itemize steps involved in learning \LaTeX , whose source is indicated by Figure 14.

Basic Document Preparation. Knowing how to setup the latex source file, make paragraphs, vary fonts, and list items are enough to prepare a basic document without mathematics or tables (like a resume).

Making Tables. \LaTeX provides a means to make tables with the *tabular environment*, and its versatility puts it far ahead of word processors.

Bibliography. Knowing how to create a bibliography, in particular with `BIBTEX`.

Mathematics. This is a power of \LaTeX and one reason why it has become standard in writing mathematical papers. I will show you how to do virtually any mathematical expression in line with the text, or in *math display mode*.

Graphics. This has progressed a great deal in the past few years thanks to many people who have provided packages free of charge.

Other. There are a great many things to learn beyond the simple introduction when using \LaTeX to prepare a thesis, report or article.


```

\begin{description}
  \item [Basic Document Preparation.] Knowing how to setup ...
  \item [Making Tables.] \LaTeX~ provides a means ...
  \item [Bibliography.] Knowing how to create a bibliography ...
  \item [Mathematics.] This is the power of \LaTeX~ and one ...
  \item [Graphics.] This has progressed a great deal in the ...
  \item [Other.] There are a great many things to learn ...
\end{description}

```

Figure 14: Description List Environment

Two new things appear in the example: the use of `\LaTeX` to produce \LaTeX , and the use of `~` (called “tilde”) to enter a space. Without the tilde, the result would be \LaTeX provides, even with a space after `\LaTeX` in the source. (The reason is that a space (or some delimiter) is needed after `\LaTeX` (or any keyword) in order to distinguish it completely, and one might want a punctuation mark, like a comma, following `\LaTeX`, which requires no space.)

The text within the square brackets is an option. If present, as in this example, it is printed in boldface. With no option, the description list is one way to have text indented the opposite of a normal paragraph: the first line is at the left and subsequent lines are indented. For example,

```

\begin{description}
  \item \textsf{This is how one item in a description list
    environment looks with no optional text at the beginning.}
\end{description}

```

produces the following result:

This is how one item in a description list environment looks with no optional text at the beginning.

Unlike the verse environment, the first line goes almost to the left margin, and the lines extend all the way to the right margin.

Next, Figures 15 and 16 illustrate the `itemize` list environment, which prints bullets. Note the indentation of each item and the spacing between items. You see the nesting of two `itemize` lists, but any type of list can be nested within any other type.

```

\begin{itemize}
  \item This is item 1 and our task has just begun. Blank lines
        before an item have no effect.

  \item This is item 2 and we shall limit to just this few.

        A blank line within an item does create a new paragraph,
        using the indentation of the itemize environment.

  \begin{itemize}
    \item A second (nested) itemized list changes the bullet
          and indents another level.
  \end{itemize}
\end{itemize}

```

Figure 15: Itemize List Environment Source (Result in Figure 16)

- This is item 1 and our task has just begun. Blank lines before an item have no effect.
- This is item 2 and we shall limit to just this few.
 - A blank line within an item does create a new paragraph, using the indentation of the itemize environment.
 - A second (nested) itemized list changes the bullet and indents another level.

Figure 16: Itemize List Environment Result (Source in Figure 15)

Finally, I describe the `enumerate` list environment, where the default numbering is with Arabic numerals. With nested enumeration, the numbering changes at each level. Figures 17 and 18 illustrate with three levels of nesting.

```

\begin{enumerate}
  \item This is item 1, and we are having fun.
  \item This is item 2, and it's time to number anew.
    \begin{enumerate}
      \item Back to item 1, but we are not yet done.
      \item Two is new.
        \begin{enumerate}
          \item One again!
          \item Two (b) or knot 2b?
        \end{enumerate}
      \end{enumerate}
    \end{enumerate}
\end{enumerate}

```

Figure 17: Enumerate List Environment Source (Result in Figure 18)

1. This is item 1, and we are having fun.
2. This is item 2, and it's time to number anew.
 - (a) Back to item 1, but we are not yet done.
 - (b) Two is new.
 - i. One again!
 - ii. Two (b) or knot 2b?

Figure 18: Enumerate List Environment Result (Source in Figure 17)

2.3 Making Tables

A table is made with the `tabular` environment, which has the following syntax:

```

\begin{tabular}{column specs} options
  first row spec \\
  \vdots
  last row spec [\ \ options]
\end{tabular}

```

As indicated, each row ends with two backslashes, `\\`. Each column specification can be left, center or right, abbreviated by just one character: `l`, `c` or `r`, respectively. In the body of the table, each column is separated by

&. Figure 19 shows an example of a 2×3 table.

How it appears	What you write						
<table border="0"> <tr> <td>left</td> <td>center</td> <td>right</td> </tr> <tr> <td>1</td> <td>2</td> <td>3</td> </tr> </table>	left	center	right	1	2	3	<pre>\begin{tabular}{lcr} left & center & right \\ 1 & 2 & 3 \end{tabular}</pre>
left	center	right					
1	2	3					

Figure 19: A 2×3 Table

We can draw a horizontal line before any new row by specifying `\hline`. To draw a line after the last row, enter `\\ \hline` (the `\\` is simply part of the syntax and does not add an extra row to the table). The column specifications can have `|` on either side to indicate a vertical line. Figure 20 illustrates a combined use of these options.

How it appears	What you write						
<table border="1"> <tr> <td>-110</td> <td>-120.12</td> <td>-130</td> </tr> <tr> <td>210</td> <td>220.</td> <td>230</td> </tr> </table>	-110	-120.12	-130	210	220.	230	<pre>\begin{tabular}{ l c r } \hline -110 & 120 & -130 \\ \hline 210 & -220 & 230 \\ \hline \end{tabular}</pre>
-110	-120.12	-130					
210	220.	230					

Figure 20: A 2×3 Table with Horizontal and Vertical Lines

We could draw lines that span some rows and/or columns. The way to vary vertical line drawing is with the column specifications: put `|` only where you want a vertical line. The way to vary horizontal line drawing is by using `\cline{first col-last col}` instead of `\hline`. This is illustrated in Figure 21.

How it appears	What you write									
<table border="1"> <tr> <td>Name</td> <td>Test 1</td> <td>Test 2</td> </tr> <tr> <td>Bob</td> <td>67</td> <td>72</td> </tr> <tr> <td>Sue</td> <td>72</td> <td>67</td> </tr> </table>	Name	Test 1	Test 2	Bob	67	72	Sue	72	67	<pre>\begin{tabular}{l cc } Name & Test 1 & Test 2 \\ \cline{1-1} Bob & 67 & 72 \\ Sue & 72 & 67 \\ \cline{2-3} \end{tabular}</pre>
Name	Test 1	Test 2								
Bob	67	72								
Sue	72	67								

Figure 21: A Table with Partially Spanning Horizontal and Vertical Lines

We can have tables nested within tables. Figures 22 and 23 illustrate

this, while showing more variation with lines and using various fonts. Here are some things to note:

- The entire table uses sans serif font style. This is done by specifying `\textsf{` before entering the tabular environment (and closing with `}` just after it).
- Within the tables, fonts are varied: Roman is in the Roman font, specified by `\textrm{Roman}`, Greek is in italic, specified by `\textit{Greek}`, and upper case is in small caps, specified by `\textsc{upper case}`.
- A new column specification is introduced: `p{length}`, where any unit of measure can be used as the length of the spacing. In this example .3 inches is specified. Note that this counts as a column, so you see `&&` to separate the two tables, each being a column of the main table.
- The `\underline` command is used to underline Table 1, which is column 1 of the main table, whereas `\cline{3-3}` is used to underline all of column 3 of the main table, headed by Table 2.

```

\textsf{
  \begin{tabular}{lp{.3in}l} \\\
    \underline{Table 1} && Table 2 \\\ \cline{3-3}
  \\\
    \begin{tabular}{|lc|} \hline
      Object & Symbols used \\\ \hline
      variable & lower case \textrm{Roman} \\\
      parameter & \textit{Greek} \\\
      constant & \textsc{upper case} \textrm{Roman} \\\
    \end{tabular}
  \end{tabular}
&& % Begin Table 2
  \begin{tabular}{|rcc|} \hline
    * & 1 & 2 \\\ \cline{2-2}
    & 3 & 4 \\\ \cline{1-1}\cline{3-3}
  \end{tabular}
\end{tabular}
} % end sf

```

Figure 22: Nested Tables Source (Result in Figure 23)

<u>Table 1</u>		<u>Table 2</u>
Object	Symbols used	
variable	lower case Roman	* $\frac{1}{3}$ $\frac{2}{4}$
parameter	<i>Greek</i>	
constant	UPPER CASE Roman	

Figure 23: Nested Tables Result (Source in Figure 22)

There are times when we want to put a good bit of text into some columns of a table. Suppose, for example, we write the following:

```
\begin{tabular}{|l|l|} \hline
  This amount of text is too long to fit on one line of
  the page. & This is column 2. \\ \hline
\end{tabular}
```

The result will be to run off the edge of the paper:

This amount of text is too long to fit on one line of the page.	This is column 2.
---	-------------------

One solution is to insert new rows and break up the text manually:

```
\begin{tabular}{|l|l|} \hline
  This amount of text is too long to fit on one
  & This is column 2. \\
  line of the page. & \\ \hline
\end{tabular}
```

⇒

This amount of text is too long to fit on one line of the page.	This is column 2.
--	-------------------

Instead, one can assign a fixed width to a column by specifying `p{length}`. For example,

```

\begin{tabular}{|p{2in}|l|} \hline
This amount of text is too long to fit on one line of the page.
& This is column 2. \\ \hline
\end{tabular}

```

⇒

This amount of text is too long to fit on one line of the page.	This is column 2.
---	-------------------

Another solution is to use the `\parbox` command (short for “paragraph box”). This has the form `\parbox[option]{width}{text}`, where the *option* is the placement: `t` = top and `b` = bottom (default is center). Here are two examples:

```

\begin{tabular}{|l|l|} \hline
\parbox{2in}{This amount of text is too long to fit on
one line of the page.} & This is column 2. \\ \hline
\end{tabular}

```

⇒

This amount of text is too long to fit on one line of the page.	This is column 2.
---	-------------------

```

\begin{tabular}{|l|l|} \hline
\parbox[t]{2in}{This amount of text is too long to fit on
one line of the page.} & This is column 2. \\ \hline
\end{tabular}

```

⇒

This amount of text is too long to fit on one line of the page.	This is column 2.
---	-------------------

They differ only in the placement of the paragraph box, the latter being at the top to align it with column 2 in the manner shown.

When making a column or parbox small, the spacing can become unsightly due to being justified. This is overcome with the `flushleft` environment. Figures 24 and 25 illustrate this, and note that it contains other commands that can be in any paragraph.

```

\begin{center}
\begin{tabular}{ll}
\parbox[t]{3in}{\begin{flushleft}
  This is column 1, and I might want to display something:

  \medskip\centerline{\fbox{How sweet it is.}}\medskip

  This is not the same as

  \medskip\fbox{\centerline{How sweet it is.}}
\end{flushleft} }
& \parbox[t]{1in}{\begin{flushleft}\textsf{This is column 2,
  which I have put in sans serif font.}
\end{flushleft} }
\end{tabular}
\end{center}

```

Figure 24: `\parbox` Source (Result in Figure 25)

<p>This is column 1, and I might want to display something:</p> <div style="border: 1px solid black; padding: 2px; margin: 10px auto; width: 80px; text-align: center;">How sweet it is.</div> <p>This is not the same as</p> <div style="border: 1px solid black; padding: 2px; margin: 10px auto; width: 300px; text-align: center;">How sweet it is.</div>	<p>This is column 2, which I have put in sans serif font.</p>
---	---

Figure 25: `\parbox` Result (Source in Figure 24)

Any measurement, such as the width of a paragraph box, can be determined by some length parameter, rather than a fixed constant. For example, see exercise 9 at the end of this chapter and consider `\parbox{.3\linewidth}...`

If we want some heading to span several columns, this is done by the command, `\multicolumn{number}{col spec}{entry}`. The first argument is the number of columns to span (starting where `\multicolumn` is specified). This must be in the range 1 to however many columns remain from the current position. The second argument is any valid column specification, such as `l`, `c`, `r`, with, or without, a vertical line specification, `|`, on either side. Finally, the third argument is the text.

The `\multicolumn` command can also serve to override some column specification. Suppose, for example, we want the columns to be left justified, but we want the headers to be centered. Figures 26 and 27 illustrate these uses of `\multicolumn`. The first is used to center ‘Test number’ over columns 2 and 3. The line in the source begins with `&` to skip column 1, then the `\multicolumn` specifies 2 columns, centered with vertical lines before and after. The second use simply centers the ‘Student’ header. The last use of `\multicolumn` centers ‘Taken in class’ over columns 2 and 3. Unlike the first use, the vertical line at the end is missing because `c` was specified instead of `cl`.

```

\begin{center}
\begin{tabular}{l|cc|c}
      & \multicolumn{2}{|c|}{Test number} & \\
\multicolumn{1}{c|}{Student} & 1 & 2 & Average \\ \hline
      Bill & 67 & 72 & 70.5 \\ \hline
      Charleetah & 72 & 67 & 70.5 \\ \hline
      & \multicolumn{2}{c}{Taken in class} & \\
\end{tabular}
\end{center}

```

Figure 26: Multicolumn Source (Result in Figure 27)

Student	Test number		Average
	1	2	
Bill	67	72	70.5
Charleetah	72	67	70.5
	Taken in class		

Figure 27: Multicolumn Result (Source in Figure 26)

Tables that are too long to fit on one page could be broken manually, but the `longtable` package enables automatic page breaks by the \LaTeX compiler. (You obtain the package from CTAN [4].) In the preamble, specify `\usepackage{longtable}`. Then, instead of the `tabular` environment, specify the `longtable` environment, which has most of the same options.

2.4 Special Characters

We have already seen that some characters are special, in that they *delimit* something. In particular, `\` delimits every \LaTeX command, and `%` ends a line, enabling comments. How do we print such characters? One way is with the symbol, itself, like `\%`. Other times a keyword, like `\textbackslash`, is needed. The Appendix contains complete tables of these special characters (including those I do not cover explicitly in the chapters). Of particular importance are the braces, written as `\{ \}` to obtain `{ }`. (Recall that the braces by themselves create a local environment, like `{\large...}`.)

When using a keyword to specify a special character, it appears with whatever font is active. Table 2 (next page) illustrates this with commonly used special characters. The brackets, `[]`, are different because they can be entered directly, except when they are used to delimit an option in the syntax, in which case they can be obtained by enclosing them in braces. One example is the description list environment, illustrated in Figure 28. (Another is in the tabular environment (page 16), but I omitted a discussion of position options that are specified by brackets.)

How it appears	What you write
This is option for item.	<code>\begin{description}</code> <code>\item [This is option] for item.</code> <code>\end{description}</code>
[This is not option] for item.	<code>\begin{description}</code> <code>\item {[This is not option]} for item.</code> <code>\end{description}</code>

Figure 28: Obtaining Brackets in a Description List Environment

Another way to print the unprintable is with the `verbatim` environment or the `\verb` command. Unlike all other commands, `\verb` does not use braces to delimit its argument. It uses any other character to delimit a string, which can contain any character except itself. For example, we can write `\verb@{}%$#\@` to generate the string `{}%$#\` (delimited by `@`), which is printed in typewriter font style. The verbatim environment uses the usual syntax:

```
\begin{verbatim}
:
\end{verbatim}
```

Table 2: Writing Special Characters

Character (Roman)	How you write it	Other fonts	
		italic	large
{ }	\{ \}	{ }	{ }
% \$ # & _	\% \\$ \# \& _	% \$ # € _	% \$ # & _
\	\textbackslash	\	\
^	\textasciicircum	^	^
~	\textasciitilde	~	~
®	\textregistered	®	®
[]	{ [] }	//	[]

This is how the source code was created for the figures, like Figure 26 (p. 22).

Another class of special characters are letters with accents. Table 3 shows some common examples; a complete table is in the Appendix. For example, write `Poincar\’{e}` to have Poincaré and `G\“{o}del` to have Gödel. An accent could be applied to any letter, even if it does not relate to some language — for example, `\“{b}\~{c}\^ {d}` \Rightarrow $\text{b}\check{\text{c}}\hat{\text{d}}$.

L^AT_EX has a basic library of accents and special characters for writing in languages other than English, some of which are shown in Appendix Table 29 — e.g., `?‘` \Rightarrow $\grave{\text{ı}}$ and `\aa` \Rightarrow å . In some cases, these are not sufficient, particularly if the entire document is to be in a non-English language. For that purpose there are some packages, such as Babel [1] (also see [5, Chapter 9]).

Table 3: Some Accents for Letters

What you write		What you see
<code>\“{a}</code>	\Rightarrow	ä
<code>\’{e}</code>	\Rightarrow	è
<code>\’{i}</code>	\Rightarrow	í
<code>\~{o}</code>	\Rightarrow	õ
<code>\^ {u}</code>	\Rightarrow	û

2.5 Tabbing

The `tabbing` environment provides an alternative to the tabular environment by letting you set your own column tabs. Table 4 shows a simple case with two basic tabbing commands, `\=` to define a tab setting, and `\>` to move to a tab setting. In addition, `\` ends each row, but unlike the tabular environment, the first sentence continues normally, without extra spaces, so that the position of the tab is not equivalent to that of a table’s column.

Table 4: The Tabbing Environment

What you see	What you write
Begin: set tab 1...set tab 2 skip to 1 then to 2 skip to 2	<code>\begin{tabbing}</code> Begin: <code>\=set tab 1\dots \=set tab 2\\</code> <code>\>skip to 1 \>then to 2\\</code> <code>\></code> <code>\>skip to 2</code> <code>\end{tabbing}</code>

Sometimes we do not want to have the longest portion of text first, yet it is needed to define the tab. Table 5 illustrates how this is solved with the `\kill` command. In the first tabbing, the lines are in the order we want, but the tab is set by the shorter string ‘1-3’, making ‘4-6-8’ extend past the tab. The second tabbing puts the longer field first, in order to set the tab correctly, then specifies `\kill` instead of `\` to suppress (or “kill”) the printing of the line.

Table 5: The `\kill` Tabbing Command

What you see	What you write
1-3 sting like a bee 4-6-8 don’t be late	<code>\begin{tabbing}</code> 1-3 <code>\= sting like a bee \\</code> 4-6-8 <code>\> don’t be late \\</code> <code>\end{tabbing}</code>
1-3 sting like a bee 4-6-8 don’t be late	<code>\begin{tabbing}</code> 4-6-8 <code>\= don’t be late \kill</code> 1-3 <code>\> sting like a bee \\</code> 4-6-8 <code>\> don’t be late \\</code> <code>\end{tabbing}</code>

Figures 29 and 30 illustrate the tabbing environment with fixed field widths. It first uses the `\hspace*` command for horizontal spacing, then it uses the name of the last field to set what follows.

```

\begin{tabbing}
  \= \hspace*{.5in} \= \hspace*{2in} \= Last field: \= \kill
  \> Field 1 (following tab 1)
  \\ \> \> Field 2 on new line \> Last field
  \\ \> \> \> Last field on new line
\end{tabbing}

```

Figure 29: Tabbing Source (Result in Figure 30)

Field 1 (following tab 1)		
Field 2 on new line		Last field
		Last field on new line

Figure 30: Tabbing Result (Source in Figure 29)

2.6 Line, Page, and Word Breaks

You can cause a new line by entering `\linebreak`. When text is justified (the default), this could result in an undesirable appearance, like the following:

```

\textsf{This example is \linebreak extreme.}
⇒This                example                is
extreme.

```

The `\newline` command forces a new line without justifying it.

```

\textsf{Here is the extreme \newline example.}
⇒Here is the extreme
example.

```

The `\nolinebreak` command works analogously, preventing a line break, even if it means extending into the right margin. Also, it is better style to keep certain ‘words’ together, such as ‘figure 1’ or ‘p. 10’. To prevent a line break where you want a blank, use the space character `~`. We would thus write `figure~1` or `p.~10`.

There are two commands to force a page break: `\pagebreak` and `\newpage`. The `\newpage` command follows the analogy with `\newline` in forcing a page break precisely at the point it is specified, rather than completing the line as `\pagebreak` does. The `\nopagebreak` command disallows a page break immediately following the next blank line. The `\samepage` command prevents

a page break within its scope. Here is an example that keeps line 1 on the same page as line 2.

```
{\samepage
  line 1
  \nopagebreak

  line 2
}
```

Word breaks are hyphenations that L^AT_EX does for you. Sometimes, however, you want to suppress hyphenation. This can be done by specifying `\usepackage{hyphenat}` in the preamble. (You might have to download the package from CTAN [4], and follow the simple installation instructions.) Then, to suppress hyphenation, you specify the `\nohyphens` command. For example, the first sentence of this paragraph has a hyphen; to suppress it, enter:

```
\nohyphens{Word breaks are hyphenations that \LaTeX\ does for you.
           Sometimes, however, you want to suppress hyphenation.}
```

Then, you obtain the following:

Word breaks are hyphenations that L^AT_EX does for you. Sometimes, however, you want to suppress hyphenation.

2.7 Spacing

We have already seen the use of `~` to insert one space and `\hfill` to put the remaining text flush right. The most versatile method to insert horizontal spaces is with `\hspace` and `\hspace*`. These have one argument: the amount of space to be inserted. For example,

```
I insert .3~in \hspace{.3in} here. ⇒ I insert .3 in     here.
```

The `\hspace` command has no effect at a line boundary, but the `\hspace*` inserts the space no matter what. For example, the previous sentence is written as:

```
The \verb|\hspace| command has no effect at a line boundary, but
the \verb|\hspace*| \hspace*{1in} inserts the space no matter what.
```

That is why you see the 1 inch space at the beginning of the second line. `\hspace` would not insert the 1 inch, but `\hspace*` does.

Two variations of `\hfill` are:

```
\dotfill .....
\hrulefill _____
```

Analogously, vertical spacing is controlled by `\vspace`, `\vspace*` and `\vfill`. The height of one line of normal text is in the keyword `\baselineskip`, so `\vspace{\baselineskip}` skips one line at the next new line. The vertical space is not added if this goes to the top of a new page; that is what `\vspace*` does. In particular, at the very beginning of your document, if you want to make your own title page, you use `\vspace*{2in}` to put a 2 inch margin at the top (`\vspace` would not insert the space).

The easiest way to control line spacing throughout your document is to specify `usepackage{setspace}` in your preamble. This gives you three commands:

```
\singlespacing \onehalfspacing \doublespacing
```

Right after you specify one of these, that spacing will commence.

Exercises. Submit a printed copy of both the \LaTeX source (tex file) and the associated postscript result (ps file). Be sure your name is on each.

1. Write a paragraph in article [and letter] style with the following properties:
 - (a) Each font style in Table 1 is used as one letter in a word that has more than one letter.
 - (b) Each font style in Table 1 is used for one complete word.
 - (c) Each font style in Table 1 is used for two consecutive complete words.
2. Write two paragraphs in article [and letter] style with each of the following properties:
 - (a) Default indentation on both paragraphs.
 - (b) No paragraph is indented.
 - (c) Both paragraphs are indented.
 - (d) There is added space between paragraphs.

3. Write a paragraph in article style and make a cover page with the following properties (like the cover page of this document):
 - All lines are centered.
 - The title appears first in very large letters.
 - Your name appears second in letters that are not as large as the title, but larger than normal size, and it is preceded by extra space.
 - Your e-mail address appears third.
 - Your web address appears fourth.
 - Course number and title appears next, with extra space preceding it.
 - Date appears last, with extra space preceding it.
4. Give an enumeration of at least three things you like about mathematics. Give the same list without numbers.
5. Produce the following table:

Colors	
Primary	Secondary
Red	Green
Blue	Orange
Yellow	Purple

6. Produce the following table (including the accents and alignments).

Mathematician	Birth	Death
Gabrielle Emilie Le Tonnelier de Breteuil Marquise du Châtelet	1706	1749
Benjamin Banneker	1731	1806
Sophie Germain	1776	1831
Julius König	1849	1913
Rózsa Péter	1905	1977

7. Produce the following table.

		Payoffs (\$)	
Player A			Player B
1	2	3	
4	5	6	

1	2		
3	4		
5	6		

8. How can you have an entire table whose columns are of fixed width?
9. Create a 3-column text such that each column is a paragraph of arbitrary length using about $\frac{1}{3}$ of the page width each.
10. Use the tabbing environment to produce the following:

apples integral derivative

grapefruit sum difference

 variables constants
11. Use the tabbing environment to produce what you see on page 33.
12. Produce the following:

rate of mass accumulation in the compartment	=	net rate of mass entering the compartment by convection	+	net rate of mass entering by diffusion.
---	---	--	---	---

3 Bibliography with BIBTEX

3.1 Overview

It might seem strange to have this section so early, instead of with §7.4. That is because I require students to produce an annotated bibliography early in the semester, and I want them to use BIBTEX. So here we are.

BIBTEX [11] was developed by Oren Ptashnik and is available free of charge. It reads a plain text file, called a *bib file* (plus one of the files created by the latex compiler, about which you need not be concerned). The

bib file contains the *bibliographic database*, which could extend beyond one document. The bibtex program that you apply to your source creates another file (which you need not examine), from which a second latex compilation causes the bibliography to be created. The execution looks like this (same under unix and DOS):

```
latex myfile
bibtex myfile
latex myfile
```

You might have to compile with latex more times, until you do not have any “unresolved” bibliography citations. Once this is successful, you do not have to bibtex myfile again until you change your bib file or add a citation. This added loop is illustrated in Figure 31.




Figure 31: Adding bibtex to the Command Sequence

3.2 The bib File

3.2.1 Main body

For purpose of this introduction, suppose your bibliography is in a file called mybiblio.bib, but that name is arbitrary as long as it ends with .bib. We begin with the most important part of your bib file, which are the entries you want to include in its database. Each entry has the following form:

```
@type {label,
  field = "value",
  :
}
```

For example, Knuth's book [8] would be entered as follows:

```
@article{tex,
  author = "Donald E. Knuth",
  title  = "The {\TeX} Book",
  publisher = "Addison-Wesley Publishing Company",
  address = "Reading, MA",
  year    = "1989",
  edition = "15th",
}
```

Most authors develop a style to labelling bibliographic entries. The use of one keyword is somewhat simplistic and could cause problems with a great number of entries because the labels must be unique. We cannot, for example, have two entries with `tex` as their label. Here are two styles I have seen, which you might consider:

Form	Example
<i>author . year</i>	<code>knuth.89</code>
<i>author: first _ keyword _ in _ title</i>	<code>knuth:tex</code>

With two authors, you can put both of their names; with more than 2, you can add *et al.* (Linguistically, the use of the Latin *et al.* in formal writing follows this rule.) In the first form, if there are two publications by the same authors in the same year, some people add *a, b, ...* after the year (no blank). In the second form, if there are two publications by the same authors in the same year, some people add another keyword. You must discover what style works best for you.

Before listing each *style* (`article` is one style) and the *fields* they can or must have (`author` is one field), here are a few things to note.

- The label is arbitrary, but do not use any L^AT_EX special characters or blanks. In the example, the label is specified as `tex` and it must be followed by a comma. Also, labels are case-sensitive, so `tex` is not the same as `TeX`.
- Each bib entry must have a unique label, so it can be cited without ambiguity in the source file.

- The order of the fields is arbitrary, and fields are separated by commas (hence the comma *after* the terminal quote). The last field does not require a comma at the end, but it will not hurt anything, and it gives flexibility if you want to add a field or change the order.
- Fields do not have to be on separate lines, but it is more readable that way.
- The *field value* can be anything recognized by L^AT_EX, even mathematical symbols in math mode.
- There is a final } to close the entry — @type{ ... }.

Remember to put each author’s name as *first last* or *last, first*. If you put Knuth Donald, the compiler will think the first name is Knuth and the last name is Donald.

Here is a list of standard entry types with their required fields. What are “optional fields” in BIB_TE_X are not necessarily optional as far as having a complete bibliography citation. For example, the volume and page numbers of an article are necessary to include even though they are optional to satisfy BIB_TE_X syntax. (What is “necessary” depends upon the standard one applies, but most journals require the volume of the journal and the page numbers for the cited article.) Fields that are neither required nor optional are ignored, even if they are valid fields in other types of entries.

article refers to an article from a journal or magazine.

Required fields: **author, title, journal, year.**

Optional fields: **volume, number, pages, month.**

book refers to a book with an explicit publisher.

Required fields: **author or editor, title, publisher, year.**

Optional fields: **volume or number, series, address, edition, month.**

booklet refers to a bound, printed document, but without an explicit publisher.

Required fields: **author or key, title.**

Optional fields: **author, howpublished, address, month, year.**

inbook is a part of a book, such as a chapter or just some range of pages.

Required fields: **author or editor, title, chapter and/or pages, publisher, year.**

Optional fields: **volume or number, series, type, address, edition, month.**

incollection is a part of a book having its own title.

- Required fields: `author`, `title`, `booktitle`, `publisher`, `year`.
 Optional fields: `editor`, `volume` or `number`, `chapter` `series`,
`type`, `pages`. `address`, `edition`, `month`.
- `inproceedings` is an article in a conference proceedings.
 Required fields: `author`, `title`, `booktitle`, `year`.
 Optional fields: `editor`, `volume` or `number`, `series`, `pages`,
`month`, `organization`, `publisher`, `address`.
- `manual` is some technical documentation.
 Required fields: `author` or `key` (see note below). `title`.
 Optional fields: `author`, `organization`, `address`, `edition`,
`month`, `year`.
- `mastersthesis` is a Master's thesis.
 Required fields: `author`, `title`, `school`, `year`.
 Optional fields: `type`, `address`, `month`.
- `misc` is when nothing else fits.
 Required fields: `author` or `key` (see note below).
 Optional fields: `author`, `title`, `month`, `howpublished`, `year`.
- `phdthesis` is a PhD thesis.
 Required fields: `author`, `title`, `school`, `year`.
 Optional fields: `type`, `address`, `month`.
- `proceedings`
 Required fields: `title`, `year`.
 Optional fields: `editor`, `volume` or `number`, `series`, `publisher`,
`organization`, `address`, `month`.
- `techreport` is a report published by some institution.
 Required fields: `author`, `title`, `institution`, `year`.
 Optional fields: `type`, `number`, `address`, `month`.
- `unpublished` is a document with an author and title, but not formally
 published, even as a technical report. (Some note of explanation is
 required.)
 Required fields: `author`, `title`, `note`.
 Optional fields: `month`, `year`.

In addition to the optional fields listed, which vary by the type of entry, the `note` field is always an option. This lets you enter a note that will appear at the end of the citation. To have a comment that is not printed, enter an unrecognized field, such as `comment = "..."`, (this is ignored with no error message given).

If a required field is missing when you compile, you will get an error message. Possibly there will be some standard fixup, but it is best if you

provide the missing field value. If a document has no author, you must provide a key for sorting. For example, consider the following entry for $\text{\LaTeX} 2_{\epsilon}$ [10], which has no person as an author. The bibliography will be sorted with the key, $\text{\LaTeX}2e$, used to order this entry relative to author names. The key will not be printed.

```
@manual{usrguide,
  key = "LaTeX2e",
  title = "{\LaTeXe} for authors",
  type = "World Wide Web site",
  institution = "Comprehensive {\TeX} Archive",
  address = "{CTAN\url{/macros/latex/doc/usrguide.ps}
             (see~\cite{CTAN} for replacing CTAN)}",
  year = "1995--99",
}
```

When there are multiple authors, we separate them with `and` (no commas). For example, [5] in this document has the following $\text{BIB}\text{\TeX}$ entry:

```
@Book{companion,
  author   = "Michel Goossens and Frank Mittelbach and
             Alexander Samarin",
  title    = "The {\LaTeX} Companion",
  publisher = "Addison-Wesley Publishing Company",
  address  = "Reading, MA",
  year     = "1994",
}
```

The use of the braces in $\{\text{\LaTeX}\}$ is to tell the bibtex program to take everything inside just as it is written (for the latex program to process). Otherwise, the bibtex program might try to process it itself and produce an unintended result. This applies to accents too. In ordinary \LaTeX , we write $\text{G}\{\text{\o}\}\text{del}$ to produce Gödel, but this will not work in $\text{BIB}\text{\TeX}$. Instead, we write $\text{G}\{\text{\o}\}\text{del}$, or simply $\text{G}\{\text{\o}\}\text{del}$.

The use of braces to force a particular result is necessary in other instances, such as writing $\{\text{F}\}\text{ourier analysis}$ to force the capital F; otherwise, the bibtex program will produce ‘fourier analysis’ (the plain style produces article titles in lower case, except the first letter of the first word). Some authors, however, use this feature inappropriately by putting braces around everything. That defeats one of the primary advantages of using \LaTeX and $\text{BIB}\text{\TeX}$ in the first place: we want to let the style files determine the final form, so we can switch styles and use the same source (tex and bib files).

3.2.2 Web citations

When BIBTEX was developed, the World Wide Web did not exist. Now it is a major source of information. There is no universally accepted standard for how to reference web documents, but here is one way.

If it is a book, use the `book` type and specify:

```
publisher = "World Wide Web",
address   = "url ",
```

Here is an example:

```
@book{Strunk,
  author = "William Strunk{, Jr.}",
  title  = "Elements of Style",
  publisher = "World Wide Web",
  address  = "http://www.columbia.edu/acis/bartleby/strunk/",
  year    = "1999",
  note    = "This is the web version of the classic book by
            Strunk and White~\cite{StrunkWhite}",
}
```

The reference `\cite{StrunkWhite}` presumes there is the entry for the original publication. The use of the braces in the name is to be sure that the author appears as intended: William Strunk, Jr. Otherwise, without the braces, the comma would signal the bibtex program that ‘Jr.’ is the first name of the author, and it would appear as ‘Jr. William Strunk’.

If the document is a technical report, use that style but include the url as a note or in the address field. Eventually, you will run into some difficulty with writing urls. For one thing, the url could contain special characters; in particular, `~` is in many urls, and writing it will produce a space, not the tilde. Also, a url could become very long, and with latex having no place to break, you will see a line with lots of spaces (for justification), followed by the url. An unsightly line with spaces could also appear after the url. These difficulties are overcome by specifying:

```
address = "\url{http://www.columbia.edu/acis/bartleby/strunk/}",
```

The `\url` specification is not actually an intrinsic command in L^AT_EX; it is defined in a package. Its main use is to determine where the url can be broken in order to put it on two lines, if needed. Another feature of the url package is that `\url` prints special characters, like `~`. To have the `\url` command active in your document, put the following declaration into your

preamble: `\usepackage{url}`. The default font it uses is `tt`, but you can change this to another font with the specification:

```
\renewcommand\url{\begingroup\urlstyle{font}\Url}
```

For example, this book specifies the sans serif font:

```
\usepackage{url}
\renewcommand\url{\begingroup\urlstyle{sf}\Url}
```

There are occasions when we want to reference an entire web site. One example is the L^AT_EX 2_ε reference [2], given by:

```
@misc{latex2e,
  author = "Johannes L. Braams and David P. Carlisle and
           Alan Jeffrey and Frank Mittelbach and Chris Rowley
           and Rainer Sch{\\" o}pf",
  title  = "{\LaTeXe} and the {\LaTeX}3 Project",
  howpublished = "World Wide Web,
                \url{http://www.latex-project/org/latex3.html}",
  year   = "1994",
}
```

We have seen several packages so far, and you shall learn more about packages in §6, where I describe enhancements for having graphics in L^AT_EX. However, this is the first use of `\renewcommand`, about which I shall say more when I describe ways to customize your document in §8.

3.2.3 Additional features

One element of good style is to be consistent in your terms, including abbreviations and names of publishers. One sometimes sees “Kluwer,” other times “Kluwer Academic Publishers,” and still other times “Kluwer Pub.” To help be consistent and to save some work in the long run when we write many different documents and produce more bib files, we can define *strings* with the entry:

```
@string{name = "string"}
```

Then, we can refer to the string anywhere in the value of a field by excluding the quotes. (That is why we needed the quotes before, when we wrote *literals*.)

For example, suppose we define:

```
@string{kluwer = "Kluwer Academic Publishers"}
```


Then, we can enter:

```
publisher = kluwer,
```

to produce the publisher value = "Kluwer Academic Publishers." Besides consistency, an advantage is that if some name changes, we merely change the one string value and recompile.

We can concatenate strings and/or literals with #. For example, suppose we write

```
@string( mom = "My Mother" )
@string( dad = "My Father" )

author = mom,
title  = mom # dad,
editor = dad,
```

Then, the three field values are equivalent to:

```
author = "My Mother",
title  = "My MotherMy Father",
editor = "My Father",
```

Note the absence of a space between the string values in the title. To ensure a space, use the space character, ~, as a literal:

```
title  = mom # "~" # dad,
```

The same title as the above is obtained by any of the following:

```
title  = "My Mother " # dad,
title  = mom # " My Father",
```

Another useful feature of BIBTEX is the `crossref` field for cross referencing. For example, suppose we have the following entry (kluwer is a string; the other values are literals):

```
@Proceedings{Byrnes:FAA-89,
  editor   = "J.S. Byrnes and Jennifer L. Byrnes",
  title    = "Recent Advances in {F}ourier Analysis and its
             Applications: Proceedings of the {NATO}
             {A}dvanced {S}tudy {I}nstitute",
  publisher = kluwer,
  year     = 1990,
}
```

Then, we can have the following entry:

```
@InProceedings{Artemiadis:FAA-89-311,
  crossref = "Byrnes:FAA-89",
  author   = "N.K. Art{'e}miadis",
  title    = "Results on the Absolutely Convergent Series
             of Functions and of Distributions",
  pages    = "311--316",
}
```

If these were the only references, the result would appear as follows:

- [1] N.K. Artémiadis. Results on the absolutely convergent series of functions and of distributions. In Byrnes and Byrnes [2], pages 311–316.
- [2] J.S. Byrnes and Jennifer L. Byrnes, editors. *Recent Advances in Fourier Analysis and its Applications: Proceedings of the NATO Advanced Study Institute*. Kluwer Academic Press, 1990.

BIBTEX also recognizes a preamble in our bib files to enable us to define some L^AT_EX commands. The general form is

```
@Preamble{ string }
```

where *string* is any concatenation of literals and strings. Here is an example [11] that is useful for guiding the sorting of references in a special circumstance:

```
@Preamble{ "\newcommand{\noopsort}[1]{}" }
```

The `\newcommand` is something I shall describe more fully in §8. For now, it is used to define a command, `\noopsort`, requiring one argument. Command `\noopsort` ignores the argument that it receives, producing nothing (indicated by `{}`). Here is how this can be used.

Suppose there is a 2-volume work by the same authors, originally published 1971, but a second edition of volume 1 is printed in 1973. The bib entries would have the years in the opposite order than we want because sorting is first by the authors, which are the same, then by year. To force the first volume to sort before the second, we fool the bibtex program with the following specifications:

Volume 1	Volume 2
year = "{\noopsort{a}}1973",	year = "{\noopsort{b}}1971",

This fools the bibtex program into thinking the years are `a1973` and `b1971`, thus putting volume 1 first. The definition of `\noopsort`, however, does not actually print the letters, so just the years appear.

3.3 Declaration and Citation

At the end of your source file (where you want the bibliography to appear), before `\end{document}`, put the following commands (in either order):

```
\bibliography{mybiblio}
\bibliographystyle{plain}
```

The first declares the bibliography to be in the bib file, `mybiblio.bib`.

The second command defines the format style of the bibliography to be `plain`, which comes with every installation of latex. There are other bibliography format styles, including some provided by publishers. Here is a list of the most basic ones (included in every installation):

- `plain` is the most common because it formats entries according to accepted standards. Entries are sorted by the alphabetical order of author names, breaking ties with the year of publication, and they are labeled with numbers.
- `abbrv` differs from `plain` by abbreviating names of journals, among other things (to give a more compact bibliography).
- `alpha` differs from `plain` by citing by labels, rather than numbers.
- `unsrt` differs from `plain` by sorting entries by the order in which they are cited, rather than by the author names.

We shall use only the `plain` style here, but know that many other styles have been written and are available free of charge.

To cite particular references, the L^AT_EX command is `\cite{label [...]}`, where *label* is what we put in our bib file entry. For example, [8] is produced by specifying `\cite{tex}`. You can put more than one citation, separated by commas. For example, `\cite{tex,latex}` produces [8, 9] for this document.

You can insert some further citation information as an optional input argument to the `\cite` command. For example, `\cite[p.~46]{latex}` produces [9, p. 46] in this document. (In the option, delimited by [], the ~ is used to ensure that there is a space but no line break when giving the page number as “p. 46” in the citation.)

The rule is that only those bib entries that are cited appear in the final document. The reason is that we can maintain one large bib file and write many documents that use it. There are times when we want to be sure a particular bib entry appears, but we do not want to cite it in the text. This is done with the `\nocite` command. In particular, if we want to have every entry in our bib file appear, we specify `\nocite{*}`. If we want only some particular list of entries to appear, we use `\nocite` with their labels, such as `\nocite{tex}` to be sure Knuth's T_EX book appears, even if it is not cited explicitly. Figure 32 shows a complete source file for having all entries in `mybiblio.bib` appear, and that is the entire document!

```
\documentclass[12pt]{article}
\begin{document}
  \nocite{*}
  \bibliographystyle{plain}
  \bibliography{mybiblio}
\end{document}
```

Figure 32: A Document to Print the Bibliographic Database

We can specify more than one bib file, such as:

```
\bibliography{mybiblio,another}
```

The bibtex program will search them sequentially for any citation. If we have the same label in both bib files, the entries must be identical; otherwise, we will get a fatal error message, **Repeated entry-** telling us which label is repeated. If we have the same entry with different labels, they will appear twice if both labels are used (or if we used `\nocite{*}`).

Exercises. Submit a printed copy of the L^AT_EX source (tex file), the BIB_TE_X data (bib file), and the associated postscript result (ps file). Be sure your name is on each.

1. Produce a document with one paragraph that cites three bibliographic items, one for each of the following types:
 - (a) An article in a journal.
 - (b) An entire book with at least three authors.
 - (c) A chapter in a book.
 - (d) A technical report.

2. Produce a document that lists your entire database, which consists of at least one entry for each of six different document types. Further, at least one entry must have more than two authors.
3. Produce a document with one paragraph that cites three bibliographic items, one for each of the following types:
 - (a) A technical report on the web.
 - (b) A book on the web.
 - (c) An entire web site.
4. Produce a document that has only a bibliography composed of the following three entries (in the order shown).
 - [1] I.M. Rich, editor. *Impossible Dreams*, volume I. MacTaco, second edition, 1999.
 - [2] I.M. Rich, editor. *Impossible Dreams*, volume II. MacTaco, 1990.
 - [3] I.M. Smart, U.R. Tu, and V.F. Money. *How to Square a Circle*, chapter 1. Volume II of Rich [2], 1990.
5. Produce an annotated bibliography of the following form (note the indentations on left and right margins):
 - [1] P.R. Halmos, *Naive Set Theory*, Van Nostrand, Princeton, NJ, 1960.

This is a good book, which I assign to my Ph.D. students. The first 100 pages seem simple. The next 100 reveal lack of understanding the first 100.
 - [2] G. Polya, *How To Solve It*, Princeton University Press, Princeton, NJ, 1945.

This is a seminal book that articulates the problem-solving — i.e., theorem-proving — process. There are many editions, and there are modern descendants, such as . . .

4 Counters, Labels, and References

4.1 Basic Concepts

A *counter* is a numerical value that refers to something that is being numbered, such as pages, sections, figures, and equations. A *label* is the identification of

a particular value, and a *reference* is a citation to a label. The \LaTeX syntax for labeling a counter is `\label{label}`, placed where the counter's value is set, where *label* is unique in the document. The \LaTeX syntax for referencing a label is `\ref{label}`. For example, in this book I defined:

```
\section{Bibliography with \Bibtex} \label{sec:Bibliography}
```

Now I can refer to §3 by `\S\ref{sec:Bibliography}`. The choice of label is arbitrary, except do not use \LaTeX special characters or blanks, just as the labels in the bib file entries.

There are times when you just want to produce the counter value, without a label. This is done by `\thecounter`. For example, `\thepage` produces the page number. On the other hand, if you want to use the counter's numerical value as an argument in a command, specify `\value{counter}`.

In the next section I describe intrinsic counters and illustrate how to label and reference them. Then, I shall introduce the figure and table environments, which have intrinsic counters associated with them.

4.2 Intrinsic Counters

Anything to which \LaTeX assigns a number has a counter associated with it. Here I illustrate some of those that are in all document styles. Counters that depend upon the style, like a chapter in a book, can be labelled and referenced in the same manner.

You are looking at page 43, which I was able to print by writing `\thepage`. Similarly, you are reading subsection 4.2 of section 4, whose numbers I could write by `\thesubsection` and `\thesection`, respectively.

To illustrate how I can reference other parts of this document, the following labels were defined (when the subsection and subsubsection were first written):

```
\subsection{The bib File} \label{subsec:bibfile}
\subsubsection{Web citations} \label{subsubsec:webcite}
```

Then, I can refer to these as follows:

```
\S\ref{subsec:bibfile}    ⇒ §3.2
\S\ref{subsubsec:webcite} ⇒ §3.2.2
```

I can also refer to their page numbers:

```
p.\pageref{subsubsec:webcite} ⇒ p. 36
p.\pageref{subsec:bibfile}    ⇒ p. 31
```

For any counter, `\pageref{counter}`, gives the page number where its label is defined, just as `\ref{counter}` gives its value. (Recall from p. 26 that `~` is used to have a space without a linebreak, which is an element of good style.)

Equation (6), page 67, was labelled `\label{eqn:hessian}`, so in this sentence I wrote its number by `\ref{eqn:hessian}` (with parenthesis added) and its page number by `\pageref{eqn:hessian}`. In the exercise to list what you like about mathematics, I entered the label `\label{exer:likeaboutmath}` (page 29), which I can now reference as exercise #4 by writing `\#\ref{exer:likeaboutmath}`.

The choice of label, such as `subsubsec:webcite`, is any string you want to use that does not contain embedded blanks or special characters used by \LaTeX . In my choice of label, I used the structure *prefix:name*. That is a matter of style, and I used the prefix `subsec` here. This helps me to distinguish labels for different things. For equations, I use the prefix `eqn`. Some people use this same form but with different prefixes, such as `ss` for subsection and `e` for equation. You can choose any labeling convention that is meaningful to you. (If you have a lot of labels and need to keep track of them by printing each label and citation in your drafts, see the `showkeys` package at CTAN [4].)

4.3 Figures and Tables

In this section I describe figure and table environments, which have the same syntax:

<code>\begin{figure}[options]</code>	<code>\begin{table}[options]</code>
<code>[\caption{caption[\label{label}]}</code>	<code>[\caption{caption[\label{label}]}</code>
<code>:</code>	<code>:</code>
<code>[\caption{caption[\label{label}]}</code>	<code>[\caption{caption[\label{label}]}</code>
<code>\end{figure}</code>	<code>\end{table}</code>

The caption, if present, can go at the top or bottom; where you put it is where it will appear. The label to reference a figure or table is put inside the caption. (If you put it outside the caption, as given in [9], it will not be understood, even though you will get no error message.)

Because figures and tables are not split, their exact location depends upon how much room there is. For that reason they are called “floating objects,” or *floats*. The environment *options* define where the float is to be located. The four choices are shown in Table 6. In this document most tables and figures are specified with `[ht]`, which means they are to be placed “here,” the place where it is specified in the source, if possible. If there is not enough room, it is to be located at the top of the following page.

The placement of a float is sometimes a source of frustration. We might specify `[ht]` and find the float in an unexpected place, perhaps on a page by itself. One cause could be an accumulation of floats that should be cleared at some point

Table 6: Figure and Table Location Options

Option	Meaning
<code>h</code>	Locate here (where the environment is declared).
<code>t</code>	Locate at the top of the next page.
<code>b</code>	Locate at the bottom of the page (or the next page, if this page does not have enough room).
<code>p</code>	Locate on a separate page, called a <i>float page</i> , which has no text, only figures and tables.

before continuing. This is done with the `\clearpage` command. This does the same as `\newpage`, except that it also prints all remaining floating objects. It is also advisable to specify `\usepackage{float}` in the preamble. One of the enhancements is the placement option: `[H]`, which insists that the float be placed here (note the capital H and no other option specified). This option is used in many places in this book, which is why you sometimes see pages with some blank space in the lower portion, followed by a figure or table. I did this to avoid confusion by having some float appear after it is cited and discussed.

The table environment is not to be confused with the tabular environment. The latter makes tables, but the table environment does not have to contain a table; it differs from a figure only in its name, and they have separate counters. The figures and tables in this document appear as the form:

Figure *number*: *caption* vs. Table *number*: *caption*

That's it.

As a matter of style, we generally use the figure environment to present what we usually think of as figures, notably pictures, and we generally use the table environment to present information in tabular form. However, neither of these conditions is necessary for their \LaTeX environments.

Floats can be framed, using the `\fbox` command. For example, Figures 33 and 34 illustrate how to frame a figure with a thick border.


```

\begin{figure}[ht]
\begin{center}
\setlength{\fboxrule}{3pt} % make border lines thick
\setlength{\fboxsep}{.2in} % increase distance to border
\fbox{ This is a framed figure. }
\end{center}
\caption{Framed Figure with Caption at Bottom \label{fig:fboxbottom}}
\end{figure}

```

Figure 33: Framed Figure 34 Source




This is a framed figure.

Figure 34: Framed Figure with Caption at Bottom

The parameter settings have returned to their default values, upon leaving the figure environment. (This is called a *local setting*.) Thus, the frame in Figure 35 has thin lines and no extra padding around the border. Also note how the caption is put at the top (see exercise 3).

Figure 35: Framed Figure with Caption at Top



This is framed with default parameter values.

4.4 Defining Your Own

In the preamble you can define your own counter with the `\newcounter` command:

```
\newcounter{name}[within]
```

where *name* is the (unique) name of the counter (cannot be the same as one of the intrinsic counter names). The initial value of the counter is 0. For example, `\newcounter{mycounter}` defines a counter whose name is `mycounter`. You can also define the counter to be *within* another counter. For example,

```
\newcounter{mycounter}[section]
```

defines `mycounter` to be within the section counter. This will cause the value of `mycounter` to be reset to 0 when entering a new section. Further, instead of the printed values being 1, 2, ..., they will be 1.1, 1.2, ... within section 1; more

generally, the values of `mycounter` will be of the form `s.1`, `s.2`, ... when printed within section `s`.

The counter values are printed in Arabic numerals, but you can specify the type of numeral, shown in Table 7.

Table 7: Numerals to Print Counters

What you see	What you write
a, b, c, d, ...	<code>\alph{mycounter}</code>
A, B, C, D, ...	<code>\Alph{mycounter}</code>
1, 2, 3, 4, ...	<code>\arabic{mycounter}</code>
i, ii, iii, iv, ...	<code>\roman{mycounter}</code>
I, II, III, IV, ...	<code>\Roman{mycounter}</code>

Counter values can be incremented with the `\addtocounter` command. For example, `\addtocounter{mycounter}{1}` adds 1 to the value of `mycounter`. If we just want to increment the counter by 1, we can specify `\stepcounter{mycounter}`. Counter values can be set to some absolute value with the `\setcounter` command. For example, `\setcounter{mycounter}{5}` sets the value of `mycounter` to 5. This can also be used to transfer the value of one counter to another. For example,

```
\setcounter{mycounter}{\value{page}}
```

sets the value of `mycounter` to the current page number (value of the intrinsic counter, `page`).

When using a counter for some non-intrinsic sequence, we want to be able to label it for future reference. This is done with the `\refstepcounter` command, which also increments its value. For example, to increment `mycounter` by 1 and establish a label to its value at the place this is done, write

```
\refstepcounter{mycounter} \label{mylabel}
```

Then, we can use `\ref{mylabel}` and `\pageref{mylabel}` wherever we like.

The default numeral type is `arabic`, but you can change the appearance to be any of those listed in Table 7 by applying the `\renewcommand` to `\thecounter`. For example,

```
\setcounter{mycounter}{0}
\renewcommand{\themycounter}{\roman{mycounter}}
\stepcounter{mycounter} (\themycounter),
\stepcounter{mycounter} (\themycounter), \dots
```

⇒ (i), (ii), ...

This can be used for intrinsic counters too. For example, consider the `enumerate` list environment, where the types of numerals for the four levels are: `arabic`, `alph`, `roman` and `Alph`. We can change these to be any type we want, such as illustrated in Figures 36 and 37.

```

\renewcommand{\theenumi}{\Roman{enumi}}
\renewcommand{\theenumii}{\Alph{enumii}} % changes numeral type
\renewcommand{\labelenumii}{\theenumii.} % changes appearance
\begin{enumerate}
  \item Introduction
  \item Terms and Concepts
    \begin{enumerate}
      \item Groups and fields
      \item Picnics and frolic
    \end{enumerate}
\end{enumerate}

```

Figure 36: Alternative `enumerate` Symbols Source (Result in Figure 37)

```

I. Introduction
II. Terms and Concepts
  A. Groups and fields
  B. Picnics and frolic

```

Figure 37: Alternative `enumerate` Symbols Result (Source in Figure 36)

The second level, whose counter is `enumii`, had its *label* changed to what is specified in the source: `\renewcommand{\labelenumii}{\theenumii.}` (the “appearance” parameter is `\labelenumii`). These changes remain in effect (called a *global setting*), so we must change them back if we want to restore the defaults, shown in Table 8.

Table 8: Default Settings for enumerate Counters

Counter	What changes	Command
enumi	numeral	<code>\renewcommand{\theenumi}{\arabic{enumi}}</code>
	label	<code>\renewcommand{\labelenumi}{(\theenumi)}</code>
enumii	numeral	<code>\renewcommand{\theenumii}{\alph{enumii}}</code>
	label	<code>\renewcommand{\labelenumii}{(\theenumii)}</code>
enumiii	numeral	<code>\renewcommand{\theenumiii}{\roman{enumiii}}</code>
	label	<code>\renewcommand{\labelenumiii}{(\theenumiii)}</code>
enumiv	numeral	<code>\renewcommand{\theenumiv}{\Alph{enumiv}}</code>
	label	<code>\renewcommand{\labelenumiv}{(\theenumiv)}</code>

Exercises. Submit a printed copy of the L^AT_EX source (tex file) and printed copy of the associated postscript result (ps file). Be sure your name is on each.

1. Write a document with at least two pages and two sections. Put an enumerated list of items near the beginning of your document, and use the `\ref` or `\pageref` command to reference each of the following.
 - (a) Reference §2 by a label that you assign to section 2 (make whatever label name you like).
 - (b) Somewhere near the end of your document reference the page number of the first section.
 - (c) Reference item #2 of your enumerated list.
2. Include two tables and figures in your document, and reference them by label. Also reference the page that they appear.
3. Produce Figure 35.
4. Produce lists using the enumerate environment with the following appearance:
 1. ...
 - 1.1 ...
 - 1.2 ...
 2. ...
 - 2.1 ...
 - 2.2 ...

5 Math Mode

One can write mathematical expressions by entering *math mode*, signified by delimiters `$...$` or `\[...\]`. The `$` delimiter keeps the mathematical expression in the text, like this:

A consequence of Einstein's postulates is that `$E = mc^2$`.
 \Rightarrow A consequence of Einstein's postulates is that $E = mc^2$.

The other form is *math display mode*, like this:

A consequence of Einstein's postulates is that `\[E = mc^2.\]`
 \Rightarrow A consequence of Einstein's postulates is that

$$E = mc^2.$$

5.1 Mathematical Symbols

The example also illustrates the use of the *superscript* operator, `^`. Table 9 shows other common operations in math mode. (Each of the tables in this section applies only to math mode.)

Table 9: Some Mathematical Operations

Operation	Symbol	Example	
		How it appears	What you write
subscript	<code>_</code>	x_3	<code>x_3</code>
superscript	<code>^</code>	x^3	<code>x^3</code>
multiply	<code>\times</code>	$a \times b$	<code>a\times b</code>
divide	<code>\div</code>	$a \div b$	<code>a\div b</code>

The braces enclose an expression that can be used to define a more complex operand. For example, x_{a+b} is written as `x_{a+b}` and x^{a^2} is written as `x^{a^2}`. The order of subscripts and superscripts does not matter:

$$x_{a+b}^{c+d} \Rightarrow x_{a+b}^{c+d}$$

$$x^{c+d}_{a+b} \Rightarrow x_{a+b}^{c+d}$$

Table 10 shows some set notation. The complement of A often appears as $\sim A$, produced by `\sim A`, but this is not universal notation; some authors use A^c or A' , produced by `A^c` and `A\prime`, respectively, and some use \overline{A} , produced by `\overline{A}`.

Preceding any symbol by `\not` puts the line through the symbol, as in the following examples:

$$\begin{aligned} A \not\subseteq B &\Rightarrow A \not\subset B \\ x \not\in A \cup B &\Rightarrow x \notin A \cup B \\ A \setminus B \not\supseteq B &\Rightarrow A \setminus B \not\supset B \end{aligned}$$

Table 10: Set Notation

What it is	How it appears	What you write
empty set	\emptyset	<code>\emptyset</code>
intersection	\cap	<code>\cap</code>
union	\cup	<code>\cup</code>
set minus	\setminus	<code>\setminus</code>
element in	\in	<code>\in</code>
subset (proper)	\subset	<code>\subset</code>
subset or equal	\subseteq	<code>\subseteq</code>
superset (proper)	\supset	<code>\supset</code>
superset or equal	\supseteq	<code>\supseteq</code>

You can control the size of the font by using the usual specification before entering math mode. For example, `\Large $(x \div y) + z$` $\Rightarrow (x \div y) + z$. Font style, however, does not apply to math mode because math mode has its own, separate from text mode. You can make math fonts boldface by specifying `\boldmath` before entering math mode. For example, `\boldmath $x^n + y^n = z^n$` $\Rightarrow x^n + y^n = z^n$. Note that `\boldmath` is surrounded by the braces; otherwise, math fonts would remain bold, even when leaving and re-entering. The following illustrates this, where $B \cup C$ is boldface in the first case, and returns to normal style in the second case.

$$\begin{aligned} \boldmath $A \supseteq B$ \text{ } $B \cup C$ \Rightarrow A \supseteq B \text{ } B \cup C \\ \{\boldmath $A \supseteq B$ \} \text{ } $B \cup C$ \Rightarrow A \supseteq B \text{ } B \cup C \end{aligned}$$

Within math mode, we can control the font style of letters with the command, `\mathfont{expression}`, where *font* is one of: `{bf, cal, it, normal, rm, sf, tt}` (analogous to the `\textfont` command, p. 9). Unlike `\boldmath`, this applies only to letters, digits and accents, but not to special mathematical symbols. For example,

$\{\boldsymbol{\tilde{A}} \times \vec{1} \otimes \overline{2}\} \Rightarrow \tilde{A} \times \vec{1} \otimes \bar{2}$
 $\{\mathbf{\tilde{A}} \times \vec{1} \otimes \overline{2}\} \Rightarrow \tilde{A} \times \vec{1} \otimes \bar{2}$

Table 11 illustrates the outcome of each font for this expression:

$\mathfont{\tilde{A} \times \vec{1} \otimes \overline{2}}$

Table 11: The \mathfont Commands

Font Style	Command	Example Result
boldface	\mathbf	$\tilde{A} \times \vec{1} \otimes \bar{2}$
calligraphic	\mathcal	$\tilde{A} \times \vec{1} \otimes \bar{2}$
italic	\mathit	$\tilde{A} \times \vec{1} \otimes \bar{2}$
normal	\mathnormal	$\tilde{A} \times \vec{1} \otimes \bar{2}$
roman	\mathrm	$\tilde{A} \times \vec{1} \otimes \bar{2}$
sans serif	\mathsf	$\tilde{A} \times \vec{1} \otimes \bar{2}$
typewriter	\mathtt	$\tilde{A} \times \vec{1} \otimes \bar{2}$

The calligraphic style applies only to capital letters, causing unintended results when applied to other symbols, as shown in Table 11. The calligraphic alphabet looks like this (and it is available only in math mode):

ABCDEFGHIJKLMNOPQRSTUVWXYZ.

Write $\mathcal{P} = A + B$ to produce $\mathcal{P} = A + B$; without the braces, the calligraphic fonts remain in effect: $\mathcal{P} = A + B \Rightarrow \mathcal{P} = \mathcal{A} + \mathcal{B}$.

Greek letters are defined only in math mode, and they are specified by spelling them as keywords. For example, to produce

$$\alpha - \beta = \Delta - \delta$$

write $\mathcode\alpha = \Delta - \delta$. As Lamport [9, p. 43] says, “Making Greek letters is as easy as π (or Π)” (written π or Π). (Not every Greek letter is included — see Appendix Table 36.) The \mathbf does not make Greek letters boldface. We could use \boldsymbol to achieve this, but there is a package that not only provides the boldface font, but also produces proper spacing. In the preamble specify \usepackage{bm} , then $\mathbf{\beta} \Rightarrow \beta$.

5.2 Fractions and Variable Size Functionality

To make fractions, we could write $(x+y)/4$ to make $(x + y)/4$, but if we want $\frac{x+y}{4}$, we use the \frac command: $\frac{x+y}{4}$. We can make this appear larger, as $\frac{x+y}{4}$, by preceding the math mode with \large .

The general form is $\frac{\text{numerator}}{\text{denominator}}$, where the numerator and denominator can be any expression. Here is a more complex equation in math display mode:

$$A = \frac{x^2 + y_\alpha}{1 + \frac{\eta}{x^2+1}},$$

written as $\code{A = \frac{x^2+y_\alpha}{1+\frac{\eta}{x^2+1}}}$. Note how the sizes of the fractions adjust automatically.

Some mathematical symbols adjust their size to fit the expression. Table 12 shows some of the most common of these, and I present more examples below. In the case of the integrals, note the use of $\,$ between the integrand and dx . This inserts a *thin space* (compare the results by writing the expression with and without the $\,$).

Table 12: Variable Size Mathematical Operation Symbols

Operation	How it appears	What you write
sum	\sum $\sum_{i=1}^n x_i$	$\code{\sum}$ $\code{\sum_{i=1}^n x_i}$
integral	\int $\int_a^b f(x) dx$	$\code{\int}$ $\code{\int_a^b f(x)\,dx}$
parentheses	$()$ $\left(\frac{x}{1+y}\right)$	$\code{\left(\right)}$ $\code{\left(\frac{x}{1+y}\right)}$
braces	$\{$ $\left\{\sum_i x_i\right\}$	$\code{\left\{\right\}}$ $\code{\left\{\sum_i x_i\right\}}$
brackets	$[]$ $\left[\int_0^\infty f(x) dx\right]$	$\code{\left[\right]}$ $\code{\left[\int_0^\infty f(x)\,dx\right]}$

In \LaTeX , symbols whose size you would want to adapt to expressions are generally designed to do so. Figures 38 and 39 illustrate this with another example, which uses the $\code{\sqrt}$ and $\code{\prod}$ functions:


```
\[ \sqrt{\frac{\prod_{n=1}^N \left( \sum_{i \in I_n} x_i^n \right)}{\sqrt[3]{\sum_{i \in I_\infty} x_i}}}
]
```

Figure 38: Variable Sizes Source (Result in Figure 39)

$$\sqrt{\frac{\prod_{n=1}^N \left(\sum_{i \in I_n} x_i^n \right)}{\sqrt[3]{\sum_{i \in I_\infty} x_i}}}$$

Figure 39: Variable Sizes Result (Source in Figure 38)

Notice that even though it is written in math display mode, the indices on the sums and product appear as they would in line. \LaTeX compilers make judgments about the layout, but you can force either of the two styles with the `\displaystyle` and `\textstyle` commands. Figures 40 and 41 illustrate this.

```
\[ \sqrt{\frac{\displaystyle \prod_{n=1}^N \left( \sum_{i \in I_n} x_i^n \right)}{\displaystyle \sqrt[3]{\sum_{i \in I_\infty} x_i}}}
]
```

Figure 40: `\displaystyle` Source (Result in Figure 41)

$$\sqrt{\frac{\prod_{n=1}^N \left(\sum_{i \in I_n} x_i^n \right)}{\sqrt[3]{\sum_{i \in I_\infty} x_i}}}$$

Figure 41: `\displaystyle` Result (Source in Figure 40)

In text mode you can force the display style of placing these subscripts and superscripts on functions, as well as sizing the expression, as though it were in display mode. Figure 42 gives more examples to compare in line text and display mode, using `\textstyle` and `\displaystyle` to override the default form for the

mode. The “default” is not always predictable; in particular, math display mode does not always use `displaystyle`.

Appearance	What to write in text mode	What to write in display mode
$\frac{x}{2}$	<code>\frac{x}{2}</code>	<code>\textstyle\frac{x}{2}</code>
$\frac{x}{2}$	<code>\displaystyle\frac{x}{2}</code>	<code>\frac{x}{2}</code>
$\max_{x \in X}$	<code>\max_{x \in X}</code>	<code>\textstyle\max_{x \in X}</code>
$\max_{x \in X}$	<code>\displaystyle\max_{x \in X}</code>	<code>\max_{x \in X}</code>

Figure 42: Examples to Compare Text and Display Modes

Table 13 shows symbols used in logical expressions. For example, to have

$$(x \in A \Rightarrow x \in B) \Leftrightarrow (A \subseteq B).$$

write `\[(x \in A \Rightarrow x \in B) \Leftrightarrow (A \subseteq B) . \]`
To have

$$\forall x \exists y \ni [P(x) \wedge Q(y)].$$

write `\[\forall x \exists y \ni [P(x) \wedge Q(y)] . \]`

Table 13: Some Symbols in Logic

Logical Term	How it appears	What you write
existential quantifier	\exists	<code>\exists</code>
universal quantifier	\forall	<code>\forall</code>
negation	\neg	<code>\neg</code>
disjunction	\vee	<code>\vee</code>
conjunction	\wedge	<code>\wedge</code>
implication	\rightarrow	<code>\rightarrow</code>
	\Rightarrow	<code>\Rightarrow</code>
equivalence	\Leftrightarrow	<code>\Leftrightarrow</code>
	\equiv	<code>\equiv</code>
such that	\ni	<code>\ni</code>

The quantifiers in this last example seem a bit crowded, so we might want to add some spacing between terms. In math mode a full space is obtained by specifying `\;` and a half space by `\,`. Here is how each looks:

$$\begin{aligned} \forall x \exists y &\Rightarrow \forall x \exists y \\ \forall x \,, \exists y &\Rightarrow \forall x \exists y \\ \forall x \; \exists y &\Rightarrow \forall x \exists y \end{aligned}$$

(There are other spacing commands, including negative spacing, shown in Appendix Table 35.)

Table 14 shows some relations for ordered sets (besides those on the keyboard: `<`, `=`, `>`). Here are some examples:

$$\begin{aligned} (-\infty, 0] &= \{x \mid x \leq 0\} \Rightarrow (-\infty, 0] = \{x \mid x \leq 0\} \\ a_j \prec b_i &\equiv b_i \succ a_j \Rightarrow a_j < b_i \equiv b_i > a_j \\ \forall y \,, \{x : x \not\prec y\} &\not\subset \mathcal{A} \Rightarrow \forall y \{x : x \not\prec y\} \not\subset \mathcal{A} \end{aligned}$$

Table 14: Order Relations

Relation	How it appears	What you write
less than or equal	\leq	<code>\le</code>
greater than or equal	\geq	<code>\ge</code>
not equal	\neq	<code>\ne</code>
precedes	\prec	<code>\prec</code>
precedes or equals	\preceq	<code>\preceq</code>
succeeds	\succ	<code>\succ</code>
succeeds or equals	\succeq	<code>\succeq</code>

We have seen how to embed math mode into text, but we can also do the reverse with the `\mbox` command. Compare each of the following:

$$\begin{aligned} x_i < 0 \textit{ for all } i = 1, \dots &\quad \text{written as } \$x_i < 0 \textit{ for all } i=1, \dots\$ \\ x_i < 0 \textit{ for all } i = 1, \dots &\quad \text{written as } \$x_i < 0\$ \textit{ for all } \$i=1, \dots\$ \\ x_i < 0 \textit{ for all } i = 1, \dots &\quad \text{written as } \$x_i < 0 \mbox{ for all } i=1, \dots\$ \end{aligned}$$

The first line points out that blanks mean nothing in math mode, and all letters are in the math form of italic (not quite the same as the italic in text mode). The use of `\mbox` is particularly convenient in math display mode, which I shall illustrate in the next section.

5.3 Arrays and Equations

The `array` environment is to math mode what `tabular` environment is to text mode, and more. It has the form:

```
\begin{array}{column specs}options
  first row spec \\
  \vdots
  last row spec [\ options]
\end{array}
```

The column specifications and options are the same as in the `tabular` environment, but the body is in math mode. The following table has text headers and math body, so it can be generated in either of two ways: with the `tabular` environment, using the math mode designation for each body entry: `$...$`, or with the `array` environment, using `\mbox` for each header entry.

Variable	Current Value	Limit
x	1.234567	1
y	-9.87	-12.2

This can be generated by either of the following two ways:

```
\[\begin{array}{ccc}
  \mbox{Variable} & & \mbox{Current Value} & & \mbox{Limit} \\
  x & & 1.234567 & & 1 \\
  y & & -9.87 & & -12.2
\end{array}\]
```

or

```
\begin{center}
\begin{tabular}{ccc}
  Variable & Current Value & Limit \\
  $x$ & $1.234567$ & $1$ \\
  $y$ & $-9.87$ & $-12.2$
\end{tabular}
\end{center}
```

You can align a series of equations to appear this way:

$$\begin{aligned}
 x &= 5.2 \\
 y &= 2.5 \\
 z &= 7.7 (= x + y)
 \end{aligned}$$

The above was produced by the following use of math display mode (which is always centered):

```
\[ \begin{array}{lcl}
    x &=& 5.2 \\
    y &=& 2.5 \\
    z &=& 7.7 \ ; \ (= \ x+y)
\end{array}
\]
```

The `\;` specifies a space; otherwise, `7.7 (= x+y) ⇒ 7.7(= x + y)`.

Another environment is `eqnarray`. This is like a 3-column array with specifications `{lcl}`, as above, but each row is numbered:

$$x = y \tag{1}$$

$$y = z \tag{2}$$

(Another difference is that the `eqnarray` environment uses `displaystyle`.) We use the `eqnarray` environment directly (without entering math display mode), so the above is produced by the following:

```
\begin{eqnarray}
    x &=& y \quad \backslash\label{eqn:xy} \\
    y &=& z \quad \backslash\label{eqn:yz}
\end{eqnarray}
```

The `\label` statements are to illustrate that we can reference these by writing `(\ref{eqn:xy})` to produce (1) and `(\ref{eqn:yz})` to produce (2). (Note that `\ref` gives just the number; parentheses are added.)

The relation need not literally be an equation; anything could be used for the middle column. Further, there are times when we need to use more than one line for an ‘equation,’ in which case we need to suppress the numbering of all but one of the rows. Figures 43 and 44 give an example. The `\nonumber` command causes no number to be assigned to the first part of the second equation.

There is also an `eqnarray*` environment, which is the same as `eqnarray`, but without the equation numbers. There is no apparent advantage to this since the same result can be produced by the ordinary array environment, specialized to this column specification. It does, however, let us change our mind easily as to whether or not to include equation numbers by simply adding or removing the `*` from the environment specification.

For a single, numbered equation, there is the `equation` environment. This poses no particular advantage over specifying `eqnarray` and merely entering one row

```

\begin{eqnarray}
x & \& \mbox{is equal to} & \& y \\
y & \preceq & \frac{a+b+c+d}{\Psi} + \frac{e+f+g+h}{\Phi} \\
& & + \text{\nonumber} \\
& & \& I+K+J+L \\
\end{eqnarray}

```

Figure 43: eqnarray Environment Source (Result in Figure 44)

$$\begin{array}{rcl}
 x & \text{is equal to} & y & (3) \\
 y & \preceq & \frac{a+b+c+d}{\Psi} + \frac{e+f+g+h}{\Phi} + & \\
 & & I+K+J+L & (4)
 \end{array}$$

Figure 44: eqnarray Environment Result (Source in Figure 43)

(except that column separators (&) are not used in the equation environment). Analogous to `eqnarray*`, there is the `equation*` environment, which suppresses the equation numbering. To illustrate, Figures 45 and 46 show how to present a matrix equation. Also, note how x' is specified. Table 15 shows other ways to denote the transpose of a vector.

Table 15: Transpose of a Vector

What you write	How it appears
<code>x'</code>	$\Rightarrow x'$
<code>x^t</code>	$\Rightarrow x^t$
<code>x^T</code>	$\Rightarrow x^T$
<code>x^{\mathsf{T}}</code>	$\Rightarrow x^{\mathsf{T}}$
<code>x^{\mbox{\tiny \$T\$}}</code>	$\Rightarrow x^T$

```

\begin{equation*}
Ax^{\prime} = \left[ \begin{array}{rrr}
& 1.1 & 1.2 & 1.3 \\
21.0 & 22.0 & -2.1 \\
\end{array} \right]
\left( \begin{array}{c} x_1 \\ x_2 \\ x_3 \end{array} \right).
\end{equation*}

```

Figure 45: Matrix Equation Source (Result in Figure 46)

$$Ax' = \begin{bmatrix} 1.1 & 1.2 & 1.3 \\ 21.0 & 22.0 & -2.1 \end{bmatrix} \begin{pmatrix} x_1 \\ x_2 \\ x_3 \end{pmatrix}.$$

Figure 46: Matrix Equation Result (Source in Figure 45)

Array environments can be nested, as illustrated in Figures 47 and 48. Notice how the vertical line was drawn by the column specification, `{c|c}`, and the horizontal line separating the blocks is obtained by specifying `\hline` before the second row of the outer array.

```

\[ \left[ \begin{array}{c|c}
\begin{array}{ccc} A_{11} & A_{12} & A_{13} \\ A_{21} & A_{22} & A_{23} \end{array} & 0 \\
0 & \begin{array}{cc} B_{11} & B_{12} \\ B_{21} & B_{22} \end{array}
\end{array} \right]
\]

```

Figure 47: Nested Arrays Source (Result in Figure 48)

$$\left[\begin{array}{ccc|cc} A_{11} & A_{12} & A_{13} & & 0 \\ A_{21} & A_{22} & A_{23} & & \\ \hline & 0 & & B_{11} & B_{12} \\ & & & B_{21} & B_{22} \end{array} \right]$$

Figure 48: Nested Arrays Result (Source in Figure 47)

We can enclose mathematical expressions in a box, sometimes used for emphasis. For example,

```
\fbox{$ \begin{array}{lcl}
\displaystyle\int_0^{\infty} xe^{-\tau x}\,dx
&=& \displaystyle\frac{1}{\tau} \ \ \ \ \ \ \\
&=& \displaystyle\oint_a^{b+c} \Psi(x)\,dx
\end{array}
$}
```

$$\Rightarrow \boxed{\begin{array}{l} \int_0^{\infty} xe^{-\tau x} dx = \frac{1}{\tau} \\ \\ = \oint_a^{b+c} \Psi(x) dx \end{array}}$$

We can use `\fbox` within math mode, such as writing `$x = \fbox{y} + z$` to produce $x = \boxed{y} + z$. Note how the line height does not adjust to the frame, causing an undesirable clash. This could be overcome by putting a vertical space command just after the expression. In particular, putting `\vspace{.2\baselineskip}` after $x = \boxed{y} + z$ causes extra vertical space equal to 20% of the value of `\baselineskip`, which is the height of one line of normal text. (In the longrun, it is better to use parameters, like `\baselineskip`, rather than absolute measurements for spacing, because the former takes into account the font size, which you might change.)

Now consider the following conditional assignment:

$$f(x) = \begin{cases} -1 & \text{if } x < 0; \\ 0 & \text{if } x = 0; \\ 1 & \text{if } x > 0. \end{cases}$$

produced by the following L^AT_EX code:

```
\[ f(x) = \left\{ \begin{array}{rll}
-1 & \& \mbox{if} & \& x < 0; \ \ \ \\
0 & \& \mbox{if} & \& x = 0; \ \ \ \\
1 & \& \mbox{if} & \& x > 0.
\end{array} \right.
\]
```

Note the use of `\right.` after the array. This is because `\left` and `\right` must balance — i.e., there must be an equal number of each. It is not necessary that the left symbol be related to the right one — i.e., `\left\{` does not require


```

\renewcommand{\arraystretch}{1.2}
\begin{center} \begin{small} \begin{tabular}{lll}
Matrix & Definition & Example \\ \hline
\parbox[t]{.9in}{Covariance}
& \parbox[t]{2in}{\flushleft
$A_{ij} = E[(X_i - \mu_i)(X_j - \mu_j)]$, where $\{X_i\}$
are random variables, and $E[\cdot]$ is the expected
value operator with $\mu_i = E(X_i)$. }
& \parbox[t]{1.4in}{\scriptsize
$\left[ \begin{array}{rrrrr}
\frac{1}{2} & 0 & 0 & 0 & \frac{1}{2} \\
\end{array} \right]$
\flushleft for $X_2 = X_1^2$ and
$Pr[X_1 = x]$ \\
$= \left\{ \begin{array}{l}
\frac{1}{4} \text{ for } x = -1 \\
\frac{1}{2} \text{ for } x = 0 \\
\frac{1}{4} \text{ for } x = 1.
\end{array} \right.$ } \vspace{.1in} \\ \hline
\end{tabular} \end{small} \end{flushleft}
\renewcommand{\arraystretch}{1}

```

Figure 51: \flushleft in parbox Source (Result in Figure 52)

Matrix	Definition	Example
Covariance	$A_{ij} = E[(X_i - \mu_i)(X_j - \mu_j)],$ where $\{X_i\}$ are random variables, and $E[\cdot]$ is the expected value operator with $\mu_i = E(X_i)$.	$\begin{bmatrix} \frac{1}{2} & 0 \\ 0 & \frac{1}{2} \end{bmatrix}$ for $X_2 = X_1^2$ and $Pr[X_1 = x]$ $= \begin{cases} \frac{1}{4} & \text{for } x = -1 \\ \frac{1}{2} & \text{for } x = 0 \\ \frac{1}{4} & \text{for } x = 1. \end{cases}$

Figure 52: \flushleft in parbox Result (Source in Figure 51)

```

\begin{center} \begin{small} \begin{tabular}{l}
Matrix & Definition & Example \\ \hline
\parbox[t]{.9in}{Covariance}
& \parbox[t]{2in}{\raggedright
& \mathbf{A}_{ij} = E[(X_i - \mu_i)(X_j - \mu_j)], where  $\{X_i\}$ 
are random variables, and  $E[\cdot]$  is the expected
value operator with  $\mu_i = E(X_i)$ . }
& \parbox[t]{1.4in}{\scriptsize\raisebox{-.1in}{
\left[\begin{array}{r}
\frac{1}{2} & 0 \\
0 & \frac{1}{2}
\end{array}\right]}
\flushleft for  $X_2 = X_1^2$  and
 $Pr[X_1 = x]$  \\
= \left\{ \begin{array}{l}
\frac{1}{4} \text{ for } x = -1 \\
\frac{1}{2} \text{ for } x = 0 \\
\frac{1}{4} \text{ for } x = 1.
\end{array} \right. \\ \hline
\end{tabular} \end{small} \end{center}

```

Figure 53: `\raggedright` in parbox Source (Result in Figure 54)

Matrix	Definition	Example
Covariance	$A_{ij} = E[(X_i - \mu_i)(X_j - \mu_j)]$, where $\{X_i\}$ are random variables, and $E[\cdot]$ is the expected value operator with $\mu_i = E(X_i)$.	$\begin{bmatrix} \frac{1}{2} & 0 \\ 0 & \frac{1}{2} \end{bmatrix}$ for $X_2 = X_1^2$ and $Pr[X_1 = x]$ $= \begin{cases} \frac{1}{4} & \text{for } x = -1 \\ \frac{1}{2} & \text{for } x = 0 \\ \frac{1}{4} & \text{for } x = 1. \end{cases}$

Figure 54: `\raggedright` in parbox Result (Source in Figure 53)

5.4 Special Functions and Alphabets

Math mode recognizes a collection of special functions. Table 16 shows some common ones. These special functions are used to make the source clearer, rather than using `\mbox` to achieve the same result.

Among the special functions are the complete set of trigonometric functions. For example, we write $\mathbf{\tan\theta} = \frac{\mathbf{\sin\theta}}{\mathbf{\cos\theta}}$ to produce: $\tan \theta = \frac{\sin \theta}{\cos \theta}$. Appendix Table 40 (p. 126) has a much longer list of special functions, as well as the arrows used in some of the examples shown in Table 17.

Table 16: Some Common Mathematical Functions

Function	How it appears	What you write
limit	\lim	<code>\lim</code>
lim inf	\liminf	<code>\liminf</code>
log	\log	<code>\log</code>
maximum	\max	<code>\max</code>
tangent	\tan	<code>\tan</code>

Table 17: Examples of Mathematical Functions

textstyle	How it appears displaystyle	What you write
$\lim_{n \rightarrow \infty} x_n$	$\lim_{n \rightarrow \infty} x_n$	<code>\lim_{n \rightarrow \infty} x_n</code>
$\liminf_{n \downarrow 0} \log x_n$	$\liminf_{n \downarrow 0} \log x_n$	<code>\liminf_{n \downarrow 0} \log x_n</code>
$\max_{x \in X} f(x)$	$\max_{x \in X} f(x)$	<code>\max_{x \in X} f(x)</code>
$\frac{\tan(\theta + \pi)}{\ln x}$	$\frac{\tan(\theta + \pi)}{\ln x}$	<code>\frac{\tan(\theta + \pi)}{\ln x}</code>

There is also a package of AMS symbols, which you declare in your preamble with `\usepackage{amssymb}`. This gives the following alphabet with the `mathbb` font:

```
\mathbb{ABCDEFGHIJKLMNOPQRSTUVWXYZ}
⇒ ABCDEFGHIJKLMNOPQRSTUVWXYZ
```

For example, the real line is sometimes denoted by \mathbb{R} , rather than \Re , which is the L^AT_EX special symbol, `\Re`. Table 18 shows how `mathbb` can be used for specifying other numerical spaces.

Table 18: Notation Using `mathbb` Fonts from `amssymb` Package

What you write [†]	How it appears	What it means
<code>\mathbb{R}</code>	$\Rightarrow \mathbb{R}$	Real values
<code>\mathbb{C}</code>	$\Rightarrow \mathbb{C}$	Complex values
<code>\mathbb{Z}</code>	$\Rightarrow \mathbb{Z}$	Integer values
<code>\mathbb{Q}</code>	$\Rightarrow \mathbb{Q}$	Rational values

[†]In math mode.

Another alphabet is `\mathscr`, for which you specify `\usepackage{mathrsfs}` in the preamble. This gives the following alphabet:

`\mathscr{ABCDEFGHIJKLMNOPQRSTUVWXYZ}`
 $\Rightarrow \mathcal{A} \mathcal{B} \mathcal{C} \mathcal{D} \mathcal{E} \mathcal{F} \mathcal{G} \mathcal{H} \mathcal{I} \mathcal{J} \mathcal{K} \mathcal{L} \mathcal{M} \mathcal{N} \mathcal{O} \mathcal{P} \mathcal{Q} \mathcal{R} \mathcal{S} \mathcal{T} \mathcal{U} \mathcal{V} \mathcal{W} \mathcal{X} \mathcal{Y} \mathcal{Z}$

In particular, \mathcal{L} is often used to denote the Laplace transform or the Lagrangian, and \mathcal{H} is sometimes used to denote the Hamiltonian. (Compare with `\mathcal`, which is also used by some authors.)

5.5 Derivatives and Integrals

We can express a total derivative, $df(x)/dx$, by writing `\$df(x)/dx\$`; or, we can use the `\frac` command to produce $\frac{df(x)}{dx}$. The partial derivative symbol, ∂ , is written `\partial`, so you can write `\partial f(x)/\partial x` to produce $\partial f(x)/\partial x$, and `\large\frac{\partial f(x)}{\partial x}` to produce $\frac{\partial f(x)}{\partial x}$.

The usual notation for the gradient of a function is the *nabla*, denoted by the symbol ∇ , (also called “del”), which is an upside down delta (introduced by Hamilton in 1853). In \LaTeX it is produced by `\nabla`, and its mathematical definition is the vector of first partial derivatives:

$$\nabla f(x) = (\partial f(x)/\partial x_1, \dots, \partial f(x)/\partial x_n). \quad (5)$$

I leave it as an exercise to show the \LaTeX code that produced equation (5).

The Hessian is the matrix of second partial derivatives:

$$\nabla^2 f(x) = \begin{bmatrix} \frac{\partial^2 f(x)}{\partial x_i \partial x_j} \end{bmatrix}.$$

This was produced by the following code:

```

\[\begin{array}{l}
\nabla^2 f(x) \quad \&\& \left[ \displaystyle \frac{\partial^2 f(x)}{\partial x_i \partial x_j} \right. \\
\left. \right]. \\
\end{array}
\]

```

There seems to be some crowding in this direct specification. Compare with the following and see if you can produce it:

$$\nabla^2 f(x) = \left[\frac{\partial^2 f(x)}{\partial x_i \partial x_j} \right]. \quad (6)$$

There are two integral signs: \int and \oint , which are both variable-size symbols. For example, note how the outer integral is large in the following expression:

$$\int_a^b \lim_{\lambda \rightarrow \infty} \left| \frac{\oint_{X(v)} x e^{\lambda f(x)} dx}{\oint_{X(v)} e^{\lambda f(x)} dx} \right| \Phi(v) dv.$$

This was obtained by the following code:

```

\[\int_a^b \lim_{\lambda \rightarrow \infty} \left| \frac{\oint_{X(v)} x e^{\lambda f(x)} dx}{\oint_{X(v)} e^{\lambda f(x)} dx} \right| \Phi(v) dv .
\]

```

(Note the use of the thin space, $\,$.)

Definite multiple integrals are no problem. To have

$$\int_0^\infty \int_0^{x_n} \int_0^{x_{n-1}} \cdots \int_0^{x_2} H(x_1, \dots, x_n) dx_1 \cdots dx_n$$

write

```

\[\int_0^\infty \int_0^{x_n} \int_0^{x_{n-1}} \cdots \int_0^{x_2} H(x_1, \dots, x_n) dx_1 \cdots dx_n
\]

```

However, consider the following:

$$\int \int_S (u \nabla v - v \nabla u) \cdot dS = \int \int \int_\tau (u \nabla \cdot \nabla v - v \nabla \cdot \nabla u) d\tau.$$

The domains of integration, and the spacing of the integral signs, are better with the following, which is not produced by standard $\LaTeX 2_\epsilon$, but by specifying $\usepackage{amsmath}$ in the preamble (see *The L^AT_EX Companion* [5, p. 223]):

$$\iint_S (u\nabla v - v\nabla u) \cdot dS = \iiint_\tau (u\nabla \cdot \nabla v - v\nabla \cdot \nabla u) d\tau.$$

Note how the domains are centered on the multiple integrals and the spacing of the integral signs.

5.6 Theorems and Definitions

The foundations of mathematics are *axioms* and *rules of inference*. The rules create *theorems*, which are statements whose truths are established relative to the underlying *logic*. This is so fundamental that L^AT_EX has the facility to define a special environment that includes a keyword, like “Theorem,” and a name, which is not only the name of the environment, but is also the name of the associated counter. Consider the following example:

Theorem 5.1 *For $n > 2$, there is no solution to $x^n + y^n = z^n$ for $x, y, z \in \mathbb{Z}_{++}$.*

Notice how “**Theorem 5.1**” appears, all text is in italic, and we have the counter value: `\thetheorem=5.1`. This was defined in the preamble by:

```
\newtheorem{theorem}{Theorem}[section]
```

Then, the theorem was produced by the following L^AT_EX code:

```
\begin{theorem}
  For  $n > 2$ , there is no solution to  $x^n + y^n = z^n$  for
  \newline  $x, y, z \in \mathbb{Z}_{++}$ .
\end{theorem}
```

Other theorem-like environments can be defined to have the same properties. This requires both a keyword, like `Theorem`, and a unique name for the environment, like `theorem`, also used as a counter. Here is the syntax:

```
\newtheorem{name}{keyword}[within]
```

The *name* defines the environment name, and it defines a counter, so it must be different from all other environment and counter names. The *within* option defines the counter to be within some other, which can be intrinsic or some other counter defined by the `\newcounter` command (p. 46) or by some other `\newtheorem`. In this document, I defined the theorem environment to be numbered within the section, so you see **Theorem 5.1**, rather than **Theorem 1**. To further illustrate, here is a corollary environment:

Corollary 5.1.1 *The sum of cubes cannot be a cube.*

It was defined in the preamble as follows:

```
\newtheorem{corollary}{Corollary}[theorem]
```

Note that this is within the theorem counter, which is valid by having been defined by its own `\newtheorem`. Then, the above corollary was written as:

```
\begin{corollary} The sum of cubes cannot be a cube.
\end{corollary}
```

The following creates an axiom environment that is not within any other counter.

```
\newtheorem{axiom}{Axiom}
```

The “Axiom of Choice” can then be stated thusly:

Axiom 1 *From any (infinite) family of sets a new set can be created that contains exactly one element from each set in the family.*

This was created by the following code:

```
\begin{axiom} \label{axm:choice}
  From any (infinite) family of sets a new set can be created
  that contains exactly one element from each set in the family.
\end{axiom}
```

The label allows us to refer to the Axiom of Choice as ‘Axiom 1 on page 69’ by writing `Axiom~\ref{axm:choice}` on page~\pageref{axm:choice}.

The environment created by `\newtheorem` puts the text in italics, but this is generally not desirable for a definition. Consider the following example:

Definition 5.1 *The circumference of a sphere is the circumference of any great circle on the sphere.*

This was created by first entering (in the preamble):

```
\newtheorem{defn}{Definition}[section]
```

Then, in the text:

```
\begin{defn} The circumference of a sphere is the
              circumference of any great circle on the sphere.
\end{defn}
```


Compare this with the following:

Definition 5.1 The *circumference of a sphere* is the circumference of any great circle on the sphere.

This was created by first entering (in the preamble):

```
{\theorembodyfont{\rmfamily} \newtheorem{mydefn}{Definition}[section]}
```

Then, in the text:

```
\begin{mydefn} The \textit{circumference of a sphere} is the
circumference of any great circle on the sphere.
\end{mydefn}
```

For more customization, the `theorem` package enables a wide range of variations over the font style (among other things).

5.7 Refinements

Mathematical delimiters, like parentheses and braces, must be varied to enclose some expressions. Whereas `\left` and `\right` commands adjust the size of a mathematical delimiter to fit the enclosed expression, we can also enlarge these delimiters ourselves. One way is with a size command — for example,

$$\{\large\}E=mc^2\{\large\} \Rightarrow (E = mc^2).$$

There are, however, delimiter size control commands, which apply to a single character: `\big`, `\Big`, `\bigg`, and `\Bigg`. For example,

$$\$\big(E=mc^2\big)\$ \Rightarrow (E = mc^2).$$

The use of text font environments comes close to the corresponding math size, (`large`↔`big`, ..., `Huge`↔`Bigg`), but they are different, especially the thicknesses. This is more evident with the square and angular brackets:

$$\$\Big[E=mc^2\Big]\$ \Rightarrow [E = mc^2].$$

$$\{\Large\}E=mc^2\{\Large\} \Rightarrow [E = mc^2].$$

$$\$\bigg\langle E=mc^2\bigg\rangle\$ \Rightarrow \langle E = mc^2 \rangle.$$

$$\{\LARGE\}\langle E=mc^2\{\LARGE\}\rangle \Rightarrow \langle E = mc^2 \rangle.$$

The remaining refinements use the `amsmath` package (introduced on p. 67 for obtaining better multiple integrals).

The `gather` and `gather*` environments allow the new line specification, `\\`, in math mode. They behave like the `eqnarray` and `eqnarray*` environments, respectively, except the equations are not aligned. Figures 55 and 56 illustrate this. The same result with equation numbers is obtained by the `gather` environment.

```
\begin{gather*}
(a+b)^2 = a^2 + 2ab + b^2 \\
{\cal L} \oplus M^\varepsilon - V = H_0 \\
A(x) = \{y : \phi(y) = \cup_{a \in \cal A} \Psi(x)\}
\end{gather*}
```

Figure 55: `gather*` Environment Source (Result in Figure 56)

$$\begin{aligned} (a + b)^2 &= a^2 + 2ab + b^2 \\ \mathcal{L} \oplus M^\varepsilon - V &= H_0 \\ A(x) &= \{y : \phi(y) = \cup_{a \in \mathcal{A}} \Psi(x)\} \end{aligned}$$

Figure 56: `gather*` Environment Result (Source in Figure 55)

When writing a matrix within text, we could produce $\begin{pmatrix} a & b \\ c & d \end{pmatrix}$ by specifying `\left(\begin{array}{cc} a&b \\ c&d \end{array}\right)`. An alternative is with the `amsmath` `smallmatrix` environment: $\begin{smallmatrix} a & b \\ c & d \end{smallmatrix}$ is obtained by `\left(\begin{smallmatrix} a&b \\ c&d \end{smallmatrix}\right)`. (Note that there are no column specifications.) This is not equivalent to preceding the array specification with a text size environment; in particular, `\scriptsize` produces $\begin{pmatrix} a & b \\ c & d \end{pmatrix}$. While the letters inside the matrix are approximately the `smallmatrix` size, the spacing and parentheses are not the same.

The `amsmath` package has a command to put dots across any number of columns in an array. Its syntax is `\hdotsfor[spacing]{n}`, where `spacing` determines the spacing between the dots, and `n` is the number of columns it spans. For example,

```
\left|\begin{array}{ccccc}
1 & \& 2 & \& 3 & \& 4 & \& 5 \end{array}\right|
```

<code>\hdotsfor{3}</code>	<code>\\</code>	1	2	3	4	5
<code>& \hdotsfor{3}</code>	<code>\\</code>				
<code>\hdotsfor[2]{5}</code>	<code>\\</code>				
<code>\hdotsfor[.5]{5}</code>	<code>\\</code>				
<code>\end{array}\right </code>						

The `\stackrel` command lets us put characters over a relation: For example, $n^+ \stackrel{\text{def}}{=} n + 1$. With more generality, the `\overset` and `\underset` `amsmath` commands enable us to put any characters over or under any character. For example,

$$\begin{aligned} \text{\$}\overset{a}{X}\text{\$} &\Rightarrow \overset{a}{X} \\ \text{\$}\underset{b}{Y}\text{\$} &\Rightarrow \underset{b}{Y} \\ \text{\$}\overset{a}{\underset{b}{Z}}\text{\$} &\Rightarrow \overset{a}{\underset{b}{Z}} \end{aligned}$$

This can be used to stack subscripts:

$$\begin{aligned} &\text{\$}\displaystyle\sum_{\substack{j \in J \\ A_{ij}}} \text{\$} \\ &= \underset{j \in J}{\left\{ \underset{i \in I}{\sum} \right\}} A_{ij} \text{\$} \\ \Rightarrow &\sum_{\substack{i \in I \\ j \in J}} A_{ij} = \sum_{\substack{i \in I \\ j \in J}} A_{ij} \end{aligned}$$

Nesting the `\underset` command can be unwieldy; an alternative is the `\substack` command:

$$\begin{aligned} &\text{\$}\displaystyle\sum_{\substack{i \in I \\ j \in J \\ k \in K}} A_{ij} \text{\$} \\ \Rightarrow &\sum_{\substack{i \in I \\ j \in J \\ k \in K}} A_{ij} \end{aligned}$$

Another package in the `ams` family is `amscd`, which makes it easy to draw *commutative diagrams*. Figures 57 and 58 illustrate this. (Specify `\usepackage{amscd}` in the preamble.) The horizontal arrows are specified by `@>>>` (left to right) with any expression placed above or below. The

vertical arrows are specified by `@VVV` (down) or `@AAA` (up), with an expression placed to its left or right. All possible horizontal and vertical placements are illustrated.

```
\[ \begin{CD}
  A @>a>> B @>>> C \\
  @V\alpha VV\beta V @\gamma AAA @VVV\delta \\
  D @>>d> E @>e>> F
\end{CD} \]
```

Figure 57: Commutative Diagram Source (Result in Figure 58)

$$\begin{array}{ccccc}
 A & \xrightarrow{a} & B & \longrightarrow & C \\
 \alpha \downarrow \beta & & \gamma \uparrow & & \downarrow \delta \\
 D & \xrightarrow{d} & E & \xrightarrow{e} & F
 \end{array}$$

Figure 58: Commutative Diagram Result (Source in Figure 57)

There are many more refinements, and more packages to make things nicer. Many of these are described in *The L^AT_EX Companion* [5, Chapter 8], and you can see an online catalog of packages at CTAN [4].

5.8 Grammar

When writing mathematical expressions, people make some common errors. The general guide is to treat a mathematical expression linguistically. In English this means that every sentence has a subject and predicate, clauses are separated by commas, and phrases are appropriately punctuated. Here are some of the most common elements of grammar to consider.

1. **Punctuate math display mode.** The expression usually needs a comma or period. For example, note the colon before the display and the comma at its end, which is incorrect to omit.

A symmetric rearrangement of a matrix has the following form:

$$R = P^t M P,$$

where P is a permutation matrix.

2. **Define before use.** As you read articles notice that those that are among the most confusing are when the authors used a term that is not defined until pages later. For example, we might see “The distinguishing property of an abelian group is the commutivity . . .” But a *group* had not yet been defined.
3. **Reference object is located after the reference.** For example, a figure appears after its first reference. L^AT_EX does this automatically, but you might want to take control over locating figures.
4. **An object has only one definition.** For example, if we write $\Phi = au + bv$, we cannot later refer to $\Phi(u, v)$. Sometimes we define the complete object, $\Phi(u, v) = au + bv$, then tell the reader something like, “We shall use Φ^k , instead of $\Phi(u^k, v^k)$, when there is no risk of confusion.” The overriding principle is clarity, and it is important that the reader be told of this.
5. **If . . . then . . . is not correct.** Suppose A and C are expressions. We can write either ‘If A , C .’ or ‘Suppose A . Then, C .’ The first form is preferred if A and C are simple expressions. If either A or C are compound, the second form is clearer. The form, ‘If A , then C .’ seems like it ought to be all right, and the comma is used to clarify where the antecedent (A) ends and the consequent (C) begins. In English, however, this is not correct.
6. **Equivalence needs commas.** The expression, ‘ A if and only if B .’ should be written as ‘ A if, and only if, B .’

Exercises. Submit a printed copy of the L^AT_EX source (tex file) and of the associated postscript result (ps file). Be sure your name is on each. (Lookup special symbols in the Appendix.)

1. Produce each of the following in math display mode.
 - (a) $x^2 = B^2 - 4AC$ implies $x = \pm\sqrt{B^2 - 4AC}$.
 - (b) If $\Delta F_{n+1} = F_n$, it follows that $\Delta^2 F_{n+1} = \Delta F_n$.
 - (c) $x^+ = \begin{cases} x & \text{if } x \geq 0; \\ 0 & \text{otherwise.} \end{cases}$

2. Produce the following in math display mode with the `array` environment and/or with the `eqnarray*` environment.

$$\begin{aligned}\Delta^2 F_n &= F_{n+2} - 2F_{n+1} + F_n \\ &= 2F_n - F_{n+1}.\end{aligned}$$

3. Produce each of the following formulas in line with text (construct your own sentences that contain them, and include proper punctuation).

(a) $\ln e^x = x$

(b) $\sin\{\theta + 2\pi\} = \sin \theta$

(c) $y_n = \sum_{i=i_0}^{n-1} x_i \Rightarrow y_{n+1} - y_n = x_n - x_{i_0}$

(d) $f(x) = \sum_{n=0}^{\infty} f^{(n)}(0) \frac{x^n}{n!}$

(e) $\frac{\partial}{\partial x} \int_a^{x^2} f(y) dy = 2xf(x^2)$

(f) $\mathcal{M}_{\text{Fe}(\text{H}_2\text{O})_6} = 6\mathcal{M}_{\text{H}_2\text{O}} + \mathcal{M}_{\text{Fe}}$

4. Produce the following equation in math display mode.

$$\begin{bmatrix} 1.1 & -1.2 & -1.3 \\ -2.1 & 2.2 & 2.3 \end{bmatrix} + \begin{bmatrix} a_1 & a_2 & a_3 \\ b_1 & b_2 & b_3 \end{bmatrix} = \begin{bmatrix} \alpha & -\beta & \gamma \\ -\delta & \lambda & \theta \end{bmatrix}.$$

5. Produce the expression in the Preface.

6. Produce equations (5) and (6).

7. Produce each of the following expressions:

(a) $x = y \bmod n \stackrel{\text{def}}{=} x - y = kn$ for some $k = 0, 1, \dots$

(b) $\overbrace{\vec{\alpha}_1 + \vec{\beta}_2} - \underbrace{\vec{x}^2 + \vec{y}^3}$

8. Produce each of the following in line with text (that you compose) and in math display mode.

(a) $\mathcal{A} \stackrel{?}{=} \{S \in \mathcal{S} : S \notin S\}$

$$(b) \sqrt{|\mathcal{F} \times \mathcal{P}|} \leq \pi$$

$$(c) \left(\begin{array}{c} \left| \begin{array}{cc} a_{11} & a_{12} \\ a_{21} & a_{22} \end{array} \right| \\ \mathcal{CB} \\ BC \end{array} \right)$$

9. Produce each of the following formulas in math display mode (with punctuation):

$$(a) \quad q^*(G) \geq \max \left\{ \Delta(G), \frac{2m(G_A)}{\sqrt{A-1}} \right\} \text{ if } G \neq \emptyset.$$

$$(b) \quad (0, x^T)T = (0, x^T) \begin{pmatrix} A & B \\ 0 & C \end{pmatrix} = \begin{pmatrix} 0 \\ x^T C \end{pmatrix} = (0, C^T x)^T,$$

$$(c) \quad V = \frac{3\sqrt{3}}{2} \int_0^a (-x^{\frac{1}{3}} + a)^2 dx;$$

10. Combine your knowledge of derivatives, conditional assignment (with array environment), and mathematical symbols to produce the following (called the *truncated gradient*):

$$\nabla^+ f(x)_j = \begin{cases} \max\{0, \partial f(x)/\partial x_j\} & \text{if } x_j = a_j \\ \partial f(x)/\partial x_j & \text{if } a_j < x_j < b_j \\ \min\{0, \partial f(x)/\partial x_j\} & \text{if } x_j = b_j \end{cases}$$

11. Produce the following symbols:

(a) Extended reals: \mathbb{R}_∞ .

(b) Strictly positive integers: \mathbb{Z}_{++} .

(c) Complex n -vectors: \mathbb{C}^n .

(d) Non-negative rational n -vectors: \mathbb{Q}_+^n .

12. Produce the following: $\left. \frac{\partial f(x)}{\partial x_j} \right|_{x=\bar{x}}$.

13. Produce the following:

Definition 1 A matrix is *singular* if its determinate is zero.

Definition 2 A matrix is *non-singular* if it is not singular.

Theorem 1 Every non-square matrix has an inverse.

Proof: The determinate of a non-square matrix cannot be zero because it is not defined. Therefore, the matrix is non-singular. This implies it has an inverse. ■

14. What is grammatically wrong with each of the following segments.

(a) A key is how to add velocities the formula is

$$\frac{(u + v)}{1 + \frac{uv}{c^2}}$$

where c is the velocity of light.

(b) A result of these assumptions is the following equation

$$E = mc^2$$

Einstein first noticed this equivalence between energy (E) and mass (m).

(c) Let x be an n -vector and ω a scalar, and define

$$y = Ax - \omega b,$$

where A is an $m \times n$ matrix and b is an m -vector. Now suppose $y(\omega)$ is specified and we want to find x .

(d) Now we consider adding velocities.




Figure 1. Adding velocity vectors: $u + v$.

Figure 1 (above) shows how to add velocities simply as vectors.

(e) **Theorem** If $x, y, z \in \mathbb{Z}^+$ and $x^n + y^n = z^n$, then $n < 3$.

The remaining exercises are more difficult. You are to produce the mathematical expressions shown in math display mode.

15. The following is tricky to get the evaluation expression, $t = \frac{1}{2}$ to be the right size and location.

$$\left. \frac{d}{dt} f(x + t\nabla^+ f(x)) \right|_{t=\frac{1}{2}} = -\frac{2v}{(1/2)^{1/4}} + 1.$$

16. Note the row and column labels outside the matrix.

$$A = \begin{array}{c} \\ 1 \\ 2 \\ 3 \\ 4 \end{array} \begin{array}{ccccc} a & b & c & d & e \\ \left[\begin{array}{ccccc} 1 & 0 & 0 & 0 & 1 \\ 1 & 1 & 0 & 1 & 0 \\ 0 & 1 & 1 & 0 & 0 \\ 0 & 0 & 1 & 1 & 1 \end{array} \right] \end{array}$$

17. Row pointers:

$$A = \begin{bmatrix} 11 & 12 \\ 21 & 22 \end{bmatrix} \begin{array}{l} \leftarrow \text{rows in 1} \\ \leftarrow \text{rows in 2 (this arrow is closer to matrix)} \end{array}$$

18. Column pointers:

$$A = \begin{bmatrix} 11 & 12 \\ 21 & 22 \end{bmatrix} \begin{array}{cc} \uparrow & \uparrow \\ \text{columns} & \text{columns} \\ \text{in 1} & \text{in 2} \end{array}$$

19. Row and column pointers:

$$A = \begin{bmatrix} 11 & 12 \\ 21 & 22 \end{bmatrix} \begin{array}{cc} \leftarrow \text{rows in 1} \\ \leftarrow \text{rows in 2} \\ \uparrow & \uparrow \\ \text{columns} & \text{columns} \\ \text{in 1} & \text{in 2} \end{array}$$

6 Graphics

Graphics may be part of a \LaTeX document by one of three ways:

1. Use standard \LaTeX 2 ϵ commands, notably the `picture` environment;
2. Use a graphics package to draw within the document;
3. Use a package to import some standard graphics file.

I illustrate each, but I do not provide a complete list of the relevant packages (see CTAN [4] and *The \LaTeX Companion* [5]).

6.1 Picture Environment

If all we want is a series of boxes and arrows, we can do this simply with `\fbox` and a long arrow in math mode, as follows:

```
\fbox{left}$\longrightarrow$\fbox{center}$\longrightarrow$\fbox{right}
```

⇒ $\boxed{\text{left}} \longrightarrow \boxed{\text{center}} \longrightarrow \boxed{\text{right}}$

The `\framebox` command can be used instead of `\fbox` to produce the same result. However, `\framebox` also has two optional arguments to control the length of the box and the position of the text within it. For example,

```
\framebox[2cm][l]{left}$\longrightarrow$\framebox[2cm][c]{center}$%
$\longrightarrow$\framebox[2cm][r]{right}
```

⇒ $\boxed{\text{left}} \longrightarrow \boxed{\text{center}} \longrightarrow \boxed{\text{right}}$

The `%` at the end of the first line is to avoid having a blank between the center box and the `\longrightarrow` that follows it. The first optional argument of this `\framebox` command is the width of the box, given as 2 cm for each box. The second optional argument is the position of the inscribed text: `l` = left, `c` = center, and `r` = right.

We can make the contents of a box obey all paragraph controls in text mode by the `\parbox` command. By itself, it lets us stack short phrases,

like $\boxed{\begin{array}{l} \text{top} \\ \text{middle} \\ \text{bottom} \end{array}}$ (note how the paragraph spacing adjusts). Combined with

`\framebox`, we can create vertical diagrams easily, as illustrated in Figures 59 and 60.

```

\begin{center} \parbox{2cm}{
\framebox[2cm]{top}    \ \ \ \ \centerline{\$\downarrow\$} \ \ \
\framebox[2cm]{middle} \ \ \ \ \centerline{\$\downarrow\$} \ \ \
\framebox[2cm]{bottom}
} \end{center}

```

Figure 59: Vertical Diagram Source (Result in Figure 60)




Figure 60: Vertical Diagram Result (Source in Figure 59)

The *box* created by `\parbox` has its center aligned with the text, but it has an optional argument to align its top or bottom with the text. This is done by specifying `\parbox[t]{width}{text}` or `\parbox[b]{width}{text}`, respectively.

These commands can be combined, along with other box commands, but there is a need for more versatility, like ovals and diagonal arrows, and more control over positioning. A basis for this is the `picture` environment. To begin, Figure 61 shows a more elaborate chart, which was created by the `picture` environment, whose source is shown in Figure 62. Going through its parts will serve to explain the various commands.




Figure 61: Variety of Objects in Picture Environment

```

\begin{center} \setlength{\unitlength}{1in}
\begin{picture}(0,0)
  \put( 0,  0){\circle*{.1}}
  \put( 0,-.5){\framebox{.7,.3}{center} }
  \put(-1,-.5){\dashbox{.01}{.7,.3}[tl]{top left} }
  \put( 1,-.5){\dashbox{.1}{1.2,.3}[br]{bottom right} }
  \put(-.65, -1){\circle{.2}} \put(-.7,-1.05){1}
  \put( 1, -1){\oval{.5,.25}} \put(.85,-1.05){oval}
  \put(0,-1){\fbox{$\begin{array}{c}a\\b\\c\end{array}$}}
  \put(-.3,-.35){\vector(1,0){.3}}
  \put(-.65,-.5){\vector(0,-1){.4}}
  \put( .35,-.5){\vector(4,-3){.5}}
  \put(-.55,-1){\vector(1,0){.55}}
  \put( 0,-1){\vector(-1,0){.55}}
  \put(.32,-1){\vector(1,0){.43}}
  \put(1.2,-.895){\line(1,1){.3975}}
\end{picture}
\end{center} \vspace{1in}

```

Figure 62: Source for Figure 61

The first command begins a center environment, and I use the `\setlength` command to set the units of measurement to be 1 inch. This means that when I specify some length = 5, I am specifying 5 inches. The parameter that determines this is `\unitlength`, and the default for the picture environment is 1 pt. Then, we enter the picture environment stating that the point of entry is the origin, indicated by the *coordinates* (0,0). (There is an alternative way to begin the picture environment, which is not described here.) The filled circle shows where (0,0) is in this picture.

Every picture command begins with `\put`, which is exclusively for the picture environment. The complete syntax is: `\put(x,y){stuff}`, where *stuff* can be text or some picture object. The (x,y) coordinates are relative to where the position is when the picture environment is entered. This could be at the left margin, as in beginning a paragraph with `\noindent`; it could be a column in a table defined within the tabular environment; or ☺ it could be in the middle of a sentence, just as the smiley face appears here (see Exercise 1).

The first `\put` in Figure 62 specifies the position at the origin, and the *stuff* is a filled circle with diameter .1 inches (centered at the origin):

```
\put(0,0){\circle*{.1}} ⇒ ●
```


The next three commands put three different kinds of boxes, each beginning at .5 inches below the origin (i.e., $y = -.5$). The first is similar to `\framebox` in text mode, but its syntax is different. In picture mode it enables control over not only the width, but also the height, and this extends the position options to a second character: **t** = top; **b** = bottom. The general form of the `\framebox` command in the picture environment is as follows:

```
\framebox(width,height)[posn]{text}
```

In the example shown in Figure 62, the specifications are $width = .7$ inches and $height = .3$ inches; the position is centered because that is the default.

The next `\put` puts a dashed box, having the same dimensions as the framed box, with the length of the dash set to .01 inches. The next dashed box has the dash length set equal to .1 inches, resulting in fewer dashes to compose the box. The box length is set to 1.2 inches, and the text is at the bottom right because of the optional specification, `[br]`.

Now we come to the `\circle` specification, located at coordinates $(-.65, -1)$ (from `\put`), with diameter = .2 inches. The “1” inside the circle required another `\put`, and some *trial and error* was needed to establish its position. We know the center of the circle is at $(-.65, -1)$, but that is not where we want to put the inscribed text to be centered. Unlike the box family, we cannot include the centering of text within the circle command. The same applies to the `\oval` specification, followed by putting text that required some trial and error to locate. The oval, itself, has dimensions $.5 \times .25$ (inches), where .5 measures the entire width:



After the `\oval` specification, I use the `\fbox` command. This is the same as I used in text mode, except here I use it to frame an array, defined as usual in math mode: the array has three rows and one column, which is centered.

Now the code begins to draw the vectors, which are lines with arrow heads. Both `\vector` and `\line` have the same syntax:

```
\line( $\Delta x, \Delta y$ ){len}      \vector( $\Delta x, \Delta y$ ){len}
```

If $\Delta x = 0$, the line is vertical, and len is the amount of change above or below the original point (it does not matter what the magnitude of Δy is; only its sign matters). If $\Delta y = 0$, the line is horizontal, and len is the amount of change to the right or left of the original point (it does not matter what the magnitude of Δx is; only its sign matters). Otherwise, if $\Delta x \neq 0$, the actual change in x is still len , and the slope of the line is $\frac{\Delta y}{\Delta x}$. This is undoubtedly confusing, so consider Figure 63. The new point is determined by moving from (x_0, y_0) along the line with slope $\frac{\Delta y}{\Delta x}$ until the new x -coordinate is $x_0 + len$. Then, the new y -coordinate is $y_0 + len \frac{\Delta y}{\Delta x}$. The actual length of the line segment is $len \sqrt{1 + \left(\frac{\Delta y}{\Delta x}\right)^2}$.




Figure 63: Line Parameters

As if this unnatural definition of the line segment were not enough, there is an important restriction: $\Delta x, \Delta y$ must be integer-valued and within -6 to 6 . Suppose our original point is (x_0, y_0) , and we want our destination point to be (x_t, y_t) . If $x_t = x_0$, the calculation is simple: set $\Delta x = 0$, $len = |y_t - y_0|$, and


$$\Delta y = \begin{cases} 1 & \text{if } y_t > y_0; \\ -1 & \text{otherwise.} \end{cases}$$

If $x_t \neq x_0$, we could have problems with approximating the results. Suppose, for example, we want $(x_t, y_t) = (x_0 + 1.3, y_0 + 1.5)$. If we set $len = 1.3$

to obtain the correct x -coordinate, how should we set the slope parameters? Ideally, we would set $\frac{\Delta x}{\Delta y} = \frac{13}{15}$, but the restrictions do not permit this. The closest we could come is $\frac{4}{5}$.


Fixing $len = x_t - x_0$, then searching for a nearest slope approximation, is not necessarily the best overall approximation. We could setup a least-squares estimation problem, but trial and error in selecting the parameters tends to be just as efficient. Either way, we have some work to do.

The first `\vector` command in Figure 62 starts at $(-.65, -1)$, which I calculated to be from the “top left” box to the “center” box.



In Figure 61 the “top left” box starts at $(-1, .5)$, and its width is $.7$, so the right edge of that box is at $x = -.3$. Starting at $y = -.35$, the vertical position changes by moving up half of the height, so the coordinate where the arrow begins (called its *tail*) is $(-.3, -.5 + \frac{1}{2}.3) = (-.3, -.35)$. That accounts for the initial position given by `\put(-.3, -.35)`. The arrow is to be horizontal, drawn left to right, so $\Delta x = 1$ and $\Delta y = 0$, as specified with `\vector(1,0)`. Finally, we need to determine the length, specified as $\{.3\}$. We want the coordinate of the end of the arrow (called the *head*) to be flush to the left side of the “center” box. That box begins at $(0, -.5)$, so $\Delta x = 0 - (-.3) = .3$. It required these computations to determine the complete picture command: `\put(-.3, -.35){\vector(1,0){.3}}`.

Now consider the next `\vector`, which is a vertical arrow from the same box to the circle below it. The initial position is calculated simply as the midpoint of the bottom edge of the box: $(x, y) = (x_0 + \frac{1}{2}h, y_0)$, where the box starts at (x_0, y_0) and $h = height$. In this case, $(x_0, y_0) = (-1, -.5)$ and $h = .3$, so we obtain the coordinates of the arrow’s tail: $(x_t, y_t) = (-1 + \frac{1}{2}.3, -.5) = (-.65, -.5)$, as specified. Since the arrow is downward, $\Delta x = 0$ and $\Delta y < 0$, given by `\vector(0,-1)`. The length is determined by where we want the arrowhead: at the top of the circle. The circle’s y coordinate is $-.65$, which is its center. We must add the radius, which is $\frac{1}{2}(.2)$ since $.2$ is the diameter specified by `\circle{.2}`. Thus, the position of the arrowhead is $(x_h, y_h) = (x_t, y_c - y_t + r) = (-.65, -1 - (-.5) + .1) = (-.65, -.4)$, and we set $len = |\Delta y| = .4$, which is what is specified:



The next arrow is double-headed, so we use two `\vector` commands to draw one arrow left to right, then an arrow at the same end points, but drawn right to left. Further, this involves more calculations because the arrow is not simply horizontal or vertical. We begin the same way, by computing the coordinates of the tail and head. The left end point is at the y -coordinate of the center of the circle, and its x -coordinate is to the right by the length of the radius: $(x_1, y_1) = (x_c + r, y_c) = (-.65 + .1, -1) = (-.55, -1)$, so that is where we `\put` the first arrow. The head is to be flush with the left edge of the `\fbox`, and this needs some trial and error. The uncertainty is the width of the box; we know only that the center of the box was put at $(0, -1)$, but we do not know the width of the box. With just a few iterations, the end point was determined to be $x = 0$, so $len = \Delta x = .55$. The reverse arrow begins at $(0, -1)$, and its slope is $(-1, 0)$, which is why we have `\vector(-1,0){.55}`.

The last vector also required trial and error, due to not having the corner of the oval coordinates. In this case, the end points were determined to be from $(1.2, -.895)$ to $(1.6, -.5)$. The former was found by trial and error, but the latter was computed by knowing that the “bottom right” box starts at $(1, -.5)$ and has a width of 1.2, so the midpoint of the bottom edge is at $(1.6, -.5)$. Now the true slope of the line we want is $\frac{.395}{.4}$, but the restrictions do not allow this. The closest slope we can have is with $(\Delta x, \Delta y) = (1, 1)$, which is what is specified. Given this slope, the best choice of len can be found as the average of the deviations:

$$len = \frac{1}{2}(.4 + .395) = .3975.$$

Thus, we specify `\line(1,1){.3975}` to obtain the line shown in Figure 61.

There are packages to extend the picture environment, and we can plot curves, called *Bezier approximations*, to a set of points. However, I shall cover these in the next section with a powerful package called PSTricks.

Table 46 (in the Appendix, p. 128) gives the commands in the picture environment, but here are some things to note:

- Only boxes can have inscribed text; the circles and ovals require separate `\put` commands, which can take some trial and error to position.
- Some calculations and some trial and error are needed to align objects and lines.
- Moving a portion of the picture can be tedious, requiring re-calculations and more effort for the new positions.

- There is no direct way to control the size or style of the arrow heads, and there is very limited control over line thicknesses.

These can make using the picture environment time consuming and rather unpleasant. There is a better way!

6.2 PSTricks

PSTricks [15] was written by Timothy Van Zandt, and is provided free of charge. (It is not standard with MiKTeX, but you can obtain it at CTAN [4].) In the preamble specify `\usepackage{pst-all}` for the entire system. (You can use parts, in which case you specify the parts you use instead of `pst-all` — see [15] for loading individual portions.)

One thing you need to know is that not all of the `pst` results can be seen with a `dvi` viewer. Some require converting to postscript and viewing the `ps` file. This is especially true of commands that involve rotations.

PSTricks (`pst`, for short) is designed to overcome difficulties with using the picture environment, some of which were listed above. Here are some of the features of PSTricks that I shall illustrate.

- Circles and ovals, in addition to boxes, can have inscribed text.
- Lines and arrows have the same command, identifying any of a great variety of arrowheads simply.
- Only one command is needed to put lines through a sequence of points, and slopes need not be calculated.
- Objects can be named (as *nodes*) and lines and arrows can be drawn between them by naming the tail and head, thereby eliminating the need for calculation or trial and error.
- Arrow heads are adjustable.
- Shapes are highly variable.
- Drawing curves is simple, including plots of points that can come from a data file, and Bezier approximations of four points are available.

Another widely distributed picture-drawing system is MetaPost [6, 7], written by John D. Hobby, also provided free of charge. It is more difficult to learn than PSTricks, but MetaPost is more open-ended in its design, which

makes it potentially more versatile, especially on varying the types of file outputs (PSTricks is tied to postscript). In particular, `pdflatex` (not covered here; see [4]) does not work with PSTricks, but it does with MetaPost.

There are many packages [4], typically available free of charge, that do many of the things done by PSTricks (and some additional things). Many of these are described in *The L^AT_EX Companion* [5].

All of the `pst` commands have options to override default settings for relevant parameters. The defaults, themselves, can be set with the `\psset` command: `\psset{parameter = value[,...]}`. For example, the default unit of measurement is 1 cm, and the default fill color is white, but we can change them by specifying:








```
\psset{unit=1in,fillcolor=gray}
```


A fundamental command in `pst` is `\rput`, but unlike the `\put` command in the `picture` environment, this is not the only way to put objects. The commands, themselves, can specify where to put them. Table 19 gives some of the common commands to draw objects and lines. For those examples, the unit of measurement was set to 1 mm. For each command, we can specify relevant options as `[parameter = value]`. For example, to produce a solid circle with radius .1 cm, centered at the origin, we write `\pscicle[fillstyle=solid](0,0){.1}` (having already set `fillcolor=gray`).

The origin is determined by where you are when issuing a `pst` command; no environment is entered. Thus, I can put that circle right here: ● All commands use the `linewidth` parameter to control the thickness of the lines used in the drawing, and objects that could be made solid, like boxes and circles, use the `fillstyle` parameter. I shall illustrate the commands in Table 19 first, showing the ease and versatility of PSTricks, then I shall show some additional shapes and commands. This is meant to be an introduction, so many features are not presented here. The *User's Guide* [15] is freely available and clearly written.

In using these commands, we do want the `\rput` command in order to put text into various objects. The idea of a *box* is to have some shape enclose text. PSTricks extends the rectangle in `\framebox` by having a variety of shapes, shown in Table 20. A parameter used by these commands is the distance between the border and the text inside, called `framesep=len`, where the default value of `len` is 3 pt. (As usual, other parameters include `linewidth`, `linestyle`, `linecolor`, and `fillcolor`.) The `pst` figures are drawn after specifying `\psset{unit=1mm,fillcolor=white}`.

Table 19: Some Basic Drawing Commands in PSTricks

$\text{psframe}(x_0, y_0)(x_1, y_1)$  $\backslash\text{psframe}(0,1)(10,-2)$	Draws rectangle with a corner at (x_0, y_0) and opposite corner at (x_1, y_1) .
$\text{pscircle}(x, y)\{r\}$  $\backslash\text{pscircle}(5,0)\{2\}$	Draws circle centered at (x, y) with radius = r .
$\text{psellipse}(x, y)(r_x, r_y)$  $\backslash\text{psellipse}(3,0)(5,2)$	Draws ellipse centered at (x, y) with horizontal radius = r_x and vertical radius = r_y
$\text{psline}\{a\}(x_0, y_0) \dots (x_n, y_n)$  $\backslash\text{psline}\{-\}(0,0)(10,0)$  $\backslash\text{psline}\{<->\}$ $(0,0)(5,-2)(1,0)$  $\backslash\text{psline}\{ -*\}$ $(0,0)(10,-2)$	Draws line or arrow, determined by a : - no arrow; $->$ forward arrow; $<->$ double arrow' $<-$ backward arrow; (there are more!), along path given by coordinates.
$\text{pspolygon}(x_0, y_0) \dots (x_n, y_n)$  $\backslash\text{pspolygon}(0,0)$ $(0,-3)(6,-3)$	Draws closed polygon with given coordinates; same as $\backslash\text{psline}\{-\} \dots$, except figure is closed by drawing line from (x_n, y_n) to (x_0, y_0) .







These commands can be used in the text. For example, we obtain  by writing: ...we obtain $\backslash\text{psovalbox}\{\text{this oval}\} \dots$

Boxes need not be enclosed (like $\backslash\text{makebox}$), and they can be scaled by specifying one of the following:

$\backslash\text{psscalebox}\{size\}\{stuff\}$ scales $stuff$ keeping the same aspect ratio
 $\backslash\text{psscalebox}\{width\ height\}\{stuff\}$ scales the width and height individually

Here are some examples:

Table 20: Boxes in PSTricks

<code>psframebox{stuff}</code>	Draws rectangle but could have rounded corners
	<code>\psframebox{framebox}</code>
	<code>\psframebox[framearc=.4]{framebox}</code>
<code>psshadowbox{stuff}</code>	Adds shadow to psframebox
	<code>\psshadowbox{shadow added}</code>
<code>psdblframebox{stuff}</code>	Draws double frame
	<code>\psdblframebox{double frame}</code>
<code>pscirclebox{stuff}</code>	Draws circle around <i>stuff</i>
	<code>\pscirclebox[linewidth=2pt]{circle}</code>
<code>psovalbox{stuff}</code>	Draws oval around <i>stuff</i>
	<code>\psovalbox[linestyle=dotted]{oval}</code>



```
\psscalebox{.5}{\pscirclebox{
  \begin{tabular}{c}
    Halving \\ the \\ circle
  \end{tabular} }}

```



```
\psscalebox{2}{\psframebox{
  \textsl{Doubling} }}

```

Tall

```
\psscalebox{1 3}{Tall}

```

Wide

```
\psscalebox{3 1}{Wide}

```

There are times when we want to rotate *stuff*. Here is how:

Left
Down
Right


```
\rotateleft{Left}\rotatedown{Down}
\rotateright{Right}

```

One application is given by the following:

```
Who is the founder of TEX?   Who is the founder of \TeX?
\answer: Donald E. Knuth    \rotatedown{Answer: Donald E. Knuth}
```

So far I have described a variety of shapes, by themselves and as enclosures for boxes. These can be connected by `\psline`, with a great variety of styles, including variations of arrowhead shape. To avoid the tedious calculations in locating the coordinates of the tail and head, the objects being joined can be referenced by name. In PSTricks, the named objects are called *nodes*. Consider the following example:



The source code is shown in Figure 64. After entering the centering environment and setting the default units of measurement, the `\rput` command puts a node, with the `\rnode` command. The name is set to A, and the text Node A is put there (with no frame). The syntax for `\rnode` is:

```
\rnode{name}{stuff}
```

The next two commands put nodes named B and C, each enclosed with a frame. The `\ncline` command has the same arrow options as `\psline`, but with the following syntax:

```
\ncline{a}{name of node A}{name of node B}
```

The first `\ncline` in Figure 64 draws a plain line from node A to node B. The `[nodesepA=3pt]` option gives 3 pt separation between the end of the line and node A. Otherwise, the line would touch Node A text, which is not what we want. The separation is exaggerated to 5 pt in the arrow from node C to node A. The default value is `nodesep=0pt`, which is what we want when the nodes are enclosed boxes, like B and C. In general, node separation can be specified for either end point, or for both end points, by specifying `nodesepA=n`, `nodesepB=n`, or `nodesep=n`, respectively. (`nodesepA` and `nodesepB` are keywords and have nothing to do with the names we assign to our nodes.)

Figure 66 shows a graph that could represent any number of things. Its source, using PSTricks, is shown in figure 65. (Try adding one line at a time and observe each effect.)

```

\begin{center}
  \psset{unit=1cm}
  \rput( 0, 0){\rnode{A}{Node A}}
  \rput(-2,-1){\rnode{B}{\psframebox{Node B}}}
  \rput( 2,-1){\rnode{C}{\psovalbox{Node C}}}
  \ncline[nodesepA=3pt]{A}{B}
  \ncline[nodesepA=5pt]{<-}{A}{C}
  \ncline{<->}{B}{C}
\end{center} \vspace{.5in}

```

Figure 64: PSTricks Source for Connecting Nodes

```

\begin{center} \psset{unit=1cm}
% Nodes
  \cnodeput(-2, 0){1}{1} \cnodeput(0, 0){2}{2}
  \cnodeput( 2, 1){3}{3} \cnodeput[doubleline=true]( 2,-1){4}{4}
  \pnode(-3, 0){1tail} \ncline{->}{1tail}{1} % tailless arc into (1)
% Arcs (with labels)
  \ncline{->}{1}{2} \aput{:U}{1/2} % \aput puts label above arc
  \ncline{->}{2}{3} \aput{:U}{2/3}
  \ncline{->}{2}{4} \bput{:U}{2/4} % \bput puts label below arc
  \ncarc{->}{3}{4} \Aput{\small 3$\rightarrow$4} % \Aput keeps
  \ncarc{->}{4}{3} \Aput{\small 4$\rightarrow$3} % label horizontal
  \ncloop[angleB=180,loopsize=.5,arm=.2,linear=.2]{->}{3}{3}
    \Bput[5pt]{loop} % \Bput keeps label horizontal and 5pt is
    % the space added between label and arc
  \ncloop[angleA=180,loopsize=.5,arm=.2,linear=.2]{<->}{4}{4}
    \Bput[5pt]{loop}
\end{center} \vspace{1cm}

```

Figure 65: Graph Source (Result in Figure 66)




Figure 66: Graph Result (Source in Figure 65)

Now I describe curves that go through, perhaps approximately, given points. The examples that follow use the following pst settings:

```
\psset{unit=.5cm,showpoints=true}
```


(The `showpoints=true` setting is what causes the points to be included in the picture you see.)

We begin with the parabola, whose command syntax is:

```
\parabola{a}(x_0,y_0)(x_1,y_1),
```

where (x_0, y_0) is one point on the parabola, and (x_1, y_1) is the (unique) point having $dy/dx = 0$. `\parabola*` specifies filling the parabola. For example,

```
\psgrid[subgriddiv=1,griddots=10,gridlabels=7pt](-1,0)(4,4)
\parabola{<->}(4,3)(2,0)
\parabola*[fillcolor=black,showpoints=false](1,1)(2,3)
```




Question: What is the pst command to draw the parabola given by


$$y = ax^2 + bx + c, \text{ where } a \neq 0?$$

Answer: `\parabola(0,c)(- $\frac{2a}{b}$, $-\frac{2a}{b}$)($\frac{2a}{b}$, $-\frac{2a}{b}$)`

The following shows two commands: `pscurve` and `psccurve`, the latter being a *closed* curve that joins the last point with the first.




```
\pscurve{<->}(0,0)(1,1)(1,-1)(-1,1)(-1,-1)
```



```
\psccurve(0,0)(1,1)(1,-1)(-1,1)(-1,-1)
```


The Bezier curve joins two end points and comes as close as possible to two intermediate points. The command syntax is:

`\psbezier[parameters]{a}(x0,y0)(x1,y1)(x2,y2)(x3,y3)`



`\psbezier(0,0)(1,3)(2,1)(3,4)`

We can read data from a file, perhaps produced by mathematical software like gnuplot[©], Octave[©], Maple[©], Mathematica[©], MATLAB[©], and S-PLUS[©]. The data file just needs pairs of coordinates, which can be separated by a comma or just blank and can have parenthesis, braces, or nothing around each pair. The following histogram was plotted by the source code in Figure 67, which I shall explain. The data file had $y = \text{number of students with test score} = x + 50$. (The offset of 50 was used in establishing the origin in the plot.)



```

\psset{unit=2mm, showpoints=false}
\fileplot[plotstyle=dots]{mydata.dat}
\psaxes[Ox=50,Oy=0,Dx=10,Dy=5,dx=10,dy=5,ticks=y]{->}(60,17)
\rput[r](60,-2){\large score}
\psline(1,0)(1,6)(9,6)(9,0) \rput(5,8){\textsf{F}}
\psline(10,0)(10,3)(19,3)(19,0) \rput(14,5){\textsf{D}}
\psline(20,0)(20,10)(29,10)(29,0) \rput(25,12){\textsf{C}}
\psline(30,0)(30,8)(39,8)(39,0) \rput(35,10){\textsf{B}}
\psline(40,0)(40,5)(50,5)(50,0) \rput(45,7){\textsf{A}}

```

Figure 67: Source Code for Drawing Histogram of Test Scores

After setting the units of measurement to 2 mm, the data file is read and its points plotted with the `\fileplot` command. (Setting `showpoints=false`

suppresses plotting the points in the `\psline` commands.) The data file is plain text and has the following entries:

% This is mydata.dat					
5	2	9	4	% F = [0,60)	
15	2	18	1	% D = [60,70)	
22	6	27	4	% C = [70,80)	
30	2	31	1	35	4 39 1 % B = [80,90)
40	2	45	2	50	1 % A = [90,100]

The plot, itself, is just the points, specified by `plotstyle=dots`. There are other plot styles, such as `plotstyle=line`, and there are 11 dot styles. Here is one of the alternatives:

`\fileplot[dotstyle=+,plotstyle=dots]{mydata.dat}` \Rightarrow

```

      +
    +
  +
+

```

Next, axes are superimposed with the `\psaxes` command:

`\psaxes[params]{a}(x0,y0)(x1,y1)(x2,y2)`

where (x_0, y_0) is the origin, (x_1, y_1) is the Southeast corner, and (x_2, y_2) is the Northwest corner. As in `\psline`, if (x_0, y_0) is absent, the origin is assumed to be at $(0, 0)$. If (x_1, y_1) is absent, it is assumed to be equal to the origin. Here are some examples:

`\psaxes[unit=.5cm]{->}(4,0)(8,3)` \Rightarrow

`\psaxes[unit=.5cm]{->}(0,0)(-1.1,0)(2.1,2.1)` \Rightarrow

Note that *ticks* are uniformly spaced on each axes. This is suppressed for the *x*-axis in Figure 67 by specifying the option, `ticks=y`. The other parameter settings are described in Table 21. (The default values, `dx=dy=0`,

cause the spacing to be equal (approximately) by using $Dx \div \backslash psxunit$ and $Dy \div \backslash psyunit$, respectively.)

Table 21: Parameters for $\backslash psaxes$

Horizontal	Vertical	Default	Meaning
$Ox=n$	$Oy=n$	0	Label at origin
$Dx=n$	$Dy=n$	1	Label increment
$dx=n$	$dy=n$	0	Label spacing

The next command, $rput[r](60,-2)\{\large score\}$ puts “score” in large font, flush right (indicated by $[r]$) at the coordinates $(60, -2)$. Thus, when I superimpose the commands $\backslash fileplot$, $\backslash psaxes$ and $\backslash rput$, we obtain the data plot. The remaining commands draw the histogram boxes and put the letter grade above each box in sans serif font. Leaving off the “score,” Figure 68 shows the sequence of how each $\backslash psline$ and $\backslash rput$ adds to the picture. To fit the picture and the code next to it, this is scaled (simply, by specifying $\backslash psset\{unit=1mm\}$):

We shall stop here, but this does not exhaust the PSTricks commands. See [15] for lots more, including many examples.




Figure 68: Sequence of PSTricks Commands to Draw Histogram

6.3 Importing pictures

The way to import a picture into L^AT_EX is to convert it to encapsulated postscript (eps). An exceptionally clear description of this, including historical context, is given by Keith Reckdahl [12]. (He also goes deeper into customizing placements of pictures in figures.) Many systems that let us draw figures, and those that plot mathematical functions or data, have an option to export an eps file. (If you can get a ps file, you could use `\psfig`, or there is a unix conversion utility, `\ps2epsi`.) On unix, `xfig` is an excellent system to draw figures, and the export options include the eps file format. A basic plotting system for functions and data, for both unix and DOS that produces eps files, is `gnuplot`. This is available free of charge at [FTP://ftp.dartmouth.edu/pub/gnuplot/](ftp://ftp.dartmouth.edu/pub/gnuplot/). Octave extends the capabilities of `gnuplot` and is also available free of charge, at <http://www.che.wisc.edu/octave/>. There are also commercial systems, like Maple[©], Mathematica[©], MATLAB[©], and S-PLUS[©], which can produce eps files of plots.

Another way to obtain an eps file is with conversion. The unix systems `xv` and `Image Magick` can do this for a large variety of graphic file formats, including bitmap (xbm), gif and jpeg files. There are free conversion systems on MS Windows, notably `jpeg2ps`, which converts jpeg files to eps, and `emftoeps`, which converts Windows Metafiles (wmf) to eps.

Once the file is in eps format, we can import it using the *Graphics Bundle* [3], written by David P. Carlisle, provided free of charge. It comes with MiKTeX and basic unix installations. There are two packages that provide essentially the same capabilities but with different syntax. One is called `graphics`, the other is `graphicx`. Here I use `graphicx`, as specified in the preamble by `\usepackage{graphicx}`.

To include an eps file, simply specify `\includegraphics[options]{filename}`. For example, Figure 69 shows a figure that was imported with the following statement:

```
\begin{center}\includegraphics[scale=.5]{sin.eps}\end{center}
```

In this case I specified the option, `scale=.5`, which prints the figure half the size it was produced (in this case by MATLAB, by specifying `print sin -deps`




Figure 69: Applying `\includegraphics` to Import an eps File

after plotting the sin function over the indicated grid). Figure 70 shows the same eps file, but with the width and height set as follows:

```
\begin{center} \includegraphics[width=2in,height=1in]{sin.eps}
\end{center}
```




Figure 70: Specifying Dimensions in `\includegraphics`

For a very large picture, we might want to specify `width=\textwidth,height=!`, and let it fill the entire width of the page. The height specification (!) says to maintain the aspect ratio.

If you find yourself importing eps files but would like to make some changes in \LaTeX , read about the `PSfrag` package, by Michael C. Grant and David Carlisle, which comes with a basic installation (including MiKTeX), whose documentation is at CTAN [4]. It has two basic operations: (1) edit some string or position in the figure (i.e., the eps file), and (2) translate \LaTeX

commands that you put in the figure in the first place. The documentation gives examples, with eps files produced by MATLAB and xfig.


Importing graphics is only one of the functions of `graphicx`. It can also perform scaling, rotation, and sizing of an arbitrary box. The box could contain text, pictures, or almost any *stuff*. Here are examples:

Double your fun

Open wide

Reflect on this

Landscape



```
\psscalebox{2}{Double your fun}
```

```
\resizebox{1in}{!}{\fbox{Open wide}}
```

```
\reflectbox{Reflect on this}
```

```
\rotatebox[origin=c]{90}{Landscape}
```

```
\rotatebox[origin=rt]{45}
```

```
{\psframebox{
```

```
  \begin{tabular}{c}
```

```
    Was\\Pythagoras\\a square?
```


```
  \end{tabular}
```

```
} }
```

These operations are available because the programs that perform them are used in the `\includegraphics` command. Although it is feasible to perform the operation after importing a graphic, it is more efficient to specify that option in the `\includegraphics`. Here are some examples:



```
\includegraphics
  {protractor.eps}
```




```
\includegraphics[width=.25\textwidth,
  height=!]{protractor.eps}
```



```
\includegraphics[height=.5in,width=!,
  angle=90,origin=c]{protractor.eps}
```


Exercises. Submit a printed copy of the L^AT_EX source (tex file) and printed copy of the associated postscript result (ps file). Be sure your name is on each.

1. Use the picture environment to draw the smiley face on page 81.
2. Draw the following graph with the picture environment, where `\thicklines` is specified and `\unitlength = 1mm`




3. Use PSTricks to draw Figure 3 (p. 4).

4. Use PSTricks or the picture environment to draw the following.




5. Use PSTricks or the picture environment to draw the following.




6. Make a figure in some system that lets you save it as an eps file (or use some conversion program). Then, include it in your document.
7. Use whatever means you prefer (or that your instructor requires) to include each of the following figures in your document. (They were drawn here with PSTricks, but this section did not describe all that is needed, so you must obtain the *PSTricks User's Guide* [15].)


- (a) Graphic view of Pythagorean Theorem:




(b) Network with arc data:



(c) The sin function:



(d) Bernoulli family tree:



7 Making Special Parts

7.1 Cover Page

The easiest way to make a cover page is with the `\maketitle` command. This is done in the document environment, generally just following `\begin{document}`. The necessary parameters are `\author` and `\title`, which can be defined anywhere before the `\maketitle`. Typically these are put into the preamble, or right after `\begin{document}` followed immediately by `\maketitle`; it depends upon your management style. Multiple authors are separated by `\and`, such as in the example shown in Figures 71 and 72. (The jagged edges in Figure 72 mean that there is more space between the title and the top of the paper.)

Specifying `\date` is optional (`\maketitle` puts in the current date if the date is not defined). The cover page is by itself and is not numbered.

```
\title{The \LaTeX\ Companion}
\author{Michel Goosens \and Frank Mittelbach \and Alexander Samarin}
\date{1994}
\maketitle
```

Figure 71: Title Page Source (Result in Figure 72)




Figure 72: Title Page Result (Source in Figure 71)

Since articles often have this information on the first page of the article (rather than a separate page), `titlepage` must be specified as an option in

the `\documentclass` command. For example, the following does this while specifying 12pt font as another option:

```
\documentclass[12pt,titlepage]{article}
```

Addresses, affiliations, and other information about each author can be added, using `\\` to create new lines. For example, Figure 73 shows how the authors appear when the `\author` definition in Figure 71 is changed to the following:

```
\author{Michel Goosens    \\ Geneva, Switzerland
        \and Frank Mittelbach \\ Mainz, Germany
        \and Alexander Samarin \\ Geneva Switzerland}
```

As illustrated in Figure 73, `\maketitle` puts the third author on a separate line. This is because the added width of author information makes it too long to fit on one line. All three authors would be put on separate lines if the address information were extended further, or if the names were very long.




Figure 73: Adding Addresses to Authors

There are times when we want to acknowledge support for one or more of the authors. The `\thanks` command does this by creating a footnote, using

different footnote marks for each one. Figures 74 and 75 illustrate this along with some variation in the date.

```

\title{Pieces of $\pi$\thanks{Renamed.}}
\index{\texttt{\backslashthanks}} \index{footnote}
\author{Archimedes\thanks{Supported by the army.}\ Syracuse, Sicily
  \and Pythagoras \ Samos, Ionia }
\date{210 {\sc bc} (revision of earlier version, 510 {\sc bc})}

```

Figure 74: Footnotes in the Cover Page Source (Result in Figure 75)




Figure 75: Footnotes in the Cover Page Result (Source in Figure 74)

7.2 Abstract

The `abstract` environment is in all document styles, except `article`. To have it, specify `titlepage` as an option in `\documentclass` (even if you do not intend to use `\maketitle`). This environment is defined to produce an abstract on a separate page (placed wherever you put the environment specification), with the header: **Abstract**, in boldface and centered. The abstract, itself,

is one paragraph and is printed without indentation. Figures 76 and 77 illustrate this. (Like the cover page, the abstract is placed far from the top of the paper, which is not shown in Figure 77.)

```
\begin{abstract}
  This shows that the ratio of the circumference to the diameter
  of any circle is the same constant value, denoted  $\pi$ .
  We further prove that this constant is bounded by
   $\frac{223}{71} < \pi < \frac{22}{7}$ .
\end{abstract}
```

Figure 76: Making an Abstract Source (Result in Figure 77)

Abstract

This shows that the ratio of the circumference to the diameter of any circle is the same constant value, denoted π . We further prove that this constant is bounded by $\frac{223}{71} < \pi < \frac{22}{7}$.

Figure 77: Making an Abstract Result (Source in Figure 76)

7.3 Other Front Matter

The `\tableofcontents` command makes a table of contents; it is placed wherever you put the command, which should be right after the cover page. Then, you can include lists of figures and tables with the `\listoffigures` and `\listoftables` commands, respectively.

The table of contents generally includes numbered parts, like sections and subsections. To include other front matter, \LaTeX provides the `\addcontentsline` command. For example, the table of contents in this document was obtained with the specifications given in Figure 78.

The `\pagenumber` specification causes the page numbers for the front matter to be put into Roman numerals. That is why you see the Table of Contents on page i (first numbered page, just after the cover). Then, I declare `\listoffigures`, which is on page v, followed by the list of tables. Each of these are put on a new page. Just above each declaration, I use the

```

\newpage \pagenumbering{roman} \pagestyle{myheadings}
\tableofcontents \newpage
\addcontentsline{toc}{section}{List of Figures}
\listoffigures \newpage
\addcontentsline{toc}{section}{List of Tables}
\listoftables \newpage

```

Figure 78: Some Front Matter Specifications for This Document

`\addcontentsline` to add it to the table of contents, indicated by the `toc` specification. The `section` parameter tells the latex program to format it like a section — flush left.

The page numbering is reset when we finish the front matter by specifying

```
\newpage \pagenumbering{arabic} \pagestyle{headings}
```

This switches to the Arabic numerals and initializes the page counter.

The same format as the abstract can be used for other front matter that we want to format the same way. The only change we require is another header name. This is done by re-defining the `\abstractname` parameter used by the abstract environment. The `\renewcommand` enables us to do this. §8 has more to say about using this command to customize many things. For now, consider the following example that illustrates how to have an Acknowledgments page:

```

\renewcommand\abstractname{Acknowledgments}
\begin{abstract}
  I thank my family and friends for all of their support.
  I also thank the contributors to the Comprehensive \TeX\
  Archive Network (CTAN).
\end{abstract}

```

Alternatively, we might want something to look like a section (and automatically added to the table of contents), but we do not want it to have a section number. This is achieved by the `\section*` command, where the `*` suppresses the numbering. For example, `\section*{Preface}` puts “Preface” in the same style as any section, but with no number (and the section counter remains unchanged).

7.4 Back Matter

After the main part of the document is finished, we put the bibliography (see §3 and §8.6). We might first want to have appendices that follow the main text. This could be done with the appendix environment: `\begin{appendix} ... \end{appendix}`.

The last portion in the back of any book is its index. This could also be desirable in a long report. To make an index, we have three things to put into our source file:

1. Put `\usepackage{makeidx}` in the preamble.
2. Put `\makeindex` at the end of the preamble.
3. Put `\printindex` just before `\end{document}`.

After a successful compilation, with all references resolved, enter at the command line:

```
makeindex myfile
```

Then, compile again. This is analogous to the use of `bibtex` (p. 31), and is illustrated in Figure 79.

To have entries in the index, you use `\index{entry}`. For example, the index in this book contains several occurrences of ‘flushleft’. In the text, at each occurrence, I specify `\index{flushleft}`. To put the entry as a subordinate, use `!`. For example, `\index{package!makeidx}` puts the entry ‘makeidx’ under the entry ‘package’.




Figure 79: Adding `makeindex` to the Command Sequence

There are packages to make other back matter: `acronym` makes a list of acronyms, `nomencl` makes a list of nomenclature, and `gloss` makes a glossary.

7.5 Footnotes

The `\thanks` command is one way to have a footnote on the cover page, and was shown on page 105. More generally, the `\footnote` command can be used anywhere. Figures 80 and 81 illustrate.

```
Here is my first footnote\footnote{first};
here is my second\footnote{second}.
```

Figure 80: Setting a Footnote Source (Result in Figure 81)

```
Here is my first footnote1; here is my second2.
1first
2second
```

Figure 81: Setting a Footnote Result (Source in Figure 80)

`\thefootnote` gives the counter for footnotes, and you can change from numbers to letters by `\renewcommand{\thefootnote}{\alph{footnote}}`. You can also change to common footnote symbols by specifying `\renewcommand{\thefootnote}{\fnsymbol{footnote}}`, as shown in figures 82 and 83.

The distance between the line that underlies part of the last line of text to the footnote is `\footnotesep`, which can be controlled by `\setlength`.

```
\renewcommand{\thefootnote}{\fnsymbol{footnote}}
Here is my first footnote\footnote{first};
here is my second\footnote{second}.
```

Figure 82: Setting a Footnote Source (Result in Figure 83)

```
Here is my first footnote*; here is my second†.
*first
†second
```

Figure 83: Setting a Footnote Result (Source in Figure 82)

Exercises. Submit a printed copy of both the L^AT_EX source (tex file) and the associated postscript result (ps file). Be sure your name is on each.

1. Write an article with a title page and abstract. Make the main body have at least three sections: Introduction, Main Results, and Conclusions.
2. Extend exercise 1 to have acknowledgments and references (using `BIBTEX`).
3. Combine exercises 1 and 2 and add a table of contents showing not only all sections and subsections, but also the abstract, acknowledgments and references.

8 Taking Control

This section introduces you to fundamentals of customizing your document. It is still in the context of an introduction, choosing only a few of the things you can change. A key to these changes are the `\newcommand` and `\renewcommand` commands, which enable you to define your own commands and change parameter values of existing commands.

8.1 Your Own Abbreviations and Commands

The command that gives us the ability to make our own has the following form: `\newcommand{\name}[n]{whatever}`, where n is the number of arguments, and *whatever* is whatever you want the command to do. Here are two examples simply to abbreviate commands with long names:

```
\newcommand{\ul}{\underline}
\newcommand{\mc}{\multicolumn}
```

The first lets us write `\ul{something}` to underline something. The second lets us write `\mc{3}{c}{stuff}` to enter a multicolumn, in either a tabular or an array environment, spanning 3 columns and centered.

The latex compiler will not let you use a name that is already being used. For example, if you specify `\newcommand{\fbox}...`, you will get a fatal error message since there is already a `\fbox` command.

A related use is when the command requires some lines of code. Consider the following example:

```
\newcommand{\Box}{\mbox{\begin{picture}(0,0)
                        \put( 2,0){\framebox(7,7)}
                        \end{picture} }}
```

(`\mbox` is used to ensure text mode). Now `\Box` \Rightarrow \square and, having defined the `\Box` command, we can use it in other new commands. For example,

in the preamble I specified: `\newcommand{\checkbox}{\Box^{\surd};}` Then, `\checkbox` \Rightarrow \boxtimes

Some commands are specifically for math mode, but we want them to work in any mode. This is achieved by the command: `\ensuremath{math stuff}`. For example, consider `\newcommand{\Gs}[1]{\ensuremath{G_{#1}}}`. If we are already in math mode, `\Gs{i+j}` is replaced by `G_{i+j}` to produce G_{i+j} ; otherwise, if `\Gs{i+j}` is specified in text mode, it is replaced by `G_{i+j}` to put it into math mode first. Thus, we can specify `\Gs{subscript}`, no matter which mode we are in, and obtain the correct result.

Another reason to have our own commands is for consistency, particularly of notation. Suppose we have a key term, like the *null space* of a matrix. Some authors write $\mathcal{N}(A)$, some write `nul A`, and there are still more symbols people use. We can choose one and define

```
\newcommand{\nul}{\ensuremath{\mathcal{N}}}
```

Then, we can write `\nul(A)` to obtain $\mathcal{N}(A)$ (and we can be in text or math mode when we write this). Some publishers have their own notation, so we must be careful not to override them with ours. A way to do this is to choose a different name, like `mynul`, then add to the preamble:

```
\newcommand{\usenul}{\mynul}
```

and specify `\usenul` in the document. If you need to use the publisher's, simply change the one line to:

```
\newcommand{\usenul}{\nul}
```

(where the publisher's command name is `\nul`).

The preamble can become very long as we add our commands, so it is useful to put them in a separate file, say `mydefs.tex` (note the `.tex` suffix). Then, we use the `\input` command to have the latex compiler read it wherever it is placed. In particular, the preamble of this document contains the command:

```
\input{mydefs}
```

(The suffix `.tex` is assumed.) Different source files could simply input this same file, so duplication of work is avoided.

8.2 Your Own Names, Titles and Numbers

There are times when we prefer some name other than the default. Table 22 shows the common names we might want to change. For example, in this

document the “Table of Contents” was obtained by specifying the following in the preamble:

```
\renewcommand{\contentsname}{Table of Contents}.
```

Table 22: Intrinsic Name Parameters

What it is	How it is called (keyword)
Abstract	<code>\abstractname</code>
Appendix	<code>\appendixname</code>
Chapter	<code>\chaptername</code>
Contents	<code>\contentsname</code>
Index	<code>\indexname</code>
List of Figures	<code>\listfigurename</code>
List of Tables	<code>\listtablename</code>
Part	<code>\partname</code>
References	<code>\refname</code> for article style <code>\bibname</code> for book and report styles

You might want to change the numbering of some intrinsic counter. We saw an example of this in changing the counters for enumeration lists (p. 48). The general form is

```
\renewcommand{\thecounter}{something}
```

Another example is to change section numbering in a report document style. The first level of division is assumed to be a chapter, so the numbering will be *chapter.section[.subsection]*. . . If you have no chapters, it will number the first section as 0.1. Making the first level division chapters will overcome the numbering problem, but the format of chapters is different, similar to a book. Making the document class an article will also solve the problem, since the section is the first level division. This might not be appropriate due to other considerations, such as entering the document into a database using BIBTEX, where you want it to be counted as a report, not as an article. The way to do this is as follows:

```
\makeatletter
\renewcommand\thesection{\@arabic\c@section}
\makeatother
```

The preceding command, `\makeatletter`, is to make the @ character a letter. The succeeding command, `\makeatother`, restores @ to its special meaning (\@ is for certain spacing, equal to about 2 spaces).

8.3 Your Own Environments

The `\newenvironment` command enables us to define our own environments, and the `\renewenvironment` command enables us to revise an existing environment. They have the same syntax:

```
newenvironment{name}[n]{begin}{end}
renewenvironment{name}[n]{begin}{end}
```

where *name* is the name of the environment, *n* = number of arguments (omit [0] for *n* = 0), *begin* is what is executed upon entering the environment, and *end* is what is executed upon leaving the environment. For example, the following creates a `proof` environment:

```
\newenvironment{proof}
  {\begin{flushleft} \begin{description}
    \item \textit{\textbf{Proof:}}~ } % begin proof
  {\hfill\rule{2.1mm}{2.1mm}
    \end{description}\end{flushleft} } % end proof
```

Then,

```
\begin{proof}
  First, suppose \dots \linebreak
  Thus, the theorem follows.
\end{proof}
```


produces:

Proof: First, suppose ...
 Thus, the theorem follows. ■

8.4 Your Own Margins and Spacing

The default margins and spacing are set with purposeful values, and you will usually not need to change them. When you do, however, they can be changed by setting certain parameters in the preamble. The margins of the document are controlled by the parameters shown in Figure 84 and described in Table 23. (See Table 25 for conversion factors; in particular, 1 pt = 72.27 in.)

For example, if we are using $8\frac{1}{2} \times 11$ paper, the current settings (shown in Table 23) break down the horizontal parts as follows:



We can increase the text width by setting `\textwidth=length` in the preamble. For example, `\textwidth=6in` increases the text width to 6 inches. The body expands to the right unless we also change `\oddsidemargin`. Margin settings can be negative; for example, we raise the body 1 inch by specifying `\topmargin=-1in` in the preamble. This might be accompanied by increasing the text length. The `geometry` package provides easy specifications for page layout.

The `\hspace*` and `\vspace*` commands provide a great deal of control over horizontal and vertical spacing, respectively. We might want some global settings to make repeated use of these unnecessary. Table 24 lists some you can set with the `\setlength` command, showing their default values (used in this document).




Figure 84: Document Margins

Table 23: Margin Parameters

Parameter	Current Setting [†]	Meaning
<code>\footskip</code>	30.0pt	space between bottom of body and top of footer
<code>\headsep</code>	25.0pt	space between bottom of header and top of body
<code>\headheight</code>	12.0pt	height of header
<code>\hoffset</code>	0.0pt	horizontal offset to add to indentation of body
<code>\oddsidemargin</code>	17.0pt	extra space added at left (applies only to odd numbered pages if the style is two-sided, in which case there is also an <code>\evensidemargin</code> parameter)
<code>\paperheight</code>	794.96999pt	height of the paper
<code>\paperwidth</code>	614.295pt	width of the paper
<code>\textheight</code>	570.93256pt	height of the body
<code>\textwidth</code>	390.0pt	width of the body
<code>\topmargin</code>	17.0pt	space added before the top of the header
<code>\voffset</code>	0.0pt	vertical offset to add to indentation of body

[†]Printed using `\theparameter`.

Table 24: Spacing Parameters

Parameter	Meaning
<code>\itemsep</code>	space added to <code>\parsep</code> between items in a list.
<code>\parindent</code>	indentation at beginning of paragraph.
<code>\parsep</code>	space between paragraphs in the same item of a list.
<code>\parskip</code>	space between paragraphs.

In the case of list parameters, they must be set after entering the list environment. (Defaults are restored after leaving.) For example, the lists in §2.2 (p. 13) are spaced by default values. Here is what happens when we change `\itemsep`:

- The default value of `\itemsep` is 5.0pt plus 2.5pt minus 1.0pt, and I have saved it by: `\setlength{\mylength}{\itemsep}`.
- See the above spacing between items. What you see next is with `\setlength{\itemsep}{0pt}`.

- What you see next is with `\setlength{\itemsep}{10pt}`.
- Next is back to normal by `\setlength{\itemsep}{\mylength}`.
- We are back to normal with `\itemsep = 5.0pt plus 2.5pt minus 1.0pt`.

Figure 85 shows two enumerate lists, varying by the value of `\itemsep`.

1. This list specified <code>\setlength{\itemsep}{0pt}</code> right after <code>\begin{itemize}</code>	1. This list specified <code>\setlength{\itemsep}{12pt}</code> right after <code>\begin{itemize}</code>
2. This item is fairly close to the first one.	2. This item is farther from the first one.

Figure 85: Varying `\itemsep` to control item spacing in a list

Figures 86 and 87 show the presentation of an array with a p-column to put horizontal space between the other two columns. Note how congested it is, so we want to increase its vertical spacing.

```
\[ \begin{array}{lp{.3in}l}
  \,B\,x_B = b_N + \frac{1}{2}\theta\delta b_N
  \quad \&\quad \pi_N B = c_B + \frac{1}{2}\theta\delta c_B \\
  B^*x_B > b_B + \frac{1}{2}\theta\delta b_B
  \quad \&\quad \pi_N N < c_N + \frac{1}{2}\theta\delta c_N \\
\end{array}
\]
```

Figure 86: Array with Fixed Width Column Source (Result in Figure 87)

$B x_B = b_N + \frac{1}{2}\theta\delta b_N$	$\pi_N B = c_B + \frac{1}{2}\theta\delta c_B$
$B^*x_B > b_B + \frac{1}{2}\theta\delta b_B$	$\pi_N N < c_N + \frac{1}{2}\theta\delta c_N$

Figure 87: Array with Fixed Width Column Result (Source in Figure 86)

Here is 1.3 line spacing: `\renewcommand{\arraystretch}{1.3}`

$B x_B = b_N + \frac{1}{2}\theta\delta b_N$	$\pi_N B = c_B + \frac{1}{2}\theta\delta c_B$
$B^*x_B > b_B + \frac{1}{2}\theta\delta b_B$	$\pi_N N < c_N + \frac{1}{2}\theta\delta c_N$

Here is 1.6 line spacing: `\renewcommand{\arraystretch}{1.6}`

$$\begin{array}{ll} B x_B = b_N + \frac{1}{2}\theta\delta b_N & \pi_N B = c_B + \frac{1}{2}\theta\delta c_B \\ B^* x_B > b_B + \frac{1}{2}\theta\delta b_B & \pi_N N < c_N + \frac{1}{2}\theta\delta c_N \end{array}$$

Back to default: `\renewcommand{\arraystretch}{1}`

$$\begin{array}{ll} B x_B = b_N + \frac{1}{2}\theta\delta b_N & \pi_N B = c_B + \frac{1}{2}\theta\delta c_B \\ B^* x_B > b_B + \frac{1}{2}\theta\delta b_B & \pi_N N < c_N + \frac{1}{2}\theta\delta c_N \end{array}$$

Line spacing is controlled by `\baselinestretch`, but it is easier to use the `setspace` package. You will have control of the whole document, or just some lines whose space you want to control.

8.5 Your Own Output Control

You can write conditionals to do one thing or another with the `ifthen` package. The syntax is

`\ifthenelse{condition}{action if true}{action if false}`

For example, suppose your preamble contains

```
\newcommand{ \printsol}[2]{ \ifthenelse{\equal{#1}{1}}%
    {\textsf{\textbf{Solution. }}#2}{ } }
```

This will test the condition if your first argument equals 1. If so, it will print **Solution.** followed by your second argument; if not, it will do nothing. This is illustrated in figures 88 and 89.

How much is 2+2? <code>\printsol{\sol}{4}</code>

Figure 88: `\ifthenelse` Source (Results in Figure 89)

<code>\def\sol{0}</code> : How much is 2+2?	<code>\def\sol{1}</code> : How much is 2+2? Solution. 4
---	---

Figure 89: `\ifthenelse` Results (Source in Figure 88)

Another example is to decide on page numbering. Suppose that you want no page numbering if there is only one page. If there is more than one page, suppose you want to use headings in the header with page numbers. You can do this as follows. First, just before `\end{document}`, put `\label{lastpage}`. Just after `\begin{document}`, put the following:

```
\ifthenelse{\equal{\pageref{lastpage}}{1}}{\pagestyle{empty}}{%
  \pagestyle{headings}}
```

This will test if the value of `\pageref{lastpage}` is equal to 1. If so, there is only one page, and the first statement applies: `\pagestyle{empty}`. If not, there is more than one page, and the second statement applies: `\pagestyle{headings}`.

8.6 Your Own Bibliography

You can choose not to use `BIBTEX`, and use `thebibliography` environment instead. You will have complete control over the formatting, and there will be no sorting — the list of references will appear in the order you put them. Instead of the `BIBTEX` commands, `\bibliography{mybiblio}` and `\bibliographystyle{plain}`, specify the following:

```
\begin{thebibliography}{n}
  \bibitem[what appears]{label (that you cite)} entry
  :
\end{thebibliography}
```

where n is the width of the widest label you want to allow. (It works if you specify 99.) Each `\bibitem` is an entry, as described for `BIBTEX` in §3 (p. 30), with *label* the unique identifier used by the `\cite` command. The option is an alternative to having the references numbered, and you can enter whatever you like.

Here is a complete example with two references, which I formatted to agree with the plain style of `BIBTEX`:

```
\begin{thebibliography}{99}
\bibitem{companion} Michel Goosens, Frank Mittelbach and Alexander
  Samarin, \textit{The \LaTeX\ Companion}, Addison-Wesley
  Publishing Company, Reading, MA, 1994.
\bibitem{tex} Donald E. Knuth, \textit{The \TeX\ Book},
  Addison-Wesley Publishing Company, Reading, MA,
  15th edition, 1989.
\end{thebibliography}
```

These will appear in the document's list of references even if they are not cited. They can be cited in the same way described in §3: by `\cite{companion}` and `\cite{tex}`, respectively. When citing Knuth's book, for example, we obtain [2] in the text. Alternatively, we can exercise the option:

```
\bibitem[Knuth, 1989]{tex} Donald E. Knuth, ...
```

in which case `\cite{tex} ⇒ [Knuth, 1989]`.

Some publishers give you no choice, but if you are writing a report and have control over the formatting, it generally helps the reader to know something about the citation. Thus, [Knuth, 1989] is preferred to [2] because it immediately gives the reader information about the document without having to flip to the bibliography section.

With you in control, there is no format monitoring, so each entry appears however you put it, even if there are inconsistencies in style. This is one reason it is usually better to use `BIBTEX`, even though you lose control over what appears (i.e., they will be numbers). The bib style file, such as `plain.bst`, applies in either case. Most installations come with more than the basic plain, and its three variations (given on p. 40). Alternative bst files are `achicago` (from the `frankenstein` package), `apalike` and `plainnat` (from `natbib`), which give the author and year, such as [Knuth, 1989] instead of [8]. These packages provide even more versatility in how the citations appear (see [4] or [5, Chapter 13]).

If you want to have several bibliographic units in one document, such as at the end of each chapter of a book, use the `bibunits` package, which you obtain from CTAN [4].

Closing Remarks

Now you know how to write a mathematical document in $\text{\LaTeX} 2_{\epsilon}$ and you know there is much more you can learn to gain refinements. Besides what you can do yourself to elevate the quality of the results, there are many packages, available from CTAN [4]. Figure 90 shows the preamble used for this document. As you begin to use packages, it is necessary to become aware of updates. You learn about these at CTAN [4].

You will find other packages useful, depending upon your technical area. Here are some packages that give you special symbols: `chemsym`, `qsymbols`, `wasysym`, and `xypic`. Also, the `algorithm` package enables an environment to write source code with standard language elements, and there are others with similar properties or for particular programming languages (viz.,

c-pascal and listings). The `graphtex` package specializes in all sorts of graphs, including those commonly found in automata theory.

```

\usepackage{amsmath}           % formerly amstex
\usepackage{amssymb}          % ams symbols (\mathbb fonts)
\usepackage{amscd}            % draws commutative diagrams
\usepackage{bm}               % bold math fonts (\mathbm)
\usepackage{graphicx,pst-all} % graphics
\usepackage{hyphenat}         % enables control over hyphenation
\usepackage{fancyvrb,moreverb} % verbatim
\usepackage{float}            % enable float [H] option
\usepackage[T1]{fontenc}      % ...to write \textbf{\textsc{..}}
\usepackage{ifthen}           % ifthenelse {condition}{true}{false}
\usepackage{makeidx}          % index
\usepackage{multirow}         % like multicolumn
\usepackage{mathrsfs}         % more math symbols (viz., \mathscr)
\usepackage{theorem}          % enables more control over newtheorem
\usepackage{url}              % \url{...}

\renewcommand\contentsname{Table of Contents} % Change 'Contents'
\renewcommand\url{\begingroup\urlstyle{sf}\Url} % put url in sf font

\input{mydefs} % My commands and environments
\makeindex      % make myfile.idx (input to makeindex at command line)

```

Figure 90: Most of the Preamble for this Book

Appendix

This contains complete tables of font information and basic \LaTeX commands. It is designed like a reference manual for easy lookup, beginning with Table 25, which gives conversion among three common units of measurement.

Table 25: Conversions of Common Units of Measurement

	pt	in	cm
pt	1	.01384	.03515
in	72.27	1	2.54
cm	28.45	.3937	1

Table 26 is a guide to how most of the remaining tables are organized. Afterwards, Table 45 gives special symbols that can be used in either text or math mode, and Table 46 gives the commands for the picture environment.

Table 26: Reference Tables

	Table	Contents
Text mode	27	Commands/Environments for Font Appearance
	28	Commands/Environments for Controlling Position
	29	Text Accents and Symbols
	30	Commands for Counters
	31	Commands/Environments to Organize Document
	32	Commands to Control Document Style
Math mode	33	Commands to Control Fonts in Math Mode
	34	Accents in Math Mode
	35	Spacing Commands in Math Mode
	36	Greek and Special Letters
	37	Frequently Used Mathematical Symbols
	38	Binary Operations
	39	Operators and Quantifiers
	40	Special Functions
	41	Relation Symbols
	42	Arrows
	43	Dots Circles, Triangles and Lines
	44	Variable Size Symbols

Table 27: Commands/Environments for Text Font Appearance

<code>textbf</code>	<code>textit</code>	<code>textrm</code>	<code>textsc</code>	<code>textsf</code>	<code>texttt</code>
<code>tiny</code>	<code>scriptsize</code>	<code>footnotesize</code>	<code>small</code>	<code>normalsize</code>	<code>large</code>
<code>Large</code>	<code>LARGE</code>	<code>huge</code>	<code>Huge</code>	<code>underline</code>	<code>verb</code>
<code>verbatim</code>					

Table 28: Commands/Environments for Controlling Text Position

bigskip	center	centerline	clearpage	flushleft
flushright	hfill	hspace	hspace*	linebreak
medskip	newpage	noindent	nolinebreak	nopagebreak
pagebreak	quotation	quote	raisebox	samepage
smallskip	tabbing	tabular	verse	vfill
vspace	vspace*			

Table 29: Text Accents and Special Symbols

á	\'a}	ũ	\u{u}	ç	\c{c}	ẋ	\.{x}
è	\'e}	ñ	\~{n}	đ	\d{d}	z̄	\={z}
î	\^i}	Ĥ	\H{H}	ḃ	\b{b}	ṽ	\v{v}
ö	\"o}	ô	\t{oo}	...	\dots		
æ	\ae	œ	\oe	å	\aa	ø	\o
Æ	\AE	Œ	\OE	Å	\AA	Ø	\O
Ł	\L	ł	\ss	ı	?'	ı	!'

Table 30: Commands for Counters

addtocounter	label	newcounter	pageref
ref	refstepcounter	setcounter	stepcounter
thecounter	value		

Table 31: Commands/Environments to Organize Document

abstract	addcontentsline	addtocontents
appendix	bibliography	bibliographystyle
listoffigures	listoftables	makeindex
maketitle	printindex	section
subsection	subsubsection	subsubsubsection
tableofcontents	thanks	thebibliography

Table 32: Commands to Control Document Style

markright	markboth	pagenumbering	pagestyle
renewcommand	setlength	thispagestyle	

Table 33: Commands to Control Fonts in Math Mode

left	boldmath (set in text mode)		
cal	displaystyle	mathbf	mathcal
mathit	mathnormal	mathrm	mathsf
mathtt	mbox	overbrace	overline
right	textstyle	underbrace	underline

Table 34: Accents in Math Mode

\check{a}	<code>\check{a}</code>	\breve{e}	<code>\breve{e}</code>	\acute{i}	<code>\acute{i}</code>	\grave{o}	<code>\grave{o}</code>
\dot{x}	<code>\dot{x}</code>	\ddot{y}	<code>\ddot{y}</code>	\bar{z}	<code>\bar{z}</code>	\vec{v}	<code>\vec{v}</code>
\hat{i}	<code>\hat{\imath}</code>	\tilde{j}	<code>\tilde{\jmath}</code>	\hbar	<code>\hbar</code>		
\widehat{xyz}	<code>\widehat{xyz}</code>	\widetilde{abc}	<code>\widetilde{abc}</code>				

(Note that it is better style to use `\imath`, rather than i , and `\jmath`, rather than j , to avoid the clash between the accent and dot.)

Table 35: Spacing Commands in Math Mode

What you write	What you see	
<code>x y</code>	\Rightarrow	xy no space
<code>x\,y</code>	\Rightarrow	$x y$ thin space
<code>x\;y</code>	\Rightarrow	$x y$ medium space
<code>x\quad y</code>	\Rightarrow	$x y$ space = 1em
<code>x\qquad y</code>	\Rightarrow	$x y$ space = 2em
<code>x\!y</code>	\Rightarrow	xy negative thin space
<code>x\negmedspace y</code>	\Rightarrow	xy negative medium space
<code>x\negthickspace y</code>	\Rightarrow	xy negative thick space

Table 36: Greek and Special Letters

α	<code>\alpha</code>	θ	<code>\theta</code>	o	<code>o</code>	τ	<code>\tau</code>
β	<code>\beta</code>	ϑ	<code>\vartheta</code>	π	<code>\pi</code>	υ	<code>\upsilon</code>
γ	<code>\gamma</code>	ι	<code>\iota</code>	ϖ	<code>\varpi</code>	ϕ	<code>\phi</code>
δ	<code>\delta</code>	κ	<code>\kappa</code>	ρ	<code>\rho</code>	φ	<code>\varphi</code>
ϵ	<code>\epsilon</code>	λ	<code>\lambda</code>	ϱ	<code>\varrho</code>	χ	<code>\chi</code>
ε	<code>\varepsilon</code>	μ	<code>\mu</code>	σ	<code>\sigma</code>	ψ	<code>\psi</code>
ζ	<code>\zeta</code>	ν	<code>\nu</code>	ς	<code>\varsigma</code>	ω	<code>\omega</code>
η	<code>\eta</code>	ξ	<code>\xi</code>				
Γ	<code>\Gamma</code>	Λ	<code>\Lambda</code>	Σ	<code>\Sigma</code>	Ψ	<code>\Psi</code>
Δ	<code>\Delta</code>	Ξ	<code>\Xi</code>	Υ	<code>\Upsilon</code>	Ω	<code>\Omega</code>
Θ	<code>\Theta</code>	Π	<code>\Pi</code>	Φ	<code>\Phi</code>		
\aleph	<code>\aleph</code>	ℓ	<code>\ell</code>	\Re	<code>\Re</code>	\Im	<code>\Im</code>
$\mathcal{A}\dots\mathcal{Z}$	<code>{\mathcal A}\dots{\mathcal Z}</code>						

Table 37: Frequently Used Mathematical Symbols

<code>{superscript}</code>	<code>^{\}</code>	<code>'</code>	<code>\prime</code>	∞	<code>\infty</code>	\emptyset	<code>\emptyset</code>
<code>{subscript}</code>	<code>_{\}</code>						

Table 38: Binary Operations

\pm	<code>\pm</code>	\cap	<code>\cap</code>	\cup	<code>\cup</code>	\odot	<code>\odot</code>
\mp	<code>\mp</code>	\sqcap	<code>\sqcap</code>	\sqcup	<code>\sqcup</code>	\otimes	<code>\otimes</code>
\times	<code>\times</code>	\wedge	<code>\wedge</code>	\uplus	<code>\uplus</code>	\oslash	<code>\oslash</code>
\div	<code>\div</code>	\vee	<code>\vee</code>	\oplus	<code>\oplus</code>	\ominus	<code>\ominus</code>
\setminus	<code>\setminus</code>	\bigcap	<code>\bigcap</code>	\bigcup	<code>\bigcup</code>	\bigodot	<code>\bigodot</code>
\backslash	<code>\backslash</code>	\bigvee	<code>\bigvee</code>	\bigoplus	<code>\bigoplus</code>	\bigotimes	<code>\bigotimes</code>
\biguplus	<code>\biguplus</code>	\bigwedge	<code>\bigwedge</code>	\bigsqcup	<code>\bigsqcup</code>		

Table 39: Operators and Quantifiers

∇	<code>\nabla</code>	∂	<code>\partial</code>	$\sqrt{\quad}$	<code>\surd</code>	\wp	<code>\wp</code>
\forall	<code>\forall</code>	\exists	<code>\exists</code>	\neg	<code>\neg</code>		

Table 40: Special Functions

<code>arccos</code>	<code>arcsin</code>	<code>arctan</code>	<code>arg</code>	<code>cos</code>	<code>cosh</code>	<code>cot</code>	<code>coth</code>
<code>csc</code>	<code>det</code>	<code>dim</code>	<code>exp</code>	<code>gcd</code>	<code>hom</code>	<code>inf</code>	<code>ker</code>
<code>lg</code>	<code>lim</code>	<code>liminf</code>	<code>limsup</code>	<code>ln</code>	<code>log</code>	<code>max</code>	<code>min</code>
<code>Pr</code>	<code>sec</code>	<code>sin</code>	<code>sinh</code>	<code>sup</code>	<code>tan</code>	<code>tanh</code>	

Table 41: Relation Symbols

\leq	<code>\leq</code>	\geq	<code>\geq</code>	\neq	<code>\neq</code>	\equiv	<code>\equiv</code>
\prec	<code>\prec</code>	\succ	<code>\succ</code>	\sim	<code>\sim</code>	\doteq	<code>\doteq</code>
\preceq	<code>\preceq</code>	\succeq	<code>\succeq</code>	\simeq	<code>\simeq</code>	\models	<code>\models</code>
\ll	<code>\ll</code>	\gg	<code>\gg</code>	\cong	<code>\cong</code>	\propto	<code>\propto</code>
\subset	<code>\subset</code>	\supset	<code>\supset</code>	\asymp	<code>\asymp</code>	\in	<code>\in</code>
\subseteq	<code>\subseteq</code>	\supseteq	<code>\supseteq</code>	\approx	<code>\approx</code>	\ni	<code>\ni</code>
\sqsubset	<code>\sqsubset</code>	\sqsupset	<code>\sqsupset</code>				

Table 42: Arrows

\leftarrow	<code>\leftarrow</code>	\longleftarrow	<code>\longleftarrow</code>	\uparrow	<code>\uparrow</code>
\Leftarrow	<code>\Leftarrow</code>	\Longleftarrow	<code>\Longleftarrow</code>	\Uparrow	<code>\Uparrow</code>
\rightarrow	<code>\rightarrow</code>	\longrightarrow	<code>\longrightarrow</code>	\downarrow	<code>\downarrow</code>
\Rightarrow	<code>\Rightarrow</code>	\Longrightarrow	<code>\Longrightarrow</code>	\Downarrow	<code>\Downarrow</code>
\leftrightarrow	<code>\leftrightarrow</code>	\longleftrightarrow	<code>\longleftrightarrow</code>	\updownarrow	<code>\updownarrow</code>
\Leftrightarrow	<code>\Leftrightarrow</code>	\Longleftrightarrow	<code>\Longleftrightarrow</code>	\Updownarrow	<code>\Updownarrow</code>
\mapsto	<code>\mapsto</code>	\longmapsto	<code>\longmapsto</code>	\nearrow	<code>\nearrow</code>
\hookrightarrow	<code>\hookrightarrow</code>	\hookrightarrow	<code>\hookrightarrow</code>	\searrow	<code>\searrow</code>
\leftharpoonup	<code>\leftharpoonup</code>	\rightharpoonup	<code>\rightharpoonup</code>	\swarrow	<code>\swarrow</code>
\leftharpoondown	<code>\leftharpoondown</code>	\rightharpoondown	<code>\rightharpoondown</code>	\nwarrow	<code>\nwarrow</code>
\rightleftharpoons	<code>\rightleftharpoons</code>				

Table 43: Dots, Circles, Triangles and Lines

◦	<code>\circ</code>	◯	<code>\bigcirc</code>
...	<code>\cdots</code>	⋯	<code>\ddots</code>
⋮	<code>\vdots</code>	•	<code>\bullet</code>
⤿	<code>\frown</code>	☺	<code>\smile</code>
△	<code>\triangle</code>	◇	<code>\diamond</code>
▷	<code>\triangleright</code>	◁	<code>\triangleleft</code>
△	<code>\bigtriangleup</code>	▽	<code>\bigtriangledown</code>
⊗	<code>\bowtie</code>	⊥	<code>\perp</code>
⊤	<code>\top</code>	⊥	<code>\bot</code>
⊣	<code>\dashv</code>	⊢	<code>\vdash</code>
∠	<code>\angle</code>	∥	<code>\parallel</code>
	<code>\mid</code>	∥	<code>\parallel</code>

Table 44: Variable Size Symbols

\sum	<code>\sum</code>	\int	<code>\int</code>	\oint	<code>\oint</code>
\prod	<code>\prod</code>	$\overbrace{.}$	<code>\overbrace{.}</code>	$\underbrace{.}$	<code>\underbrace{.}</code>
\coprod	<code>\coprod</code>	$\overline{.}$	<code>\overline{.}</code>	$\underline{.}$	<code>\underline{.}</code>
$\frac{n}{d}$	<code>\frac{n}{d}</code>	$\sqrt{.}$	<code>\sqrt{.}</code>		
These use <code>\left</code> and <code>\right</code>					
()	()	{ }	<code>\{ \}</code>	[]	[]
		⌊	<code>\lfloor</code>	⌋	<code>\rfloor</code>
\	<code>\backslash</code>	⌈	<code>\lceil</code>	⌉	<code>\rceil</code>
⟨	<code>\langle</code>	⟩	<code>\rangle</code>		

Table 45: Special Symbols in Both Text and Math Modes

†	<code>\dag</code>	§	<code>\S</code>	©	<code>\copyright</code>
‡	<code>\ddag</code>	¶	<code>\P</code>	£	<code>\pounds</code>
...	<code>\ldots</code>				

Table 46: Commands and Parameters in Picture Environment

<code>put(x,y){stuff}</code>	<code>multiput(x,y)(\Delta x,\Delta y){number}{stuff}</code>
<code>line(x,y){length}</code>	<code>framebox(width,height)[p]{text}</code>
<code>vector(x,y){length}</code>	<code>dashbox{dash,size}(width,height)[p]{text}</code>
<code>circle{radius}</code>	<code>makebox(width,height)[p]{text}</code>
<code>circle*{radius}</code>	<code>oval(width,height)[p]</code>
<code>linethickness{dimension}</code>	

$p \in \{l,r,t,b,lt,lb,rt,rb\}$. For `oval`, it is the portion selected; for boxes, p is where the text goes.

Some Tips

This contains some tips that apply in special situations.

Structuring large documents. Theses, books and other large documents are best managed with the `\input` command. The document might look like this:

```
Preamble
\begin\{document}
\input{Abstract}
\input{Chapter1}
\input{Chapter2}
    ⋮
\end\{document}
```

(a) Separate chapters in a document (input files are `Abstract.tex`, `Chapter1.tex`, ...)

```
Preamble
\begin\{document}
%\input{Abstract}
\input{Chapter1}
%\input{Chapter2}
    ⋮
\end\{document}
```

(b) Compiling just Chapter 1

This is also a good structure for co-authoring.

Counting words. Under linux enter `dvi2tty file.dvi | wc --words`. This takes `file.dvi` as input into the program `dvi2tty`, which converts it into a plain text file (without latex commands). That output file is passed to the command `wc`, which counts the words. If you need to apply this to a portion of the document, such as an abstract, you

can put that portion into a skeleton latex file and compile it. Using the above structure, this is particularly easy to obtain the word or line count of any section.

Commenting text. Besides putting % in column 1, you can logically delete a block of text by `\if 0 ... \fi`. This is a good way to manage a document when you might want to remove some text with the idea that you it might be restored, at least in part.

```
\if 0
stuff here is ignored
\fi
```

(See §8.5 for more general control.)

\newcommand vs. \def. It is generally better to use `\newcommand` because you will get an error if the command name is already defined, such as by some package. The syntax is `\newcommand{\name}[#]{what to do};` for example, `\newcommand{\note}[1]{\texttt{note: #1}}` defines a `\note` command that has one argument. When you specify `\note{hello}`, you will get `note: hello` in the text.

`\def` is to be used only when you want to allow an over-ride (without warning). Its syntax is `\def\name{what}` or `\def\name#1{what}` if there is one argument. To suppress printing all notes, defined by the above `\note` command, you can specify `\def\note#1{ }`. This says to do nothing when seeing `\note{stuff}`.

You can have an `\input` file with many commands and environment definitions that you use repeatedly. It might have something like the following:

```
\newcommand{\note}[1]{\texttt{note: #1}}
% \def\note #1{ } % activate to suppress printing notes
```

The `\note` command is useful when collaborating, and you could define a separate one for each author, showing initials.

Also consult the T_EX Catalog Online [14].

References

- [1] Johannes L. Braams. Babel, a multilingual style-option system for use with \LaTeX 's standard document styles. *TUGboat*, 12(2):291–301, 1991. Available at CTAN [4].
- [2] Johannes L. Braams, David P. Carlisle, Alan Jeffrey, Frank Mittelbach, Chris Rowley, and Rainer Schöpf. $\LaTeX 2_\epsilon$ and the LaTeX3 project. World Wide Web, <http://www.latex-project.org/latex3.html>, 1994–99.
- [3] David P. Carlisle. *Packages in the 'graphics' bundle*. World Wide Web, CTAN/macros/latex/required/graphics/ (see [4] for replacing CTAN), 1994–99.
- [4] Comprehensive \TeX archive (CTAN). UK: [ftp.tex.ac.uk/tex-archive/](ftp://ftp.tex.ac.uk/tex-archive/); Germany: [ftp.dante.de/tex-archive/](ftp://ftp.dante.de/tex-archive/); USA: [ftp.tug2.cs.umb.edu/tex-archive/](ftp://ftp.tug2.cs.umb.edu/tex-archive/). These are host sites, which contain a list of mirror sites.
- [5] Michel Goossens, Frank Mittelbach, and Alexander Samarin. *The \LaTeX Companion*. Addison-Wesley Publishing Company, Reading, MA, 1994.
- [6] John D. Hobby. A User's Manual for MetaPost. Computing Science Technical Report no. 162, AT&T Bell Laboratories, Murray Hill, New Jersey, 1992. Available at <http://cm.bell-labs.com/who/hobby/MetaPost.html/>.
- [7] John D. Hobby. Drawing Graphs with MetaPost. Computing Science Technical Report no. 164, AT&T Bell Laboratories, Murray Hill, New Jersey, 1993. Available at <http://cm.bell-labs.com/cs/cstr/164.ps.gz>.
- [8] Donald E. Knuth. *The \TeX Book*. Addison-Wesley Publishing Company, Reading, MA, 15th edition, 1989.
- [9] Leslie Lamport. *\LaTeX : A Document Preparation System*. Addison-Wesley Publishing Company, Reading, MA, 1986 (also see 2nd edition, 1994).
- [10] *$\LaTeX 2_\epsilon$ for authors*. CTAN/macros/latex/doc/usrguide.ps (see [4] for replacing CTAN), 1995–99.
- [11] Oren Patashnik. *BIB \TeX ing*. World Wide Web, <http://www.uic.edu/depts/adn/infwww/ps/btxdoc.ps>, 1988.

- [12] Keith Reckdahl. Using imported graphics in $\text{\LaTeX}2_{\varepsilon}$. World Wide Web site Version 2.0, Comprehensive \TeX Archive, CTAN/info/epslatex.ps (see [4] for replacing CTAN), 1995–97.
- [13] Christian Schenk. *MiKTeX Local Guide*. World Wide Web, <http://www.miktex.de/>, 1998–99 (version 1.2).
- [14] Graham Williams. \TeX Catalogue Online. Technical report, CTAN, <http://www.ctan.org/tex-archive/help/Catalogue/catalogue.html>.
- [15] Timothy Van Zandt. *PSTricks: PostScript macros for Generic TeX*. World Wide Web, <http://www.tug.org/applications/PSTricks/>, 1993–98.

Index

`\Bigg`, 70
`\Big`, 70
`\addtocounter`, 47
`\arraystretch`, 117
`\author`, 103
`\baselineskip`, 28, 61
`\baselinestretch`, 118
`\bibliographystyle`, 40
`\bibliography`, 40
`\bigg`, 70
`\bigskip`, 11, 12
`\big`, 70
`\boldmath`, 51
`\cdots`, 62, 67
`\centerline`, 7, 21
`\cite`, 40
`\clearpage`, 45
`\cline`, 17
`\dashbox`, 80
`\date`, 103
`\def`, 129
`\displaystyle`, 54, 61
`\documentclass`, 1, 104
`\dotfill`, 28
`\dots`, 9
`\dvi2tty`, 128
`\dvips`, 3
`\ensuremath`, 111
`\equal`, 118, 119
`\fboxrule`, 46
`\fboxsep`, 46
`\fbox`, 10, 45, 61, 79, 82
`\footnotesep`, 109
`\frac`, 52, 66
`\framebox`, 79, 82
`\frame`, 10
`\hfill`, 11, 13, 27, 28
`\hrule`, 17, 60
`\hrulefill`, 28
`\hspace*`, 25, 27
`\hspace`, 27
`\imath`, 124
`\input`, 111, 128
`\itemsep`, 116
`\jmath`, 124
`\kill`, 25
`\label`, 43, 58
`\left`, 61, 127
`\linebreak`, 26
`\line`, 82
`\listoffigures`, 106
`\listoftables`, 106
`\makebox`, 80
`\makeindex`, 108
`\maketitle`, 103
`\mathbb`, 65
`\mathscr`, 66
`\mathfont`, 51
`\mbox`, 56, 62, 64
`\medskip`, 12
`\multicolumn`, 21, 110
`\newcommand`, 39, 110, 129
`\newcounter`, 46
`\newenvironment`, 113
`\newline`, 26
`\newpage`, 26, 45
`\newtheorem`, 68
`\nocite`, 41
`\noindent`, 11
`\nolinebreak`, 26
`\nopagebreak`, 26
`\oddsidemargin`, 114

- `\overbrace`, 62
- `\overline`, 62
- `\overset`, 72
- `\pagebreak`, 26
- `\pagenumbering`, 107
- `\pageref`, 44, 69
- `\pagestyle`, 107, 119
- `\parbox`, 20, 21, 79
- `\parindent`, 116
- `\parsep`, 116
- `\parskip`, 116
- `\partial`, 66
- `\prime`, 59
- `\printindex`, 108
- `\prod`, 53
- `\psset`, 87
- `\raggedright`, 62
- `\raisebox`, 62
- `\refstepcounter`, 47
- `\ref`, 43, 44, 58, 69
- `\renewcommand`, 37, 47, 107, 110
- `\renewenvironment`, 113
- `\right`, 61, 127
- `\samepage`, 26
- `\section*`, 107
- `\section`, 5
- `\setcounter`, 47
- `\setlength`, 46, 80, 109
- `\smallskip`, 12
- `\sqrt`, 53
- `\stackrel`, 72
- `\stepcounter`, 47
- `\subsection`, 5
- `\substack`, 72
- `\tableofcontents`, 106
- `\textstyle`, 54
- `\textwidth`, 114
- `\textfont`, 9
- `\thanks`, 104
- `\theenumi`, 48
- `\thecounter`, 43, 47
- `\title`, 103
- `\underbrace`, 62
- `\underline`, 10, 18, 62
- `\underset`, 72
- `\unitlength`, 80, 81
- `\url`, 27, 37
- `\usepackage`, 28, 45, 65–67, 86
- `\value`, 47
- `\vector`, 82
- `\verb`, 23, 129
- `\vfill`, 28
- `\vspace*`, 28
- `\vspace`, 28, 61
- `\widehat`, 62
- `\widetilde`, 62
- `\|`, 16
- pdftex, 87
- titlepage, 104
- accents, 24
- AMS, 1
- amsmath, 67
- Bezier curve, 92
- bibtex program, 31
- body, 1
- boldmath, 51
- box, 80
- co-authoring, 128
- column specification, 18
- command line, 1
- comment, 23
- comments, 1, 129
- compile, 2
- conditional assignment, 61
- counting words, 128
- cross referencing, 38

- dash, 11
- debugging, 2
- derivative, 66
- document styles, 1
- DOS, 3, 4, 31
- dvi viewer, 3
- dvips, 4
- emftoeps, 97
- environment, 1, 6
 - abstract, 105, 107
 - appendix, 108
 - array, 57, 60, 62
 - axiom, 69
 - center, 7
 - corollary, 69
 - description, 13, 23
 - document, 1, 103
 - enumerate, 15
 - eqnarray, 58
 - eqnarray*, 58
 - equation, 58
 - figure, 44, 45
 - flushleft, 7, 20, 21, 62
 - flushright, 7
 - gather, 71
 - gather*, 71
 - itemize, 14
 - large, 10
 - longtable, 22
 - picture, 80
 - quotation, 11
 - quote, 10
 - smallmatrix, 71
 - tabbing, 25
 - table, 44, 45
 - tabular, 16, 23, 45, 62
 - thebibliography, 119
 - theorem, 68
 - verbatim, 23
 - verse, 12
- file
 - bib, 30, 31, 35, 37, 38, 40
 - bst (bib style), 40, 120
 - dvi, 2, 86
 - eps, 97
 - jpeg, 97
 - ps (postscript), 3, 86, 97
 - tex, 1, 35
 - wmf, 97
- float, 44
- float page, 45
- floating object, 44
- font size, 4, 9, 10, 61
- font style
 - bold small caps, 9
 - boldface, 9
 - boldmath, 51
 - calligraphic, 52
 - Greek, 52
 - italic, 9, 18
 - math mode, 51, 59, 65
 - non-English, 24
 - Roman, 18
 - sans serif, 9
 - slanted, 9
 - small caps, 9, 18
 - typewriter, 9
 - underlined, 9
- footnote, 105, 109
- fractions, 52
- ghostview, 3
- global setting, 48
- graph, 90
- Hamiltonian, 66
- horizontal fill, 11
- hyphenation, 27

- index (making of), 108
- jpeg2ps, 97
- Lagrangian, 66
- landscape, 89
- Laplace transform, 66
- latex command, 1
- list environment, 13
 - description, 13
 - enumerate, 15
 - itemize, 14
- local setting, 46
- make index, 108
- math display mode, 50, 54, 58
- mathbf, 51
- matrix equation, 59
- message, 2
 - Overfull . . . , 2
 - Repeated entry, 41
 - Underfull . . . , 2
 - warning, 2
- MetaPost, 86
- MiKTeX, 3, 86, 97
- nodes, 90
- package, ix, 1, 5, 8
 - acronym, 108
 - algorithm, 120
 - amscd, 72
 - amsmath, 67, 71
 - amssymb, 65
 - babel, 24
 - bibunits, 120
 - bm, 52
 - c-pascal, 121
 - chemsym, 120
 - fancyvrb, 121
 - float, 45
 - fontenc, 9
 - frankenstein, 120
 - geometry, 114
 - gloss, 108
 - graphicx, 97
 - graphtex, 121
 - hyphenat, 27
 - ifthen, 118
 - listings, 121
 - longtable, 22
 - makeidx, 108
 - mathrsfs, 66
 - moreverb, 121
 - nomencl, 108
 - psfrag, 98
 - pstricks, 85, 86
 - qsymbols, 120
 - setspace, 28, 118
 - showkeys, 44
 - theorem, 70
 - url, 37
 - wasysym, 120
 - xypic, 120
- page numbering, 119
- paragraph positions, 6
- preamble, 1, 39, 113, 120
- quotation marks, 11
- rotate, 89
- section, 5
- SIAM, 1
- spacing, 14, 114
 - ~, 26
 - horizontal, 27
 - math mode, 53, 56, 117
 - vertical, 12, 28
- special character, 1, 14, 17, 23, 26, 32, 50, 112

- `\textspec`, 23
 - in url, 36
- special function, 64
- stacking, 72
- subscript, 50
 - stack, 72
- subsection, 5
- superscript, 50

- tabbing commands, 25
- table, 16
- ticks, 94
- transpose, 59
- trigonometric functions, 64

- units of measurement, 4, 18, 81, 87,
90, 93, 121
- unix, 3, 4, 31, 97

- wc, 128
- word count, 128

- xdvi, 3

- YAP, 3