

References

- Aalto, K.R., Aalto, R., Garrison-Laney, C.E., and Abramson, H.F. 1999. Tsunami (?) sculpturing of the Pebble Beach wave-cut platform, Crescent City area, California. *Journal of Geology* **107**, 607–622.
- Abbott, D.H., Matzen, A., Bryant, E.A., and Pekar, S.F. 2003. Did a bolide impact cause catastrophic tsunamis in Australia and New Zealand? *Geological Society of America, Abstracts with Programs* **35/6**, 168.
- Abe, K. 1979. Size of great earthquakes of 1837–1974 inferred from tsunami data. *Journal of Geophysical Research* **84**, 1561–1568.
- Abe, K. 1983. A new scale of tsunami magnitude, M_t . In Iida, K., and Iwasaki, T. (Eds.), *Tsunamis: Their Science and Engineering*. Terra Scientific, Tokyo, pp. 91–101.
- Abe, K., Tsuji, Y., Imamura, F., Katao, H., Iio, Y., Satake, K., Bourgeois, J., Noguera, E., and Estrada, F. 1993. Field survey of the Nicaragua earthquake and tsunami of September 2, 1992. *Bulletin of the Earthquake Research Institute* **68**, 23–70.
- Allen, J.R.L. 1984. *Sedimentary Structures: Their Character and Physical Basis*, Vol. 1. Elsevier, Amsterdam.
- Alexander, H.S. 1932. Pothole erosion. *Journal of Geology* **40**, 305–337.
- Altinok, Y., Alpar, B., Ersoy, S., and Yalciner, A.C. 1999. Tsunami generation of the Kocaeli earthquake (August 17th 1999) in the Izmit Bay; coastal observations, bathymetry and seismic data. *Turkish Journal of Marine Sciences* **5**, 131–148.
- Alvarez, W. 1997. *T. Rex and the Crater of Doom*. Princeton University Press, Princeton.
- Ammon, C.J., Ji, C., Thio, H-K., Robinson, D., Ni, S., Hjorleifsdottir, V., Kanamori, H., Lay, T., Das, S., Helmberger, D. *et al.* 2005. Rupture process of the 2004 Sumatra-Andaman Earthquake. *Science* **308**, 1133–1139.
- Andrade, C. 1992. Tsunami generated forms in the Algarve barrier islands (South Portugal). *Science of Tsunami Hazards* **10**, 21–33.
- Anon., 1607. Lamentable neues out of Monmouthshire in Wales. Pamphlet published in London.
- Anon., 1762. The 1607 flood. *The Gentleman's Magazine* **32**, p. 306.
- Asher, D.J., and Clube, S.V.M. 1993. An extraterrestrial influence during the current glacial-interglacial. *Quarterly Journal Royal Astronomical Society* **34**, 481–511.

- Asher, D.J., Clube, S.V.M., Napier, W.M., and Steel, D.I. 1994. Coherent catastrophism. *Vistas in Astronomy* **38**, 1–27.
- Attenbrow, V. 1992. Shell bed or shell midden. *Australian Archaeology* **34**, 3–21.
- Atwater, B.F. 1987. Evidence for great Holocene earthquakes along the outer coast of Washington State. *Science* **236**, 942–944.
- Baillie, M. 2006. *New Light on the Black Death: The Cosmic Connection*. NPI Media Group, Stroud.
- Bak, P. 1997. *How Nature Works*. Oxford University Press, Oxford.
- Baker, V.R. 1978. Paleohydraulics and hydrodynamics of scabland floods In Baker, V.R., and Nummedal, D. (Eds.), *The Channeled Scabland*. NASA Office of Space Science, Planetary Geology Program, pp. 59–79.
- Baker, V.R. (Ed.) 1981. *Catastrophic Flooding: The Origin of the Channeled Scabland*. Dowden Hutchinson & Ross, Stroudsburg, 360 pp.
- Baptista, M.A., Miranda, P.M.A., Miranda, J.M., and Mendes Victor, L. 1996. Rupture extent of the 1755 Lisbon earthquake inferred from numerical modeling of tsunami data. *Physics and Chemistry of the Earth* **21**, 65–70.
- Bascom, W.L. 1959. *Ocean Waves*. Scientific American Reprint.
- Ben-Menahem, A., and Rosenman, M. 1972. Amplitude patterns of tsunami waves from submarine earthquakes. *Journal of Geophysical Research* **77**, 3097–3128.
- Bernard, E.N. 1991. Assessment of Project THRUST: Past, present, future. *Proceedings of the 2nd UJNR Tsunami Workshop, Honolulu, Hawaii, November 5–6, 1990*. National Geophysical Data Center, Boulder, pp. 247–255.
- Beroza, G.C. 1995. Seismic source modeling. United States National Report to International Union of Geodesy and Geophysics 1991–1994. *Review of Geophysics Supplement* **33**. <http://www.agu.org/journals/rg/rg9504S/95RG00736/index.html>
- Bilham, R. 2005 A flying start, then a slow slip. *Science* **308**, 1126–1127 with corrections 30 September.
- Blong, R.J. 1984. *Volcanic Hazards: A Sourcebook on the Effects of Eruptions*. Academic Press, Sydney.
- Bohor, B.F. 1996. A sediment gravity flow hypothesis for siliciclastic units at the K/T boundary, northeastern Mexico. *Geological Society of America Special Paper* No. 307, 183–195.
- Bolt, B.A. 1978. *Earthquakes*. W. H. Freeman, New York.
- Bolt, B.A., Horn, W.L., MacDonald, G.A., and Scott, R.F. 1975. *Geological Hazards*. Springer-Verlag, Berlin.
- Bondevik, S., Svendsen, J.I., and Mangerud, J. 1997. Tsunami sedimentary facies deposited by the Storegga tsunami in shallow marine basins and coastal lakes, western Norway. *Sedimentology* **44**, 1115–1131.
- Bondevik, S., Svendsen, J.I., Johnsen, G., Mangerud, J., and Kaland, P.E. 1997. The Storegga tsunami along the Norwegian coast, its age and run-up. *Boreas* **26**, 29–53.
- Boon, G.C., 1980. Caerleon and the Gwent Levels in early historic times. In Thompson, F.H. (Ed.), *Archaeology and coastal change. Society of Antiquities Occasional Papers* No. 1, 24–36.
- Bouma, A.H., and Brouwer, A. (Eds.) 1964. *Turbidites*. Elsevier, Amsterdam.
- Bourgeois, J., and Leithold, E.L. 1984. Wave-worked conglomerates—depositional processes and criteria for recognition. In Koster, E.H., and Steel, R.J. (Eds.), *Sedimentology of gravels and conglomerates. Canadian Society of Petroleum Geologists Memoir* No. 10, 331–343.
- Bourgeois, J., Hansen, T.A., Wiberg, P.L., and Kauffman, E.G. 1988. A tsunami deposit at the Cretaceous–Tertiary boundary in Texas. *Science* **241**, 567–570.

- Bourrouilh-Le Jan, F.G., and Talandier, J. 1985. Sédimentation et fracturation de haute énergie en milieu récifal: Tsunamis, ouragans et cyclones et leurs effets sur la sédimentologie et la géomorphologie d'un atoll: Motu et hoa, à Rangiroa, Tuamotu, Pacifique SE. *Marine Geology* **67**, 263–333.
- Bowdler, S. 1976. Hook, line and dilly bag: An interpretation of an Aboriginal coastal shell midden. *Mankind* **10**, 248–258.
- Branney, M., and Zalasiewicz, J. 1999. Burning clouds. *New Scientist* 17 July, 36–41.
- Briggs, M.J., Synolakis, C.E., Harkins, G.S., and Green, D.R. 1995. Laboratory experiments of tsunami runup on a circular island. *Pure and Applied Geophysics* **144**, 569–593.
- Bryant, E. 2005. *Natural Hazards*, 2nd Edition. Cambridge University Press, Cambridge, UK.
- Bryant, E., and Haslett, S.K. 2003. Was the AD 1607 coastal flooding event in the Severn Estuary and Bristol Channel (UK) due to a tsunami? *Archaeology of the Severn Estuary* **13**, 163–167.
- Bryant, E., and Nott, J. 2001. Geological indicators of large tsunami in Australia. *Natural Hazards* **24**, 231–249.
- Bryant, E., and Young, R.W. 1996. Bedrock-sculpturing by tsunami, South Coast New South Wales, Australia. *Journal of Geology* **104**, 565–582.
- Bryant, E., Walsh, G., and Abbott, D. 2006. Cosmogenic mega-tsunami in the Australia region: Are they supported by Aboriginal and Maori Legends? In Piccard, L., and Masse, W.B. (Eds.), *Myth and Geology*. Geological Society, London, Special Publications Vol. 273, pp. 203–214.
- Bryant, E., Young, R.W., and Price, D.M. 1992. Evidence of tsunami sedimentation on the southeastern coast of Australia. *Journal of Geology* **100**, 753–765.
- Bryant, E., Young, R.W., and Price, D.M. 1996. Tsunami as a major control on coastal evolution, Southeastern Australia. *Journal of Coastal Research* **12**, 831–840.
- Bryant, E., Young, R.W., Price, D.M., Wheeler, D., and Pease, M.I. 1997. The impact of tsunami on the coastline of Jervis Bay, southeastern Australia. *Physical Geography* **18**, 441–460.
- Burney, D.A., James, H.F., Burney, L.P., Olson, S.L., Kikuchi, W., Wagner, W.L., Burney, M., McCloskey, D., Kikuchi, D., Grady, F.V. *et al.* 2001. Fossil evidence for a diverse biota from Kaua'i and its transformation since human arrival. *Ecological Monographs* **71**, 615–641.
- Cahir, S. 2002. *Livewire Aboriginal Studies: Mythology*. Cambridge University Press, Cambridge, UK.
- Camfield, F.E. 1994. Tsunami effects on coastal structures. *Journal of Coastal Research* Special Issue No. 12, 177–187.
- Canals, M., Lastras, G., Urgeles, R., Casamor, J.L., Mienert, J., Cattaneo, A., De Batist, M., Hafliadon, H., Imbo, Y., Laberg, J.S. *et al.* 2004. Slope failure dynamics and impacts from seafloor and shallow sub-seafloor geophysical data: Case studies from the COSTA project. *Marine Geology* **213**, 9–72.
- Carlson, R.R., Karl, H.A., and Edwards, B.D. 1991. Mass sediment failure and transport features revealed by acoustic techniques, Beringian margin, Bering Sea, Alaska. *Marine Geotechnology* **10**, 33–51.
- Carracedo, J.C., Day, S., Guillou, H., Rodríguez Badiola, E., Canas, J.A., and Pérez Torrado, F.J. 1998. Hotspot volcanism close to a passive continental margin: The Canary Islands. *Geological Magazine* **135**, 591–604.
- Carydis, P.G. 2004. The effect of the vertical earthquake motion in near field. In Jones, N., and Brebbia, C.A. (Eds.), *Structures under Shock and Impact*, Vol. VIII. WIT Press, pp. 267–282.

- Cass, C. and Cass, L. (Eds) 2003. *Bondi: The Best of the Bondi View*. Boondye Books, Bondi Beach, Sydney.
- Choi, B.H., Hong, S.J., and Pelinovsky, E. 2006. Distribution of runup heights of the December 26, 2004 tsunami in the Indian Ocean, *Geophysical Research Letters* **33**, L13601, doi:10.1029/2006GL025867.
- Chyba, C.F., Thomas, P.J., and Zahnle, K.J. 1993. The 1908 Tunguska explosion: Atmospheric disruption of a stony asteroid. *Nature* **361**, 40–44.
- Cita, M.B., Camerlenghi, A., and Rimoldi, B. 1996. Deep-sea tsunami deposits in the eastern Mediterranean: New evidence and depositional models. *Sedimentary Geology* **104**, 155–173.
- Clague, J.J., and Bobrowsky, P.T. 1994. Evidence for a large earthquake and tsunami 100–400 years ago on Western Vancouver Island, British Columbia. *Quaternary Research* **41**, 176–184.
- Clifton, H.E. 1988. Sedimentologic relevance of convulsive geologic events. *Geological Society of America Bulletin Special Paper* No. 229, 1–5.
- Clube, V., and Napier, B. 1982. *The Cosmic Serpent*. Universe Books, New York.
- Coleman, P.J. 1968. Tsunamis as geological agents. *Journal of the Geological Society of Australia* **15**, 267–273.
- Cornell, J. 1976. *The Great International Disaster Book*. Scribner, New York.
- Cox, K. 1994. Sand holds clues to quake of '29. *The Globe and Mail*, Toronto, November 21.
- Crawford, D.A., and Mader, C.L. 1998. Modeling asteroid impact and tsunami. *Science of Tsunami Hazards* **16**, 21–30.
- Crawford, I.M. 1973. Wandjina paintings. In Berndt, R.M., and Phillips, E.S. (Eds), *The Australian Aboriginal Heritage: An Introduction through the Arts*. IPC Books, Sydney, pp. 108–117.
- Dahl, R. 1965. Plastically sculptured detail forms on rock surfaces in northern Nordland, Norway. *Geografiska Annaler* **47A**, 3–140.
- Darienzo, M.E., and Peterson, C.D. 1990. Episodic tectonic subsidence of Late Holocene salt marshes, Northern Oregon central Cascadia margin. *Tectonics* **9**, 1–22.
- Dawson, A.G. 1994. Geomorphological effects of tsunami run-up and backwash. *Geomorphology* **10**, 83–94.
- Dawson, A.G. 1999. Linking tsunami deposits, submarine slides and offshore earthquakes. *Quaternary International* **60**, 119–126.
- Dawson, A.G., Long, D., and Smith, D.E. 1988. The Storegga slides: Evidence from eastern Scotland for a possible tsunami. *Marine Geology* **82**, 271–276.
- Dawson, A.G., and Shi, S. 2000. Tsunami deposits. *Pure and Applied Geophysics* **157**, 875–897.
- Dawson, A.G., Foster, I.K.L., Shi, S., Smith, D.E., and Long, D. 1991. The identification of tsunami deposits in coastal sediment sequences. *Science of Tsunami Hazards* **9**, 73–82.
- Dawson, A.G., Hindson, R., Andrade, C., Freitas, C., Parish, R., and Bateman, M. 1995. Tsunami sedimentation associated with the Lisbon earthquake of 1 November AD 1755: Boca do Rio, Algarve, Portugal. *The Holocene* **5**, 209–215.
- Dawson, A.G., Smith, D.E., Ruffman, A., and Shi, S. 1996. The diatom biostratigraphy of tsunami sediments: Examples from recent and Middle Holocene events. *Physics and Chemistry of the Earth* **21**, 87–92.
- de Lange, W.P., and Healy, T.R. 1986. New Zealand tsunamis 1840–1982. *New Zealand Journal Geology and Geophysics* **29**, 115–134.
- Dypvik, H., and Jansa, L.F. 2003. Sedimentary signatures and processes during marine bolide impacts: A review. *Sedimentary Geology* **161**, 309–337.

- Ellsworth, W.L., Celebi, M., Evans, J.R., Jensen, E.G., Kayen, R., Metz, M.C., Nyman, D.J., Roddick, J.W., Spudich, R., and Stephens, C.D. 2004. Near-field ground motion of the 2002 Denali Fault, Alaska, earthquake recorded at Pump Station 10. *Earthquake Spectra* **20**, 597–615.
- Flood, J. 1995. *Archaeology of the Dreamtime: The Story of Prehistoric Australia and Its People*. Angus & Robertson, Sydney.
- Foster, I.D.L., Albon, A.J., Bardell, K.M., Fletcher, J.L., Jardine, T.C., Mothers, R.J., Pritchard, M.A., and Turner, S.E. 1991. High energy coastal sedimentary deposits: An evaluation of depositional processes in southwest England. *Earth Surface Processes and Landforms* **16**, 341–356.
- Fujita, T.T. 1971. Proposed mechanism of suction spots accompanied by tornadoes. Preprint, *Seventh Conference on Severe Local Storms*, American Meteorological Society, Kansas City, pp. 208–213.
- Fukuchi, T., and Mitsunashi, K. 1983. Tsunami countermeasures in fishing villages along the Sanriku Coast, Japan. In Iida, K., and Iwasaki, T. (Eds.), *Tsunamis: Their Science and Engineering*. Terra Scientific, Tokyo, pp. 389–396.
- Furumoto, A.S., Tatehata, H., and Morioka, C. 1999. Japanese tsunami warning system. *Science of Tsunami Hazards* **17**, 85–105.
- Geist, E.L. 1997a. Native American legends of tsunamis in the Pacific northwest. <http://walrus.wr.usgs.gov/tsunami/NAlegends.html>
- Geist, E.L. 1997b. Local tsunamis and earthquake source parameters. *Advances in Geophysics* **39**, 117–209.
- Gelfenbaum, G., and Jaffe, B. 1998. Preliminary Analysis of Sedimentary Deposits from the 1998 PNG Tsunami. United States Geological Survey, <http://walrus.wr.usgs.gov/tsunami/ist.html>
- Gersonde, R., Kyte, F.T., Bleil, U., Diekmann, B., Flores, J.A., Gohl, K., Grahl, G., Hagen, R., Kuhn, G., Sierro, F.J., Völker, D. *et al.* 1997. Geological record and reconstruction of the late Pliocene impact of the Eltanin asteroid in the Southern Ocean. *Nature* **390**, 357–363.
- González, F.I. 1999. Tsunami! *Scientific American* May, 44–55.
- Goodman, J. 1997. What is the greatest height a tsunami could reach should a large meteorite strike the ocean? <http://www.mit.edu/~goodmanj/madsci/868937833.Ph.r.html>
- Grazulis, T.P. 1993. *Significant Tornadoes 1680–1991: A Chronology and Analysis of Events*. Environmental Films, St. Johnsbury.
- Gusiakov, V.K. 2006. Measured run-up data for the December 26, 2004 Indian Ocean Tsunami. http://tsun.sccc.ru/tsulab/20041226wave_h.htm
- Gusiakov, V.K., and Osipova, A.V. 1993. Historical tsunami database for the Kuril–Kamchatka region. In Tinti, S. (Ed.). *Tsunamis in the World*. Kluwer, Dordrecht, pp. 17–30.
- Hall, J. 1812. On the revolutions of the earth's surface. *Transactions of the Royal Society of Edinburgh* **7**, 169–212.
- Hamer, M. 1999. Solitary killers. *New Scientist* No. 2201, August 28, 18–19.
- Hansen, W.R. 1965. Effects of the earthquake of March 27, 1964 at Anchorage, Alaska. *United States Geological Survey Professional Paper* No. 542-A.
- Harbitz, C.B. 1992. Model simulations of tsunamis generated by the Storegga Slides. *Marine Geology* **105**, 1–21.
- Hasegawa, I. 1979. Orbits of ancient and medieval comets. *Publications of the Astronomical Society of Japan* **31**, 257–270.

- Hasegawa, I. 1992. Historical variation in the meteor flux as found in Chinese and Japanese chronicles. *Celestial Mechanics and Dynamical Astronomy* **54**, 129–142.
- Haslett, S.K., and Bryant, E. 2005. The AD 1607 coastal flood in the Bristol Channel and Severn Estuary: Historical records from Devon and Cornwall (UK). *Archaeology of the Severn Estuary* **15**, 163–167.
- Haslett, S.K., Bryant, E., and Curr, R.H.F. 2000. Tracing beach sand provenance and transport using foraminifera: Examples from NW Europe and SE Australia. In Foster, I. (Ed.), *Tracers in Geomorphology*. Wiley, Chichester, pp. 437–452.
- Hatori, T. 1986. Classification of tsunami magnitude scale. *Bulletin of the Earthquake Institute* **61**, 503–515 (in Japanese).
- Hearty, P.J. 1997. Boulder deposits from large waves during the Last Interglaciation on North Eleuthera Island, Bahamas. *Quaternary Research* **48**, 326–338.
- Hearty, P.J., Neumann, A.C., and Kaufman, D.S. 1998. Chevron ridges and runup deposits in the Bahamas from storms late in Oxygen-Isotope substage 5e. *Quaternary Research* **50**, 309–322.
- Heaton, T.H., and Snavely, P.D. 1985. Possible tsunami along the northwestern coast of the United States inferred from Indian traditions. *Bulletin of the Seismological Society of America* **75**(5), 1455–1460.
- Heezen, B.C., and Ewing, M. 1952. Turbidity currents and submarine slumps, and the 1929 Grand Banks earthquake. *American Journal of Science* **250**, 849–873.
- Heinrich, Ph., Guibourg, S., and Roche, R. 1996. Numerical modeling of the 1960 Chilean tsunami: Impact on French Polynesia. *Physics and Chemistry of the Earth* **21**(12), 19–25.
- Henry, R.F., and Murty, T.S. 1992. Model studies of the effects of the Storegga slide tsunami. *Science of Tsunami Hazards* **10**, 51–62.
- Hills, J.G., and Mader, C.L. 1997. Tsunami produced by the impacts of small asteroids. *Annals of the New York Academy of Sciences* **822**, 381–394.
- Hindson, R.A., Andrade, C., and Dawson, A.G. 1996. Sedimentary processes associated with the tsunami generated by the 1755 Lisbon earthquake on the Algarve Coast, Portugal. *Physics and Chemistry of the Earth* **21**, 57–63.
- Holcomb, R.T., and Searle, R.C. 1991. Large landslides from oceanic volcanoes. *Marine Geotechnology* **10**, 19–32.
- Horikawa, K., and Shuto, N. 1983. Tsunami disasters and protection measures in Japan. In Iida, K., and Iwasaki, T. (Eds.), *Tsunamis: Their Science and Engineering*. Reidel, Dordrecht, pp. 9–22.
- Hovland, M. 1999. Gas, fire and water. *EOS Transactions of the American Geophysical Union* **80**, 552.
- Howorth, R. 1999. Tsunami—the scourge of the Pacific. *COGEOENVIRONMENT News* No. 14, Commission on Geological Sciences for Environmental Planning, International Union of Geological Sciences, January.
- Huggett, R. 1989. *Cataclysms and Earth History*. Clarendon, Oxford, 220 pp.
- Iida, K. 1963. Magnitude, energy and generation of tsunamis, and catalogue of earthquakes associated with tsunamis. *International Union of Geodesy and Geophysics Monograph* No. 24, pp. 7–18.
- Iida, K. 1983. Some remarks on the occurrence of tsunamigenic earthquakes around the Pacific. In Iida, K., and Iwasaki, T. (Eds.), *Tsunamis: Their Science and Engineering*. Reidel, Dordrecht, pp. 61–76.
- Iida, K. 1985. Activity of tsunamigenic earthquakes around the Pacific. *Proceedings of the International Tsunami Symposium, August 6–9*, Department of Fisheries and Oceans, Sidney, British Columbia, pp. 1–6.

- Iida, K., and Iwasaki, T. (Eds.) 1983. *Tsunamis: Their Science and Engineering*. Reidel, Dordrecht.
- Intergovernmental Oceanographic Commission 1999. Historical tsunami database for the Pacific, 47 BC–1998 AD. Tsunami Laboratory, Institute of Computational Mathematics and Mathematical Geophysics, Siberian Division Russian Academy of Sciences, Novosibirsk, Russia, <http://tsun.sscc.ru/HTDBPac1/>
- International Tsunami Information Center 2005. <http://www.tsunamiwave.info/>
- Johnson, D. 1998. Night skies of Aboriginal Australia: A noctuary. *Oceania Monograph* No. 47, University of Sydney, Sydney.
- Johnson, J.M. 1999. Heterogeneous coupling along Alaska–Aleutians as inferred from tsunami, seismic, and geodetic inversions. *Advances in Geophysics* **39**, 1–106.
- Johnstone, B. 1997. Who killed the Minoans? *New Scientist* 21 June, 36–39.
- Jones, A.T., and Mader, C.L. 1996. Wave erosion on the southeastern coast of Australia: Tsunami propagation modeling. *Australian Journal of Earth Sciences* **43**, 479–483.
- Jones, B., and Hunter, I.G. 1992. Very large boulders on the coast of Grand Cayman: The effects of giant waves on rocky coastlines. *Journal of Coastal Research* **8**, pp. 763–774.
- Jones, D., and Donaldson, K. 1989. *The Story of the Falling Star*. Aboriginal Studies Press, Canberra.
- Kajiura, K. 1983. Some statistics related to observed tsunami heights along the coast of Japan. In Iida, K., and Iwasaki, T. (Eds.), *Tsunamis: Their Science and Engineering*. Terra Scientific, Tokyo, pp. 131–145.
- Kanamori, H., and Kikuchi, M. 1993. The 1992 Nicaragua earthquake: A slow tsunami earthquake associated with subducted sediments. *Nature* **361**, 714–716.
- Kastens, K.A., and Cita, M.B. 1981. Tsunami-induced sediment transport in the abyssal Mediterranean Sea. *Geological Society of America Bulletin* **92**, 845–857.
- Kawana, T., and Nakata, T. 1994. Timing of Late Holocene tsunamis originated around the Southern Ryukyu Islands, Japan, deduced from coralline tsunami deposits. *Japanese Journal of Geography* **103**, 352–376.
- Kawana, T., and Pirazzoli, P. 1990. Re-examination of the Holocene emerged shorelines in Irabu and Shimoji Islands, the South Ryukyus, Japan. *Quaternary Research* **28**, 419–426.
- Kawata, Y., Benson, B.C., Borrero, J.C. Borrero, J.L. Davies, H.L. de Lange, W.P., Imamura, F., Letz, H., Nott, J., and Synolakis, C.E. 1999. Tsunami in Papua New Guinea was as intense as first thought. *EOS Transactions of the American Geophysical Union* **80**, 101, 104–105.
- Kawata, Y., Tsuji, Y., Sugimoto, Y., Hayashi, H., Matsutomi, H., Okamura, Y., Hayashi, I., Kayane, H., Tanioka, Y., Fujima, K. *et al.* 2005. Comprehensive analysis of the damage and its impact on coastal zones by the 2004 Indian Ocean tsunami disaster. <http://www.tsunami.civil.tohoku.ac.jp/sumatra2004/report.html>
- Keating, B.H. 1998. Side-scan sonar images of submarine landslides on the flanks of atolls and guyots. *Marine Geodesy* **21**, 124–144.
- Keating, B.H., Fryer, P., Batiza, R., and Boehlert, G.W. (Eds.) 1987. Seamounts, islands and atolls. *American Geophysical Union Monograph* No. 43, Washington.
- Kelletat, D., and Scheffers, A. 2003. Chevron-shaped accumulations along the coastlines of Australia as potential tsunami evidences? *Science of Tsunami Hazards* **21**, 174–188.
- Kelletat, D., and Scheffers, A. 2004. Bimodal tsunami deposits: A neglected feature in paleo-tsunami research. In Schernewski, G., and Dolch, T. (Eds.), *Geographie der Meere und Küsten*. *Coastline Reports* **1**, Elsevier, Amsterdam, pp. 67–75.
- Kelletat, D., and Schellmann, G. 2002. Tsunamis on Cyprus: Field evidences and ¹⁴C dating results. *Zeitschrift für Geomorphologie* **46**, 19–34.

- Kench, P.S., Nichol, S.L., Smithers, S.G., McLean, R.F., and Brander, R.W. 2007. Tsunami as agents of geomorphic change in mid-ocean reef Islands. *Geomorphology* doi:10.1016/j.geomorph.2007.06.012
- Kenyon, N.H. 1987. Mass-wasting features on the continental slope of northwest Europe. *Marine Geology* **74**, 57–77.
- Kikuchi, M., and Kanamori, H. 1995. Source characteristics of the 1992 Nicaragua tsunami earthquake inferred from teleseismic body waves. *Pure and Applied Geophysics* **144**, 441–453.
- Komar, P.D. 1998. *Beach Processes and Sedimentation*, 2nd Edition. Prentice-Hall, Upper Saddle River.
- Kor, P.S.G., Shaw, J., and Sharpe, D.R. 1991. Erosion of bedrock by subglacial meltwater, Georgian Bay, Ontario: A regional view. *Canadian Journal of Earth Science* **28**, 623–642.
- Kortekaas, S., and Dawson, A.G. 2007. Distinguishing tsunami and storm deposits: An example from Martinhal, SW Portugal. *Sedimentary Geology*, doi:10.1016/j.sedgeo.2007.01.004
- Kristan-Tollmann, E., and Tollmann, A. 1992. Der Sintflut-Impakt (The Flood impact). *Mitteilungen der österreichischen Geographischen Gesellschaft* **84**, 1–63.
- Kuran, U., and Yalçiner, A.C. 1993. Crack propagations, earthquakes and tsunamis in the vicinity of Anatolia In Tinti, S. (Ed.), *Tsunamis in the World*. Kluwer, Dordrecht, pp. 159–175.
- LaMoreaux, P.E. 1995. Worldwide environmental impacts from the eruption of Thera. *Environmental Geology* **26**, 172–181.
- Lander, J.F., and Lockridge, P.A. 1989. *United States Tsunamis (including United States Possessions) 1690–1988*. National Geophysical Data Center, Boulder.
- Latter, J.H. 1981. Tsunamis of volcanic origin: Summary of causes, with particular reference to Krakatau, 1883. *Bulletin Volcanologique* **44**, 467–490.
- Lay, T., Kanamori, H., Ammon, C.J., Nettles, M., Ward, S.N., Aster, R.C., Beck, S.L., Bilek, S.L., Brudzinski, M.R., Butler, R. *et al.* 2005. The Great Sumatra-Andaman Earthquake of 26 December 2004. *Science* **308**, 1127–1133.
- Lewis, J.S. (1999) *Comet and Asteroid Impact Hazards on a Populated Earth*. Academic Press, San Diego.
- Lipman, P.W., Normark, W.R., Moore, J.G., Wilson, J.B., and Gutmacher, C.E. 1988. The giant submarine Alike Debris Slide, Mauna Loa, Hawaii. *Journal of Geophysical Research* **93**, 4279–4299.
- Lockridge, P.A. 1985. *Tsunamis in Peru–Chile*. World Data Center A for Solid Earth Geophysics, National Geophysical Data Center, Boulder, Rpt. SE-39.
- Lockridge, P.A. 1988a. Volcanoes generate devastating waves. *Earthquakes and Volcanoes* **20**, 190–195.
- Lockridge, P.A. 1988b. Historical tsunamis in the Pacific basin. In El-Sabh, M.I., and Murty, T.S. (Eds.), *Natural and Man-made Hazards*. Reidel, Dordrecht, pp. 171–181.
- Lockridge, P.A. 1990. Nonseismic phenomena in the generation and augmentation of tsunamis. *Natural Hazards* **3**, 403–412.
- Long, D., Smith, D.E., and Dawson, A.G. 1989. A Holocene tsunami deposit in eastern Scotland. *Journal of Quaternary Science* **4**, 61–66.
- Mader, C.L. 1974. Numerical simulation of tsunamis. *Journal of Physical Oceanography* **4**, 74–82.
- Mader, C.L. 1988. *Numerical Modeling of Water Waves*. University of California Press, Berkeley.
- Mader, C.L. 1990. Numerical tsunami flooding study: 1. *Science of Tsunami Hazards* **8**, 79–96.

- Mader, C.L. 1998. Modeling the Eltanin Asteroid tsunami. *Science of Tsunami Hazards* **16**, 21–30.
- Marcus, R., Melosh, H.J., and Collins, G. 2005. Earth impact effects program. <http://www.lpl.arizona.edu/impaceteffects/>
- Masson, D.G. 1996. Catastrophic collapse of the volcanic island of Hierro 15 ka ago and the history of landslides in the Canary Islands. *Geology* **24**, 231–234.
- Masson, D.G., Kenyon, N.Y., and Weaver, P.P.E. 1996. Slides, debris flows, and turbidity currents. In Summerhayes, C.P., and Thorpe, S.A. (Eds.), *Oceanography: An Illustrated Guide*. Manson, London, pp. 136–151.
- Matzen, A.K., Abbott, D.H., and Pekar, S. 2003. The spatial distribution and chemical differences of tektites from a crater in the Tasman Sea. *Geological Society of America, Abstracts with Programs* **35/36**, 22.
- McCafferty, P., and Baillie, M. 2005. *The Celtic Gods: Comets in Irish Mythology*. Tempus, Stroud, U.K.
- McGlone, M.S., and Wilmshurst, J.M. 1999. Dating initial Maori environmental impact in New Zealand. *Quaternary International* **59**, 5–16.
- Mee, A. 1951. *Monmouthshire*. Hodder & Stoughton, London.
- Miller, D.J., 1960. Giant waves in Lituya Bay, Alaska. *United States Geological Survey Professional Paper* 354-C, 51–86.
- Minoura, K., and Nakaya, S. 1991. Traces of tsunami preserved in inter-tidal lacustrine and marsh deposits: Some examples from northeast Japan. *Journal of Geology* **99**, 265–287.
- Minoura, K., Nakaya, S., and Uchida, M. 1994. Tsunami deposits in a lacustrine sequence of the Sanriku Coast, Northeast Japan. *Sedimentary Geology* **89**, 25–31.
- Minoura, K., Imamura, F., Takahashi, T., and Shuto, N. 1997. Sequence of sedimentation processes caused by the 1992 Flores tsunami: Evidence from Babi Island. *Geology* **25**, 523–526.
- Monserrat, S., Vilibi, I., and Rabinovich, A.B. 2006. Meteotsunamis: Atmospherically induced destructive ocean waves in the tsunami frequency band. *Natural Hazards Earth System Science* **6**, 1035–1051.
- Monzier, M., Robin, C., and Eissen, J-P. 1994. Kuwae (~1452 A.D.): The forgotten caldera. *Journal of Volcanology and Geothermal Research* **59**, 207–218.
- Mooley, B.P.J., Burrows, C.J., Cox, J.E., Johnston, J.A., and Wardle, P. 1963. Distribution of subfossil forest remains Eastern South Island, New Zealand. *New Zealand Journal of Botany* **1**, 68–77.
- Moore, D.G. 1978. Submarine slides. In Voight, B. (Ed.), *Rockslides and Avalanches, 1: Natural Phenomena*. Elsevier Scientific, Amsterdam, pp. 563–604.
- Moore, G.W., and Moore, J.G. 1988. Large-scale bedforms in boulder gravel produced by giant waves in Hawaii. *Geological Society of America Special Paper* No. 229, 101–110.
- Moore, J.G., Bryan, W.B., and Ludwig, K.R. 1994. Chaotic deposition by a giant wave, Molokai, Hawaii. *Geological Society of America Bulletin* **106**, 962–967.
- Moore, J.G., Normark, W.R., and Holcomb, R.T. 1994. Giant Hawaiian landslides. *Annual Review of Earth and Planetary Sciences* **22**, 119–144.
- Moore, J.G., Clague, D.A., Holcomb, R.T., Lipman, P.W., Normark, W.R., and Torresan, M.E. 1989. Prodigious submarine landslides on the Hawaiian Ridge. *Journal of Geophysical Research* **94**, 17465–17484.
- Moreira, V.S. 1993. Historical tsunamis in mainland Portugal and Azores: Case histories. In Tinti, S. (Ed.), *Tsunamis in the World*. Kluwer, Dordrecht, pp. 65–73.
- Morgan, O. 1882. Goldcliff and the ancient Roman inscribed stone found there. *Monmouthshire and Caerleon Antiquarian Association Paper*, pp. 1–17.

- Morton, R.A., 1988. Nearshore responses to great storms. *Geological Society of America Special Paper No. 229*, 7–22.
- Morton, R.A., Gelfenbaum, G., and Jaffe, B.E. 2007. Physical criteria for distinguishing sandy tsunami and storm deposits using modern examples. *Sedimentary Geology*, doi:0.1016/j.sedgeo.2007.01.003
- Mowaljarlai, D., and Malnic, J. 1993. *Yorro Yorro: Aboriginal Creation and the Renewal of Nature: Rock Paintings and Stories from the Australian Kimberley*. Magabala Books, Broome.
- Murty, T.S. (Ed.) 1977. Seismic sea waves: Tsunamis. *Bulletin of the Fisheries Research Board of Canada No. 198*.
- Murty, T.S. 1984. Storm surges: Meteorological ocean tides. *Bulletin of the Fisheries Research Board of Canada No. 212*.
- Myles, D. 1985. *The Great Waves*. McGraw-Hill, New York.
- Nagarajan, B., Suresh, I., Sundar, D., Sharma, R., Lal, A.K., Neetu, S., Sheno, S.S.C., Shetye, S.R., and Shankar, D. 2006. The Great Tsunami of 26 December 2004: A description based on tide-gauge data from the Indian subcontinent and surrounding areas. *Earth Planets Space* **58**, 211–215.
- National Aeronautics and Space Administration (NASA) 2007. Near Earth object program. <http://neo.jpl.nasa.gov/stats/>
- National Geophysical Data Center 2006a. Indian Ocean travel time maps: December 26, 2004 Sumatra, Indonesia. http://www.ngdc.noaa.gov/seg/hazard/img/2004_1226.jpg
- National Geophysical Data Center 2006b. Tsunami Events of the Indian Ocean Region. http://www.ngdc.noaa.gov/seg/hazard/tsu_db.shtml
- National Geophysical Data Center, 2007. Tsunami event database. <http://www.ngdc.noaa.gov/nndc/struts/form?t=101650&s=7&d=7>
- National Geophysical Data Center and World Data Center A for Solid Earth Geophysics 1984. *Tsunamis in the Pacific Basin 1900–1983*. United States National Oceanic and Atmospheric Administration, Boulder, Colorado, map 1:17,000,000.
- National Geophysical Data Center and World Data Center A for Solid Earth Geophysics 1989. *United States Tsunamis (including United States Possessions) 1690–1988*. United States National Oceanic and Atmospheric Administration, Publication No. 41-2, Boulder, Colorado.
- National Oceanic and Atmospheric Administration (NOAA) 1998. Tsunami! The great waves. <http://www.nws.noaa.gov/om/brochures/tsunami.htm>
- National Oceanic and Atmospheric Administration (NOAA) 2006. NOAA Scientists able to measure tsunami height from space. <http://www.noaaneews.noaa.gov/stories2005/s2365.htm>
- Nemtchinov, I.V., Loseva, T.V., and Teterov, A.V. 1996. Impacts into oceans and seas. *Earth, Moon and Planets* **72**, 405–418.
- Nichol, S.L., Lian, O.B., and Carter, C.H. 2003. Sheet-gravel evidence for a late Holocene tsunami run-up on beach dunes, Great Barrier Island, New Zealand. *Sedimentary Geology* **155**, 129–145.
- Nomanbhoy, N., and Satake, K. 1995. Numerical computations of tsunamis from the 1883 Krakatau eruption. *Geophysical Research Letters* **22**, 509–512.
- Noson, L.L., Qamar, A., and Thorsen, G.W. 1988. Washington State earthquake hazards. *Washington Division of Geology and Earth Resources Information Circular No. 85*, 77 pp.
- Nott, J. 1997. Extremely high-energy wave deposits inside the Great Barrier Reef, Australia: Determining the cause—tsunami or tropical cyclone? *Marine Geology* **141**, 193–207.
- Nott, J. 2003. Waves, coastal boulder deposits and the importance of the pre-transport setting. *Earth and Planetary Science Letters* **210**, 269–276.

- Nott, J. 2004. The tsunami hypothesis: Comparisons of the field evidence against the effects, on the Western Australian coast, of some of the most powerful storms on Earth. *Marine Geology* **208**, 1–12.
- Nott, J., and Bryant, E. 2003. Extreme marine inundations (Tsunamis?) of coastal Western Australia. *Journal of Geology* **111**, 691–706.
- Nott, J., Price, D., and Bryant, E. 1996. 30,000 year record of paleofloods in tropical Northern Australia. *Geophysical Research Letters* **23**, 379–382.
- Oh, I.S., and Rabinovich, A.B. 1994. Manifestation of Hokkaido southwest (Okushiri) tsunami, 12 July 1993, at the coast of Korea: 1. Statistical characteristics, spectral analysis, and energy decay. *Science of Tsunami Hazards* **12**, 93–116.
- Okal, E.A. 1988. Seismic parameters controlling far-field tsunami amplitudes: A review. *Natural Hazards* **1**, 67–96.
- Okal, E.A. 1993. Predicting large tsunamis. *Nature* **361**, 686–687.
- Okal, E.A., Talandier, J., and Reymond, D. 1991. Automatic estimations of tsunami risk following a distant earthquake using the mantle magnitude M_m . *Proceedings of the Second UJNR Tsunami Workshop, Honolulu, Hawaii, November 5–6, 1990*. National Geophysical Data Center, Boulder, pp. 229–238.
- Oliver, J. 1988. Natural hazards. In Jeans, D. N. (Ed.), *Australia: A Geography*. Sydney University Press, pp. 283–314.
- Ortlieb, L., Goy, J.L., Zazo, C., Hillaire-Marcel, C., and Vargas, G. 1995. *Late Quaternary Coastal Changes in Northern Chile*. International Geological Correlation Program Project 367 Guidebook, ORSTRAM, November 23–25.
- Ota, Y., Pirazzoli, P. A., Kawana, T., and Moriwaki, H. 1985. Late Holocene coastal morphology and sea level records on three small islands, the South Ryukyus, Japan. *Geographical Review of Japan* **58B**, 185–194.
- Paine, M. 1999. Asteroid impacts: The extra hazard due to tsunami. *Science of Tsunami Hazards* **17**, 155–166.
- Pararas-Carayannis, G. 1998a. The 1960 Chilean Tsunami. www.drgeorgepc.com/Tsunami1960.html
- Pararas-Carayannis, G. 1998b. The March 27, 1964 Great Alaska Tsunami. www.drgeorgepc.com/Earthquake1964Alaska.html
- Pararas-Carayannis, G. 1998c. The waves that destroyed the Minoan Empire (Atlantis) www.drgeorgepc.com/AtlantisDestruction.html
- Pararas-Carayannis, G. 1999. Analysis of mechanism of the giant tsunami generation in Lituya Bay. *Science of Tsunami Hazards* **17**, 193–206. <http://library.lanl.gov/tsunami/ts173.pdf>
- Paris, R., Lavigne, R., Wassmer, P., and Sartohadi, J. 2007. Coastal sedimentation associated with the December 26, 2004 tsunami in Lhok Nga, west Banda Aceh (Sumatra, Indonesia). *Marine Geology* **238**, 93–106.
- Parker, K.L. 1978. *Australian Legendary Tales*. Bodley Head, London.
- Paskoff, R. 1991. Likely occurrence of a mega-tsunami in the middle Pleistocene, near Coquimbo, Chile. *Revista Geológica de Chile* **18**, 87–91.
- Paskoff, R., Leonard, E.M., Novoa, J.E., Ortlieb, L., Radtke, U., and Wehmiller, J.F. 1995. *Field Meeting in the la Serena–Coquimbo Bay Area (Chile)*. Guidebook for a field trip November 27–28, International Geological Correlation Program Project 367.
- Peck, C. W. 1938. *Australian Legends*. Lothian, Melbourne.
- Pelinovsky, E. 1996. *Tsunami Wave Hydrodynamics*. Institute of Applied Physics, Nizhny Novgorod (in Russian).
- Pelinovsky, E., and Poplavsky, A. 1996. Simplified model of tsunami generation by submarine landslides. *Physics and Chemistry of the Earth* **21**, 13–17.

- Pichler, H., and Friedrich, W.L. 1980. Mechanism of the Minoan eruption of Santorini in Thera and the Aegean world: 2. *Proceedings of the Second International Scientific Congress, Santorini, Greece, August 1978*, pp. 15–30.
- Pickering, K.T., Soh, W., and Taira, A. 1991. Scale of tsunami-generated sedimentary structures in deep water. *Journal of the Geological Society London* **148**, 211–214.
- Pinegina, T., Bazanova, L., Braitseva, O., Gusiakov, V., Melekestsev, I., and Starcheus, A. 1996. East Kamchatka palaeotsunami traces. *Proceedings of the International Workshop on Tsunami Mitigation and Risk Assessment, Petropavlovsk–Kamchatskiy, Russia, August 21–24*. <http://omzg.sssc.ru/tsulab/content.html>
- Piper, D.J.W., Cochonat, P., and Morrison, M.L. 1999. The sequence of events around the epicentre of the 1929 Grand Banks earthquake: Initiation of debris flows and turbidity current inferred from sidescan sonar. *Sedimentology* **46**, 79–97.
- Planetary and Space Science Center 2007. *Earth Impact Database*. University of New Brunswick. <http://www.unb.ca/passc/ImpactDatabase/index.html>
- Porter, L.D., and Leeds, D.J. 2000. Correlation of strong ground motion for the 1994 Northridge earthquake. *Geophysical Journal International* **143**, 376–388.
- Rabinovich, A.B., and Monserrat, S. 1996. Meteorological tsunamis near the Balearic and Kuril Islands: Descriptive and statistical analysis. *Natural Hazards* **13**, 55–90.
- Ranguelov, B., and Gospodinov, D. 1995. Tsunami vulnerability modeling for the Bulgarian Black Sea Coast. *Water Science and Technology* **32**, 47–53.
- Rasmussen, K.L. 1991. Historical accretionary events from 800 BC to AD 1750: Evidence for Planetary rings around the Earth? *Quarterly Journal of the Royal Astronomical Society* **32**, 25–34.
- Reid, H.F. 1914. The Lisbon earthquake of November 1, 1755. *Bulletin Seismological Society America* **4**, 53–80.
- Reymond, D., Hyvernaud, O., and Talandier, J. 1993. An integrated system for real time estimation of seismic source parameters and its application to tsunami warning. In Tinti, S. (Ed.), *Tsunamis in the World*. Kluwer, Dordrecht, pp. 177–196.
- Satake, K. 1995. Linear and nonlinear computations of the 1992 Nicaragua earthquake tsunami. *Pure and Applied Geophysics* **144**, 455–470.
- Satake, K. 1996. Seismotectonics of tsunamis. *Proceedings of the International Workshop on Tsunami Mitigation and Risk Assessment, Petropavlovsk-Kamchatskiy, Russia, August 21–24, 1996*. <http://omzg.sssc.ru/tsulab/paper4.html>
- Satake, K., and Imamura, F. (Eds.) 1995. *Tsunamis 1992–1994: Their Generation, Dynamics and Hazard*. Birkhäuser Verlag, Basel, 890 pp.
- Satake, K., Bourgeois, J., Abe, K., Tsuji, Y., Imamura, F., Iio, Y., Katao, H., Noguera, E., and Estrada, F. 1993. Tsunami field survey of the 1992 Nicaragua earthquake. *EOS Transactions of the American Geophysical Union* **74**, 145.
- Satake, K., Shimazaki, K., Tsuji, Y., and Ueda, K. 1996. Time and size of a giant earthquake in Cascadia inferred from Japanese tsunami records of January 1700. *Nature* **379**, 246–249.
- Sato, H., Shimamoto, T., Tsutsumi, A., and Kawamoto, E. 1995. Onshore tsunami deposits caused by the 1993 southwest Hokkaido and 1983 Japan Sea earthquakes. *Pure and Applied Geophysics* **144**, 693–717.
- Scheffers, A. 2004. Tsunami imprints on the Leeward Netherlands Antilles (Aruba, Curaçao, Bonaire) and their relation to other coastal problems. *Quaternary International* **120**, 163–172.
- Scheffers, A., and Kelletat, D. 2003. Sedimentologic and geomorphologic tsunami imprints worldwide—A review. *Earth-Science Reviews* **1287**, 1–10.

- Scheffers, A., and Kelletat, D. 2005. Tsunami relics on the coastal landscape west of Lisbon, Portugal. *Science of Tsunami Hazards* **23**, 3–16.
- Schindel , F., Reymond, D., Gaucher, E., and Okal, E.A. 1995. Analysis and automatic processing in near-field of eight 1992–1994 tsunamigenic earthquakes: Improvements towards real-time tsunami warning. *Pure and Applied Geophysics* **144**, 381–408.
- Schubert, C. 1994. Tsunamis in Venezuela: Some observations on their occurrence. *Journal of Coastal Research* Special Issue No. 12, 189–195.
- Scoffin, T.P. 1993. The geological effects of hurricanes on coral reefs and the interpretation of storm deposits. *Coral Reefs* **12**, 203–221.
- Sekanina, Z., and Yeomans, D.K. 1984. Close encounters and collisions of comets with the Earth. *Astronomical Journal* **89**, 154–161.
- Self, S., and Rampino, M.R. 1981. The 1883 eruption of Krakatau. *Nature* **294**, 699–704.
- Shaw, J. 1994. Hairpin erosional marks, horseshoe vortices and subglacial erosion. *Sedimentary Geology* **91**, 269–283.
- Shepard, F. P. 1977. *Geological Oceanography*. University of Queensland Press, St. Lucia.
- Shi, S., Dawson, A.G., and Smith, D.E. 1995. Coastal sedimentation associated with the December 12th, 1992 tsunami in Flores, Indonesia. *Pure and Applied Geophysics* **144**, 525–536.
- Shiki, T., and Yamazaki, T. 1996. Tsunami-induced conglomerates in Miocene upper bathyal deposits, Chita peninsula, central Japan. *Sedimentary Geology* **104**, 175–188.
- Shimamoto, T., Tsutsumi, A., Kawamoto, E., Miyawaki, M., and Sato, H. 1995. Field survey report on tsunami disasters caused by the 1993 southwest Hokkaido earthquake. *Pure and Applied Geophysics* **144**, 665–691.
- Shoemaker, E. M. 1983. Asteroid and comet bombardment of the earth. *Annual Reviews of Earth Planetary Science* **11**, 461–494.
- Shuto, N. 1993. Tsunami mantle magnitude and disasters. In Tinti, S. (Ed.), *Tsunamis in the World*. Kluwer, Dordrecht, pp. 197–216.
- Shuto, N., and Matsutomi, H. 1995. Field Survey of the 1993 Hokkaido Nansei–Oki earthquake tsunami. *Pure and Applied Geophysics* **144**, 649–663.
- Shuto, N., Goto, C., and Imamura, F. 1991. Numerical simulation as a means of warning for near-field tsunami. *Proceedings of the Second UJNR Tsunami Workshop, Honolulu, Hawaii, November 5–6, 1990*. National Geophysical Data Center, Boulder, pp. 133–153.
- Smit, J., Roep, Th.B., Alvarez, W., Montanari, A., Claeys, P., Grajales-Nishimura, J.M., and Bermudez, J. 1996. Coarse-grained, clastic sandstone complex at the K/T boundary around the Gulf of Mexico: Deposition by tsunami waves induced by the Chicxulub impact? *Geological Society of America Special Paper* No. 307, 151–182.
- Sokolowski, T.J. 1999a. The Great Alaskan Earthquake and tsunamis of 1964. <http://wcatwc.arh.noaa.gov/64quake.htm>
- Sokolowski, T.J. 1999b. The U.S. West Coast and Alaska Tsunami Warning Center. *Science of Tsunami Hazards* **17**, 49–56.
- Solomon, S.S., and Forbes, D.L. 1999. Coastal hazards and associated management issues on South Pacific Islands. *Ocean and Coastal Management* **42**, 523–554.
- Steel, D. 1995. *Rogue Asteroids and Doomsday Comets*. Wiley, New York.
- Steel, D., and Snow, P. 1992. The Tapanui region of New Zealand: Site of a “Tunguska” around 800 years ago? In Harris, A., and Bowell, E. (Eds.), *Asteroids, Comets, Meteors 1991*. Lunar and Planetary Institute, Houston, pp. 569–572.
- Stephenson, F., Rabinovich, A., Cherniawsky, J., Thomson, R., Crawford, B., Kulikov, E., and Gower, J. 2006. *December 26, 2004 and March 28, 2005 Indian Ocean Tsunami Events*.

- Fisheries and Oceans Canada. http://www-sci.pac.dfo-mpo.gc.ca/osap/projects/tsunami/tsunamiasia_e.htm
- Stoddart, D.R. 1950. The shape of atolls. *Marine Geology* **3**, 369–383.
- Stuart, J.S., and Binzel, R.P. 2004. Bias-corrected population, size distribution, and impact hazard for the near-Earth objects. *Icarus* **70**, 295–311.
- Stuiver, M., Reimer, P.J., Bard, E., Beck, J.W., Burr, G.S., Hughen, K.A., Kromer, B., McCormac, F.G., van der Plicht, J., and Spurk, M. 1998. INTCAL98 Radiocarbon age calibration, 24,000–0 cal BP. *Radiocarbon* **40**, 1041–1083.
- Subarya, C., Mohamed Chlieh, M., Prawirodirdjo, L., Avouac, J-P., Bock, Y., Sieh, K., Meltzner, A.J., Natawidjaja, D.H., and McCaffrey, R. 2006. Plate-boundary deformation associated with the great Sumatra–Andaman earthquake. *Nature* **440**, 46–51.
- Sullivan, M.E. 1987. The recent prehistoric exploitation of edible mussels in Aboriginal shell middens in southern New South Wales. *Archaeology and Physical Anthropology in Oceania* **22**, 97–106.
- Talandier, J., and Bourrouilh-Le Jan, F. 1988. High energy sedimentation in French Polynesia: Cyclone or tsunami? In El-Sabh, M.I., and Murty, T.S. (Eds.), *Natural and Man-Made Hazards*. Reidel, Dordrecht, pp. 193–199.
- Tappin, D., Matsumoto, T., Watts, P., Satake, K., McMurty, G., Matsuyama, M., Lafoy, Y., Tsuji, Y., Kanamatsu, T., Lus, W. *et al.* 1999. Sediment slump likely caused 1998 Papua New Guinea Tsunami. *EOS Transactions American Geophysical Union* **80**, 329, 334, 340.
- Tappin, D., Watts, P., McMurty, G., Lafoy, Y., and Matsumoto, T. 2001. The Sissano, Papua New Guinea tsunami of July 1998: Offshore evidence on the source mechanism. *Marine Geology* **175**, 1–23.
- Tinti, S., and Maramai, A. 1999. Large tsunamis and tsunami hazard from the New Italian Tsunami Catalog. *Physics and Chemistry of the Earth* **24A**, 151–156.
- Titov, V.V., and González, F.I. 1997. Implementation and testing of the method of splitting tsunami (MOST) Model. NOAA Technical Memorandum ERL PMEL No. 112. <http://www.pmel.noaa.gov/pubs/PDF/tito1927/tito1927.pdf>
- Titov, V., Rabinovich, A.B., Mofjeld, H.O., Thomson, R.E., and González, F.I. 2005. The global reach of the 26 December 2004 Sumatra Tsunami. *Science* **309**, 2045–2048.
- Toon, O.B., Zahnle, K., Morrison, D., Turco, R.P., and Covey, C. 1997. Environmental perturbations caused by the impacts of asteroids and comets. *Reviews of Geophysics* **35**, 41–78.
- Tregear, E. 1891. *The Maori–Polynesian Comparative Dictionary*. Lyon & Blair, Wellington. <http://www.nzetc.org/tm/scholarly/tei-TreMaor.html>
- Trenhaile, A. S. 1997. *Coastal Dynamics and Landforms*. Oxford University Press, Oxford.
- Tsuji, Y. 1991. Decay of the initial crest of the 1960 Chilean tsunami scattering of tsunami waves caused by sea mounts and the effects of dispersion. *Proceeding of the Second UJNR Tsunami Workshop*. National Geophysical Data Center, Boulder, pp. 13–25.
- Tsuji, Y., Matsutomi, H., Imamura, F., Takeo, M., Kawata, Y., Matsuyama, M., Takahashi, T., Sunarjo, and Harjadi, P. 1995. Damage to coastal villages due to the 1992 Flores Island earthquake tsunami. *Pure and Applied Geophysics* **144**, 481–524.
- United Nations 2006. *The Human Toll*. Office of the Special Envoy for Tsunami Recovery. <http://www.tsunamispecialenvoy.org/country/humantoll.asp>
- Van Dorn, O.W. 1964. Source mechanism of the tsunami of March 28, 1964. *Proceedings of the Ninth Conference on Coastal Engineering*. American Society Civil Engineers, New York, pp. 166–190.
- Van Dorn, O.W. 1965. Tsunamis. *Advances in Hydrosciences* **2**, 1–48.
- Verbeek, R.D.M. 1884. The Krakatoa eruption. *Nature* **30**, 10–15.

- Verschuur, G.L. 1996. *Impact! The Threat of Comets and Asteroids*. Oxford University Press, Oxford.
- von Baeyer, H.C. 1999. Catch the wave. *The Sciences* **29**(3), 10–13.
- Walker, G. 1995. The killer wave. *New Scientist* 25 November, 32–34.
- Ward, S.N. 1980. Relationships of tsunami generation and an earthquake source. *Journal of Physics of the Earth* **28**, 441–474.
- Ward, S.N. 2002. Tsunamis. In Meyers, R.A. (Ed.), *The Encyclopedia of Physical Science and Technology*, Vol. 17, 3rd Edition. Academic Press, pp. 175–191.
- Ward, S.N., and Asphaug, E. 2000. Asteroid impact tsunami: A probabilistic hazard assessment. *Icarus* **145**, 64–78.
- Watts, P. 1998. Wavemaker curves for tsunamis generated by underwater landslides. *Journal of Waterway, Port, Coastal and Ocean Engineering* **124**, 127–137.
- Weisler, M.I. 1996. Taking the mystery out of the Polynesian “mystery” islands: A case study from Mangareva and the Pitcairn Group. In Davidson, J., Irwin, G., Leach, F., Pawley, A., and Brown, D. (Eds.), *Pacific Culture History: Essays in Honour of Roger Green*. Journal of Archaeology, Wellington, New Zealand, pp. 615–629.
- West Coast & Alaska Tsunami Warning Center 2005. Indian Ocean Tsunami of 26 December, 2004. <http://wcatwc.arh.noaa.gov/IndianOSite/IndianO12-26-04.htm>
- Whelan, F., and Kelletat, D. 2005. Boulder deposits on the Southern Spanish Atlantic Coast: Possible evidence for the 1755 AD Lisbon tsunami? *Science of Tsunami Hazards* **23**, 25–38.
- Whelan, M. 1994. The night the sea smashed Lord’s Cove. *Canadian Geographic* November/December, 70–73.
- White, E. 1607. *A true report of certaine wonderfull overflowinges of Waters, now lately in Summerset-Shire, Norfolke and other places of England*, pamphlet printed in London.
- Wiegel, R.L. 1964. *Oceanographical Engineering*. Prentice-Hall, Englewood Cliffs, pp. 95–108.
- Wiegel, R.L. 1970. Tsunamis. In Wiegel, R.L. (Ed.), *Earthquake Engineering*. Prentice-Hall, Englewood Cliffs, pp. 253–306.
- Williams, A.T., and Davies, P. 1987. Rates and mechanisms of coastal cliff erosion in Lower Lias rocks. In Kraus, N.C. (Ed.), *Coastal Sediments ’87*, Vol. 2. American Society Civil Engineers, New York, pp. 1855–1870.
- Wilson, B.W., Webb, L.M., and Hendrickson, J.A. 1962. The nature of tsunamis, their generation and dispersion in water of finite depth. In *U.S. Coast and Geodetic Survey, National Engineering Science Company Tech. Rpt.* No. SN 57–2, pp. 43–62.
- Wright, C., and Mella, A. 1963. Modifications to the soil pattern of South-Central Chile resulting from seismic and associated phenomena during the period May to August 1960. *Bulletin of the Seismological Society America* **53**, 1367–1402.
- Yanev, P. 1993. Hokkaido Nansei-Oki Earthquake of July 12, 1993. *EQE Review* Fall Issue, 1–6.
- Yeh, H.H. 1991. Tsunami bore runup. *Natural Hazards* **4**, 209–220.
- Yeh, H.H., Imamura, F., Synolakis, C., Tsuji, Y., Liu, P., and Shi, S. 1993. The Flores Island tsunamis. *EOS Transactions of the American Geophysical Union* **74**, 369.
- Yeh, H.H., Liu, P., Briggs, M., and Synolakis, C. 1994. Propagation and amplification of tsunamis at coastal boundaries. *Nature* **372**, 353–355.
- Yokoyama, I. 1978. The tsunami caused by the prehistoric eruption of Thera. In *Thera and the Aegean World: 1. Proceedings of the Second International Scientific Congress, Santorini, Greece, August*, pp. 277–283.
- Young, R., and Bryant E. 1992. Catastrophic wave erosion on the southeastern coast of Australia: Impact of the Lanai tsunami ca. 105 ka? *Geology* **20**, 199–202.

324 **References**

- Young, R., Bryant E., and Price, D.M., 1996. Catastrophic wave (tsunami?) transport of boulders in southern New South Wales, Australia. *Zeitschrift für Geomorphologie* **40**, 191–207.
- Young, R., White, K.L., and Price, D.M. 1996. Fluvial deposition on the Shoalhaven deltaic plain, southern New South Wales. *Australian Geographer* **27**, 215–234.
- Young, R., Bryant E., Price D.M., Wirth, L.M., and Pease, L.M. 1993. Theoretical constraints and chronological evidence of Holocene coastal development in central and southern New South Wales, Australia. *Geomorphology* **7**, 317–329.
- Young, R., Bryant E., Price D.M., and Spassov, E. 1995. The imprint of tsunami in Quaternary coastal sediments of southeastern Australia. *Bulgarian Geophysical Journal* **21**, 24–31.
- Young, R., Bryant E., Price D.M., Dilek, S.Y., and Wheeler, D.J. 1997. Chronology of Holocene tsunamis on the southeastern coast of Australia. *Transactions of the Japanese Geomorphological Union* **18**, 1–19.

Index

- Africa, 75, 141–142, 174, 179, 215, 223, 228, 275
- Antarctica, 122, 154, 251, 263, 286
- asteroids. *See* comets and asteroids
- Atlantic Ocean, 75, 119, 140–142, 187, 199, 214, 216, 283
- Australia, 4, 22–23, 26, 145–146, 223, 229, 281, 286, 291
- Great Barrier Reef, 39, 109, 112
- New South Wales south coast, 4–5, 51–52, 60, 63–70, 73–74, 80, 84, 94, 99–102, 106–109, 118, 122, 208, 216, 253, 255–259, 277, 279, 295–298
- Queensland, 53, 109–112
- South Australia, 259
- Victoria, 86, 252
- West Australia, 53, 67, 112–115, 223, 254, 263–269, 295
- avoidance (or lack of), 147, 153, 156–157, 160, 275–276, 291–293
- See also* risk
- Bangladesh, 173
- bedforms, 63, 66–67, 73–74, 114, 195, 256
- bedrock sculpturing, 52, 77–90, 103–104, 106, 110, 202–205, 208, 229
- arches, 84, 98
- blowhole, 108
- canyons, 83–84, 104
- caves, 98, 108, 263
- cavettos, 81, 103, 202
- cliffs, 98, 104, 160
- comma marks, 88
- drill holes, 78, 89, 103
- faceting, 81
- flutes (rock drumlins), 79–81, 86, 103, 108, 113, 202–204, 208, 254–255
- hummocky topography, 82, 108
- impact marks, 78
- muschelbrüche, 79, 87, 103, 108, 113, 202
- plugs, 86, 103
- pool-and-cascade, 89, 92, 104
- potholes, 81–82, 103, 203, 208
- ramps, 83, 104, 267
- s-forms, 77–79, 87, 103, 110
- sichelwanne, 79, 87–88, 103
- sinuous grooves, 78–79, 103,
- stacks, 98, 203
- keel-like, 84, 88, 108, 115, 208, 254–255
- toothbrush-shaped headlands, 84, 104, 112, 203, 208, 296
- troughs, 82, 113, 202
- v-shaped grooves, 79–80, 87, 103
- whirlpools, 84–86, 89–90, 104, 254–255, 259
- Bible, 92, 226–227, 251–252
- boulders. *See* sedimentary deposits
- Bouma Sequence. *See* turbidites
- Bristol Channel. *See* landslides, tsunami events

- Canada, 7–9, 14, 152, 189–192, 283, 287
 Canary Islands, 181, 184, 196–198
 Caribbean Sea, 15–16, 63, 68, 142, 197,
 220–221, 281, 283
 Bahamas, 68, 117–119
 Grand Cayman, 115–117
 Jamaica, 187
 catastrophism, 91–94
 coherent, 235–236, 273
 cavitation, 78, 86, 89, 103, 110
 channelled scablands of Washington State,
 66, 83–84, 93, 256
 China, 24, 227, 275
 coastal evolution
 atolls, 104–106
 deltas, 101–102, 106, 277
 gravel–cobble beaches, 95–96
 headlands, 103–104, 108–109
 lagoons, 99–101, 142–143
 rocky coasts, 77–90, 103–104, 160, 229,
 sandy barriers, 98–101, 106–107, 142,
 202
 tidal inlets, 100–101, 142–143
 comets and asteroids, 231–269, 273,
 294–295
 asteroids, 4, 13, 294
 types of, 231–232, 236, 241
 comets
 Donati, 265
 P/Encke, 232–233
 Taurids, 232–233, 235–236
 X/1491 B1, 263
 effects of impacts, 234, 247–250, 252,
 257–258, 267
 events
 Chicxulub, 232, 246–250
 Deluge Comet, 251–252
 Mahuika, 253–263, 297
 Wandjina, 263–269
 frequency, 235–236, 246, 294–295
 and generation of tsunamis, 83, 119, 123,
 229, 234, 236–247, 254, 256–257
 records of
 historical, 236–237, 260
 geological, 245–247
 Tunguska (June 30, 1908), 233–235,
 238–239, 257
 computer modeling
 of asteroid impacts, 39, 238–239
 Swan code for tsunami, 38
 of tsunami, 39, 160, 238, 283
 damage, 25, 141–142, 145, 147–149, 151,
 153, 158, 161, 175–177, 221
 death toll, 16, 20–22, 122, 130, 141–142,
 145, 147–149, 151, 153–154,
 157–158, 159–160, 163, 168,
 174–177, 183, 186–187, 191, 206,
 217, 221, 223, 229, 243, 280, 285
 defocusing, 34, 228
 diatoms. *See* foraminifera
 directivity (beaming). *See* focusing
 earthquake magnitude scales, 129–130
 mantle moment (M_m), 287
 moment (M_w), 130, 131, 136, 138–139,
 144, 149, 156–157, 163–165, 167,
 172, 287
 surface (M_s), 12, 129, 131, 138, 141, 144,
 156–158, 163, 187, 189, 194, 234,
 247, 254, 281, 285–286
 seismic moment (M_o), 129–130
 earthquakes, 12, 17, 127–128, 140, 143,
 149, 154, 160, 163, 167–168, 229,
 253
 description, 127–130
 and generation of tsunami, 135–139,
 157–158, 160–164, 256–257
 and meteorites, 234, 237, 254
 and tsunami, 5–6, 7–10, 12, 16, 18,
 22–23, 55, 119–122, 127–129, 134,
 138–141, 143–144, 151, 194, 281, 287
 tsunami earthquakes, 130–132, 137,
 156–157, 164, 281, 290
 tsunami events, 16–20, 131, 156,
 253–254, 257, 285
 Alaska
 (April 1, 1946), 28, 130–131, 179,
 277, 285, 292
 (March 27, 1964), 34, 36, 41–42,
 55–56, 137, 149–154, 166, 179,
 187, 239, 279–280, 286, 292
 Chile
 (August 13, 1868), 22, 121, 253
 (May 10, 1877), 22, 121–122, 253
 (May 22, 1960), 17, 23, 55–56, 121,
 134, 137, 143–149, 165, 168,

- 238–239, 241–243, 253, 277, 280, 288
- Flores (December 12, 1992), 44, 55, 58–60, 136, 158–160, 257, 277, 279
- Hokkaido Nansei–Oki, Japan (July 12, 1993), 131, 136, 160–163, 279–280, 292
- Indian Ocean (December 26, 2004), 3, 20–21, 34, 44, 46, 57, 106, 137, 167–178, 229, 285–286, 293, 299, 306
- Lisbon (November, 1, 1755), 14, 55, 63, 91–92, 140–143, 140–143, 229, 306
- Nicaragua (September 2, 1992), 131, 154, 156–158, 293
- PNG (July 17, 1998). *See* landslides, tsunami events
- Sanriku
(June 15, 1896), 130, 132, 285
(March 3, 1933), 132, 160, 187
- edge waves, 36–37, 41, 160
- England, 55, 141, 143, 223–224
Bristol Channel. *See* landslides, tsunami events
- Europe, 92, 139, 141–142, 187, 275
events. *See* specific causes
- faulting, 135–139, 144, 149, 154, 156, 158, 160, 167–168, 187–188, 250
- Fires of Tamaatea*. *See* legends, Maori
- fjords, 23, 92, 186, 189
- flow dynamics, 70–72, 74–75, 77–79, 81–90, 94–95, 100–101, 104, 108, 110, 141–142, 160, 163–164, 179, 195–196, 202–204, 210–211, 228–229, 249, 259, 293
- focusing (or beaming), 33, 137, 168, 184
- foraminifera, 57–59, 96, 143, 200,
- French Polynesia, 34, 105, 137, 287
Tahiti, 34, 139–140, 287–288
- frictional dissipation, 39, 44–45, 277
- Greece, 62–63, 139, 225–228
- Greenland, 200, 227
- Green's Law, 32
- gyttja, 202
- Homogenites, 228–229, 249
- Iceland, 200, 202
- India, 168–169, 223, 275–276
- Indian Ocean, 106, 167–173, 214, 216, 223, 229, 281
- Indonesia, 20–21, 44, 46, 158–160, 163, 187, 217–218, 221–225, 254, 275, 285, 306
- inland seas. *See* lakes
- Ireland, 205, 213
- islands, 44, 159, 280
- Japan, 16, 20–22, 24, 41, 56, 63, 65, 68, 132, 134, 140, 145, 148–149, 154, 160–163, 172, 183, 187, 217, 220, 287–288
Sanriku coast, 56, 130, 132, 160, 187, 251, 256, 275–277, 279–280, 285, 288, 292
- jetting, 74, 87
- kolks, 88–89
- Kimberley. *See* Australia, Western Australia
- Korea, 161–162
- lakes (lagoons and inland seas), 23–24, 34, 150, 154, 186, 189, 200–201, 223
- landslides, 13, 23–24, 83, 151, 179–216, 220
Agulhas slide, 180
Canary Islands, 184, 198
and generation of tsunami, 184–186, 190–191
Hawaii, 180, 184, 186, 193–196, 214, 229
mechanisms, 179–184, 188, 194
tsunami events, 3, 187–188
Bristol Channel (January 30, 1607), 205–213, 257
Grand Banks, Newfoundland (November 18, 1929), 7–9, 55, 59, 75, 180, 187, 189–192, 196, 198–199, 275, 290
Lituya Bay, Alaska (July 9, 1958), 41, 186–189, 229, 238
Papua New Guinea (July 17, 1998), 9–10, 55, 99, 154, 163–167, 275, 285, 292
Storegga, 54, 59, 183, 198–205, 229, 252

- landslides (*cont.*)
 Tokyo (September 2, 1923), 183, 187,
 submarine, 7–9, 75–76, 119, 130, 141,
 151, 159, 165–167, 183, 186, 189,
 192, 194–195, 213–216, 248, 254, 257
 290–291, 298
- legends, 10–12, 251–252, 273, 306
 Aborigine (Australia), 4–5, 251–252,
 258–259, 263, 264, 267
 Wandjina, 264–266
 Atlantis, 225
 French Polynesia, 106
 Maori (New Zealand), 233, 252, 254,
 257–258
Fires of Tamaatea, 257–258, 262
 native American, 5–6, 56, 251
- Manning's *n*, 45–47, 277
- marigrams, 27–29, 146–148
- Mediterranean Sea, 15, 63, 221, 225–229
- mega-tsunami, 3–4, 11–14, 53, 65–66, 83,
 93, 105, 180, 208, 246–247,
 250–254, 260–265, 267–269, 291,
 295–298
- Merian's Formula, 36
- meteorites, 232–235, 237–238, 241, 262
See also comets and asteroids
- meteorological (meteo-tsunami), 14, 24–25
- Mexico, 44, 154, 246–247, 249–250
- middens, 62, 121, 259, 262, 264
- Mohr–Coulomb equation, 181
- Mystic Fires of Tamaatea. *See* legends,
 Maori
- Maori myths. *See* legends, Maori
- Near Earth Objects (NEOs) and Asteroids
 (NEAs), 231, 233–234, 241
- New Zealand, 4, 22, 34, 53, 122, 145–146,
 223, 251, 254, 257–258, 262–263,
 286,
- North Sea, 199, 204, 252
- Norway, 186, 189, 198, 200, 205
- N-waves*. *See* waves, types of
- Oort belt, 231–232
- Pacific Ocean, 14, 16–22, 25, 41, 104–106,
 135–137, 143, 145–148, 152–154,
 158, 187, 214, 223, 229, 263, 280,
 282–283, 285, 290
- Pacific Tsunami Warning System. *See*
 warning systems
- Papua New Guinea, 18, 163–167, 220–221
- Philippines, 20, 136, 145, 217, 221, 285
- Portugal, 141–143, 191
- population of world, 274–276
- pressure
 atmospheric, 13, 164, 221, 223–224, 227
 on the sea bed, 183, 228–229
- pyroclastic flows, 61–62, 219–220,
 224–225
See also sedimentary deposits, dump
 deposits
- radiocarbon dating, 260–263, 267–269
- resonance, 36–37, 148, 149, 151–152, 162,
 279
- risk, 273–298
 from asteroids or comets, 294–295
 and tsunami, 273–276, 292–293
- rivers, 279
- run-up, 41–45
 distance inland, 45–46, 145, 148, 158, 160,
 163, 168, 172, 189, 200, 223–224,
 228, 243, 268–269, 277, 297
 heights, 41, 91, 121–122, 132–134,
 141–142, 144, 146–148, 151–154,
 157–158, 160–161, 168–172,
 186–187, 189, 191, 195–196, 200,
 218, 221, 223, 225, 229, 256–257,
 262, 279–280, 285, 296–297
- Russia, 161, 287
- Kamchatka Peninsula, 17–18, 55–56, 172,
 221, 287
- Scotland, 4, 54, 59, 141, 200, 202
- seamounts (guyots), 214
- seas. *See* lakes
- sediment transport, 54, 60–62, 249–251,
 228
 boulders, 68–73, 96–98, 277
- sedimentary deposits, 52–76, 95–96, 227,
 249–251
 boulders, 51, 59–60, 68–75, 96–97, 102,
 105, 109–112, 116,–117, 120, 195,
 210–213, 250, 255

- imbrication, 70, 75, 98, 103, 106, 108, 202, 208, 254–255, 296
- cheniers, 63–65, 101
- chevrons, 65–67, 118–119, 123, 254, 257
- dump deposits, 60–63, 94, 103–104, 106, 108, 112–114, 120–121, 123, 143, 162–163, 195, 198, 202, 259, 269, 296
- dunes, 107–108, 113–114, 256
- hoa, 104–106
- motu, 104–105
- mounds and ridges, 63–65, 94, 117–118, 123
- sand sheets (layers), 51, 53–57, 99, 108, 143–145, 153, 160, 162, 164, 177–178, 191, 200–202, 296
- shelf, 95, 248–250
- smear deposits, 67–68, 108–109
- seiching. *See* resonance
- seismic gaps, 134–135, 160
- seismic waves, 127–129, 141, 250, 287
- s-forms. *See* bedrock sculpturing
- Snell's Law, 32–33
 - See also* wave, refraction
- South America, 136–137, 154, 251
 - Chile, 16, 123, 143–149, 154, 287, 289
 - Peru, 43, 143
- South Korea, 161–162
- splash, 238, 240, 251–252
- Spain, 63, 142
- Sri Lanka, 168, 170, 172–175, 178, 223, 282
- Storegga slides. *See* landslides, submarine
- storm surge, 91, 112, 114, 183, 194, 202, 204, 267
- storms and storm waves, 58–60, 78, 94–97, 104–105, 110, 115–116, 118–119, 123, 200, 202, 204, 208, 255, 266
- Tahiti. *See* French Polynesia
- Tasman Sea, 252–254, 261, 298
- Thailand, 168, 172–175, 178, 281–282
- tsunami
 - backwash, 44, 54, 58, 60, 65, 78, 94–95, 100–102, 122, 141–142, 160, 163, 173, 177, 195–196, 198, 202, 228, 249–250, 292–293
 - causes, 3–4, 12–14, 123, 285
 - See also* specific causes
 - characteristics, 27–31, 43–45, 54–56, 60–62, 87, 135, 162–165, 185–186, 200, 277, 279, 292, 297
 - definition, 3, 279
 - events. *See* specific causes
 - records, 3, 16–20, 131, 156, 187–188, 218–221, 253–254, 256–257, 273–274
 - scenarios, 299–306
 - shape, 30–31, 183–184
 - signatures, 51–90, 96–98, 101, 106–123, 142, 164, 176–177, 191, 200–205, 210–213, 229, 249, 254–256, 259,
 - teleseismic, 33, 127, 130, 137, 282, 289–290
 - window, 28
- tsunami magnitude scales, 132–134
 - Abe (M_I), 133–134, 163
 - Imamura–Iida (m_{II}), 132–133
 - Soloviev (i_i), 133
- turbidity currents (and turbidites), 75–76, 179, 185, 187, 190, 197–199, 249–250
- uniformitarianism, 93
- United States, 24–25
 - Alaska, 27, 139, 149–152, 187, 215, 221, 287
 - California, 152–153, 216, 227, 251
 - East Coast, 275–276, 283, 290–291
 - Hawaii, 36–37, 42–43, 63, 137, 145, 147, 163, 184, 193–196, 263, 277, 285, 295
 - West Coast, 5–6, 56, 137, 146, 152–153, 171–172, 215, 276, 280, 287, 291, 295
- velocity
 - of landslides, 185–186, 190, 200
 - of comets and asteroids, 234, 236, 238, 240
 - of run-up, 47, 160, 162, 172, 189, 195, 210, 256
 - of rupture of faulty, 137
 - of tsunami waves, 28–29, 51, 145, 164, 168, 189, 191, 228–229, 286
 - at shore, 46–47, 70–71, 74, 78, 87, 89, 94, 97, 104, 110, 114, 144
 - of turbidity currents, 75
- volcanoes, 13, 17, 193–194, 196–197, 213–214, 217–229, 254

- volcanoes (*cont.*)
 and generation of tsunami, 217–221, 225, 250
 and Mercedes tristar shape, 193–194, 196–197, 214
 tsunami events, 218–221, 254, 256
 Krakatau (August 26–27, 1883), 6–7, 13, 20, 23–24, 34, 41, 168, 217, 220–225, 227, 239, 241, 254, 277, 306
 Mt. Pelée (May 7, 1902), 220–221
 Santorini (~1470 BC), 13, 218, 229, 256
 Tambora (1815), 6, 13, 220
 Unzen (May 21, 1792), 20, 218, 221
 Vesuvius (August 79), 219
- vortex, vortices, 81–82, 87–90, 103, 108
 helical, 88, 108, 115, 203
 multiple, 88–90
 tornadic, 88–90, 108
- warning, 148, 152–156, 168, 172, 174, 277, 281–283, 287–288, 290–291, 298
- warning systems, 280–290
 Dart buoys, 282–283
 flaws, 163, 168, 172–174, 285
 International Tsunami Warning System, 280–281, 283
 localized, 173, 280–281, 286–290
 Chile, 289–290
 Japan, 288–289
 West Coast/Alaska Tsunami Warning Center, 286–287
- TREMORS, 287–288
 THRUST, 289–290
 Pacific Tsunami Warning System, 143–144, 150–151, 163, 172, 280–281, 286
- wave(s)
 bores, 44
 freak, 25–26
 height
 open ocean, 28, 145, 168, 186, 199, 202, 227, 239–240, 243–248
 at shore, 28, 30, 46, 71–73, 144–146, 151–152, 154, 158, 161–162, 163, 168, 191, 195, 210, 222–224, 227–228, 243, 251, 254–256
 refraction, 32–34, 41–42, 145, 152, 159–161, 168, 228, 279
 theory, 30–35, 37–39
 linear, 31–32
 shallow-;water, long-wave, 37–39, 43, 140, 238, 243
 types of
 Mach–Stem, 41–42, 87
N-waves, 30, 34, 41, 184
 Stokes, 31, 34
- wave train, 1, 25, 29, 38–39, 44, 54, 98, 104, 114, 119, 143, 145, 148, 152–153, 159, 165, 184, 191, 196, 220, 227, 240, 249, 292