MICROFICHE REFERENCE LIBRARY

A project of Volunteers in Asia

Better Farming Series No. 3, The Plant: The Flower

Published by:

Food and Agriculture Organization of the United Nations
Via delle Terme di Caracalla
00100 Rome
Italy

Paper copies are \$ 1.50.

Available from:


UNIPUB
P.O. Box 433
Murray Hill Station
New York, NY 10157 USA

Reproduced by permission of the Food and Aggiculture Organization of the United Nations.

Reproduction of this microfiche document in any form is subject to the same restrictions as those of the original document.

the plant

the flower



FOOD AND AGRICULTURE ORGANIZATION OF THE UNITED NATIONS

BETTER FARMING SERIES

Twenty-six titles have been published in this series, designed as handbooks for a two-year intermediate level agricultural education and training course. They may be purchased as a set or as individual documents.

FIRST YEAR

- 1. The plant: the living plant; the root
- 2. The plant: the stem; the buds; the leaves
- 3. The plant: the flower
- 4. The soil: how the soil is made up
- 5. The soil: how to conserve the soil
- 6. The soil: how to improve the soil
- 7. Crop farming
- 8. Animal husbandry: feeding and care of animals
- 9. Animal husbandry: animal diseases; how animals reproduce

SECOND YEAR

- 10. The farm business survey
- 11. Cattle breeding
- 12. Sheep and goat breeding
- 13. Keeping chickens
- 14. Farming with animal power
- 15. Cereals
- 16. Roots and tubers
- 17. Groundnuts
- 18. Bananas
- 19. Market gardening
- 20. Upland rice
- 21. Wet paddy or swamp rice
- 22. Cocoa
- 23. Coffee
- 24. The oil palm
- 25. The rubber tree
- 26. The modern farm business

The plant

The flower

Published by arrangement with the Institut africain pour le développement économique et social B.P. 8008, Abidjan, Côte d'Ivoire

FOOD AND AGRICULTURE ORGANIZATION OF THE UNITED NATIONS

Rome 1976

First printing 1970 Second printing 1972 Revised edition 1976

ISBN 92-5-100142-1

©iFrench edition, Institut africain pour le développement économique et social (INADES) 1970

© English edition, FAO 1976

PREFACE

This manual is a translation and adaptation of "La plante — la fleur," published by the Agri-Service-Afrique of the Institut africain pour le développement économique et social (INADES), and forms part of a series of 26 booklets. Grateful acknowledgement is made to the publishers for making available this text, which it is hoped will find widespread use at the intermediate level of agricultural education and training in English-speaking countries.

The original texts were prepared for an African environment and this is naturally reflected in the English version. However, it is expected that many of the manuals of the series — a list of which will be found on the inside front cover — will also be of value for training in many other parts of the world. Adaptations can be made to the text where necessary owing to different climatic and ecological conditions.

Applications for permission to issue this manual in other languages are welcomed. Such applications should be addressed to: Director, Publications Division, Food and Agriculture Organization of the United Nations, Via delle Terme di Caracalla, 00100 Rome, Italy.

The author of this English version is Mr. A.J. Henderson, former Chief of the FAO Editorial Branch.



OUTLINE OF COURSE

•	Why we study the flower, fruit and seed	4
•	The flower	5
	Where is the flower?	5
	How flowers are made	6
	The stamens and ovaries	10
	The protective organs	12
	Summary	13
	What the flower does	14
	Fertilization	14
9	The fruit and the seed	16
	Mango	16
	Papaya	17
	Groundnut	18
	Rice	18
		19
	Summary	13
	Seeds and sowing	20
	How the seed grows	20
	Choice of seed	22
	Practical advice	24
	Storing grain and seed	27
	Storing grain and seed	21
•	Suggested question paper	29

PLAN OF WORK

FIRST WEEK

The flower.

Read pages 4 to 13.

- Take a good look at the flowers where you live.
- If the okra, hibiscus, cottòn and groundnuts are not in flower, look carefully at the drawings.
 Make sure you recognize

the male and female organs in the flowers.

In this course there are some new words.
 Learn them well.
 Then you will follow the rest of the course more easily.

SECOND WEEK

The reproductive organs. Fertilization.

Read pages 10 to 15.

- This means you will study once more pages 10 to 15 on the reproductive organs.
- Make an effort to understand these pages, to look carefully at the flowers and the drawings.
 It is very important to understand ferilization fully.
 If necessary, go over it again.

THIRD WEEK

The fruit. The seed. Germination.

Read pages 16 to 21.

- To help your memory, read again pages 10 to 15. They explain how fruits and seeds are formed.
- In learning how the germ grows, you will understand why it is necessary to sow seeds with great care.

FOURTH WEEK

Seeds and sowing: choosing, practical advice, storing.

Read pages 22 to 28.

What you learn this week will be useful in all your work.

- Read again with care the whole course (especially pages 10 to 15).
- Ariswer the question paper.
 Try to answer the questions without looking at the course.
 Then look at the course to see if you have given the right answers.

WHY WE STUDY THE FLOWER, FRUIT AND SEED

You want to understand what you are doing.

You don't want to work like a machine.

You sow seed in order to get a good harvest, but you want to understand how the flower produces the fruit, how the fruit produces the seed, how the seed produces the plant.

You want to know how the plant reproduces itself.

You want to understand

why you must choose good varieties, selected seed; why you must disinfect seed; how you can best store the harvest.

We must study the flower, the fruit and the seed in order to understand them better and to get good harvests.


THE FLOWER

Where is the flower?

The stem bears buds (see Booklet No. 2, page 12).

The buds produce leaves or flowers.

Often the flowers are between the stem and the leaf.



Flowers can also grow at the tip of the stem.

How flowers are made

All the plants you grow have flowers.

 The cotton flower is like the hibiscus flower.

There are flowers which are alike; they belong to the same family.

 The cotton flower is not like the maize flower.

> There are flowers which are different; they do not belong to the same family.


 The flowers of rice, maize, sorghum are pressed close together round an axis, a main stem.
 They make a spike.

The flowers of coffee and hibiscus are not pressed close together.

 There are flowers of all colours: reds, yellows, violets, greens, greys.

For instance, grass flowers are green.


Let us look at a hibiscus flower, or one of cotton, which has been cut in half with a razor blade.



Around the ovary and the stamens there are protective organs.

Let us look at a groundnut flower.

The stamens are male organs.





The **ovary** is the female organ.

Groundnut flower cut in half

Around the ovary and stamens there are protective organs.

They protect the stamens and the ovary.





THE STAMENS AND OVARIES

These are the most important parts of a flower.

Let us now look in more detail at each of these parts. This will help you to understand the rest of the course.

• The male organs.

Each stamen consists of a thread with a little bag at the end.
In this little bag there is a yellow powder.
This is polien.
If you touch the stamens of a flower, pollen sticks to your fingers.
Pollen is produced by the stamens.


Not all flowers have the same number of stamens.

The hibiscus flower has many stamens.

The groundnut flower has ten stamens.

At the top of the maize stem there are many flowers.

Each male flower of maize has three stamens.




The female organs.

With a razor blade we will cut in half an okra flower, or a cotton or hibiscus flower.

The ovary is full of little white grains.
These are the ovules.

The ovules will produce the seed.



From the ovary grows a long tube, called the **pistil**.

The pistil of a hibiscus flower carries five little red globes covered with moist hairs.

The pistil of a coffee flower has only one globe (see page 14).

The pistil of the female flowers of maize (see page 9) is highly developed.

On the female flowers of maize you can see many pistils (they look like hairs).

At the end of each pistil there is an ovary that produces a seed. If you cut off the pistils, there will be no seed.

THE PROTECTIVE ORGANS

Take a hibiscus flower. The male and female organs are protected by Petals five red petals. These petals go all round the flower. At the base Calyx of the petals is a little bowl made of five green leaves. This is called the calyx. Petal

Hibiscus flower seen from below

When the flower opens, the petals come out of the calyx.

The calyx and the petals protect the inside of the flower.

SUMMARY

A plant flower has always:

a male part — the **stamens**; a female part — the **ovary**; around these two parts — the **protective organs**.

Stamens and ovary can be in the same flower, for example, hibiscus, okra, cotton, pimento, tomato, tobacco.

Stamens and ovary can be in different flowers.

Then there are male flowers and female flowers, for example, in maize and oil palm.


Stamens and ovary can be in different flowers and on different plants.

In the papaya tree, the male flowers and the female flowers are not on the same tree.

There are male papaya trees and female papaya trees.

Only the female papaya trees bear fruit.

The male papaya trees cannot produce fruit, but sometimes papaya trees that have male flowers do produce fruit.




What the flower does

Flowers have male organs and female organs. The union of pollen and ovule produces a seed. The seed can produce a plant.

FERTILIZATION

• How does the union of pollen and ovule take place?

The stamens produce pollen.
The pollen is very light.
Wind or insects can carry it a long way.
The pistil hairs are moist.
Pollen sticks to them.
The pollen germinates in the pistil
as a seed germinates in moist earth.
The pollen penetrates inside the ovary
and into the ovule.
The ovule is fertilized.



Coffee flower cut in half

Fertilization is the union of pollen and ovule.

If the flower dries up before the pollen arrives, there is no fertilization.


When the pistil is dry, the pollen cannot germinate.

A very dry wind, for instance, can prevent fertilization and reduce the harvest.

After fertilization
the ovary and the ovules swell.
The ovary becomes the fruit.
The ovules become seeds.

If the ovary has only one ovule, the fruit will have only one seed, for instance, mango, avocado.

If the ovary has several ovules, the fruit will have several seeds, for instance, orange, papaya, bean, coffee.




THE FRUIT AND THE SEED

Plants are not all alike, Roots, stems, leaves, flowers are different. The fruits too are different.

The mango, cocoa pod, grains of maize, the avocado, papaya and cotton boll are all fruits.

But they are not alike.

MANGO




The fruit of the mango is covered with a hard skin.

The flesh is underneath this skin.
It comes from the ovary of the flower.
It is yellow, juicy, good to eat.
It covers the seed.

The seed is big and hard.
It comes from the ovule of the flower.
It contains a germ.

In the ground the germ can produce a mango tree.

PAPAYA



Papaya cut in half

The fruit of the papaya tree is covered with a very thin skin.

The flesh is underneath this skin.


It is yellow, juicy, good to eat.

It covers very many seeds.

Each seed contains a germ.

In the ground the germ can produce a papaya tree.

GROUNDNUT




The fruit of the groundnut is covered with a **shell**. This shell is yellow; it dries when taken out of the ground.

It covers one or more seeds.

Each seed contains a germ.

In the ground the germ can produce a groundnut plant.



Each grain of rice is a fruit.

The fruit of rice consists of two parts:
the seed and fine, dry husks.

Each grain contains a germ.

In the ground the germ can produce a rice plant.

SUMMARY

The flesh of the papaya and the mango, the shell of the groundnut and the husk of rice contain one or more seeds.

All fruits consist of a covering containing one or more seeds.

We eat or sow only the seeds and not the coverings of millet, groundnuts, cotton or rice.

Removing the coverings of millet or sorghum is called **threshing**.

Removing the covering of cotton is called ginning.

Removing the covering of groundnuts is called **shelling**.

Removing the covering of rice is called **husking**.

Threshing, ginning, shelling or husking can be done by hand in the traditional way or by machine.

For instance, there are ginning mills for cotton.

We shall have more to say on this in the courses on particular crops.


SEEDS AND SOWING

How the seed grows

- A seed consists of:
 - a protective covering which is more or less hard;
 - a store of food;
 - a germ.
- The germ is alive.

The germ takes its food from the store of food built up in the seed.

The leaves and roots cannot yet feed the plant; they are still in the seed.



The seed needs water.

The germ is a plant.
To grow it needs water.
The germ of a dry seed cannot grow.
When the soil is moist, water enters the seed.
Its skin becomes soft and splits. The germ grows.

Sowing must be done in moist soil.

But if there is too much water, seeds die. They rot.

• The seed needs air.

The germ is a plant. It breathes (see Booklet No. 2, page 23).

The seed must find air in the soil.

Before sowing, the soil must be worked so that air can get into the soil.

The soil must not be packed too hard over the seeds. If the soil is packed too hard, the germ will lack air and grow badly.


The seed must not be sown too deep.

If it is, it will lack air,
and its food reserves will soon be used up.
The plant will not be able
to come out of the ground.

However, the seed must be sufficiently covered.

Seed that is not sufficiently covered germinates badly.

And the birds may eat it.



If seeds are sown at the same depth,
the plants come out of the ground at the same time.
They will all be the same size,
and you can more easily choose the moment
to put down fertilizers, apply pesticides,
and harvest.

Choice of seed

• To get fine healthy plants and good harvests, you must sow good seed.

A child is like its parents.

An ailing, small plant

produces bad fruits and bad seed.

Bad seed produces bad harvests.

A modern farmer chooses good seed and gets good harvests.

Choosing good seed
does not take a lot of work,
does not take a lot of money.
It only needs care.

How to choose good seed.

To get a better harvest,
you must choose better seed,
better varieties.

What is a variety?

For example:

All maize plants are not alike.

The height of the plants,
the size of the heads of grain,
are different.

The grains are not all the same colour,
or the same shape;
the harvest is not always at the same time.

There are many varieties of maize.

Some varieties give a bigger harvest.

For instance, local cotton yields 150 to 200 kilogrammes per hectare.

Allen cotton can yield 1 000 kilogrammes per hectare.

The wild oil palm

yields about 20 kilogrammes of fruit clusters per year.

Selected oil palm

can yield 100 kilogrammes of fruit clusters per year.

Some varieties can be harvested earlier.

In northern Cameroon, gara sorghum grows in 110 to 130 days; shoukouloum sorghum grows in 160 to 170 days.

Some varieties yield a better product.

Cotton fibres may be long or short.

Allen cotton has fibres
that are longer than Mono cotton.

Some varieties are more resistant to diseases.

Some varieties of groundnuts (varieties 48-37 and 1.041) do not get the disease called rosette.

These varieties are said to be rosette-resistant.

In your home district, what varieties do the extension officers recommend for millet, sorghum, cotton, groundnuts, rice, tomafoes?

Practical advice

Buy your seed from the agricultural service.


Grow the best varieties. You will get good harvests.

To buy seed you need money.

So as not to waste money,
you must prepare your field well,
sow at the right time,
do the harvesting well.

You can produce your own seed.

Choose the finest fruits
from your finest cocoa trees,
from your best field of groundnuts.
Take the best grains of maize.
The plant's good qualities
will be passed on to the new plants.



Take the best grains from the middle of the maize cob

Sort out your seed.

Do not use seed that is too old. The germ is dead, the seed will not germinate.

Use whole, well shaped seeds.
Remove all bad seed,
all small, broken, diseased seed,
and seed eaten by insects.

Well sorted seeds will all germinate. You will get a good density (see Booklet No. 1, page 26).

Disinfect your seed.

Seed can be attacked by insects and diseases.


Protect seeds against insects and diseases.

Mix a pesticide with the seed.

You can buy it from the agricultural service.
The agricultural adviser
will tell you how much to use.

You must follow his advice.

 Make sure that the seeds and the pesticide are well mixed, that all the seeds are covered by the pesticide.



You must take great care. The pesticide is a poison.
 Wash well after handling it.
 Do not leave the pesticide near children.

Do not eat or give to animals any seed treated with pesticide.

Storing grain and seed

The farmer puts his harvest in granaries. In this way he keeps his grain and seed for the following year.


Not all granaries are alike.

They may be made of wood or clay or basketwork.

Granaries must not touch the ground.

Then the grain will keep dry.

Animals cannot knock over the granary and eat the grain.



Basketwork granary

Before putting grain in granaries:


• the grain must be well dried.

Grain that is not dry enough may rot. It will not be any good to eat or sow. It is very important to dry grain well.

• the granary must be well cleaned.

Two weeks before harvest, sweep and disinfect the granary. Kill insects with a pesticide.

Ask advice from the agricultural officer; some pesticides are poisonous.



SUGGESTED QUESTION PAPER

FILL IN THE MISSING WORDS

Theare the reproductive organs of the plant.
The flowers have male organs called
and a female organ, called
These reproductive organs are protected by the
and the
The union of from the stamens and of an
contained in the ovary, produce a
A seed consists of a and a and a
Like all living things, a seed needsandand
A farmer chooses the best seeds, the best
He removes the broken and eaten seeds, hethe seed.
To protect them from insects and diseases, he the seed.

ANSWER THE FOLLOWING QUESTIONS

What is the ovule?

What is pollen?

How is a fruit formed?

Why must seeds be sown at the same depth?

What does the germ need to grow?

How should seed be stored?

Explain to a friend why you use the best seed, the best varieties.

Explain how to choose seed.

Did the courses on the plant (Nos. 1, 2 and 3) interest you? What part did you find most useful?

FAO SALES AGENTS AND BOOKSELLERS AGENTS ET DÉPOSITAIRES DE LA FAO LIBRERIAS Y AGENTES DE VENTAS DE LA FAO

Argentina Australia

Austria Bangladesh

Belgique

Bolivia

Brazil

Brunei Canada Chile

China
Colombia
Costa Rica
Cuba
Cyprus
Denma.k
Ecuador

El Salvador

Egypt

España Finland France Germany, F. R. Ghana Grèce Guatemala

Haïti Honduras

Hong Kong Iceland India Indonesia Iran

Iraq Ireland Israel

Italie

Jamaica Japan Kenya Editorial Hemisferio Sur S.R.L., Libreria Agropecuaria, Pasteur 743, Buenos Aires. Hunter Publications, 58A Gipps Street, Collingwood, Vic. 30%; The Assistant Director, Sales and Distribution, Australian Government Publishing Service, P.O. Box 84, Canberra, A.C.T. 2600, and Australian Government Publications and Inquiry Centres in Canberra, Melbourne, Sydney, Perth. Adelaide and Hobart.

Gerold & Co., Buchhandlung und Verlag, Graben 31, 1011 Vienna.

Association of Voluntary Agencies in Bangladesh, 549F Road 14, Dhammandi, P.O. Box 5045, Dacca 5.

Service des publications de la FAO, M. J. De Lannoy, rue du Trône 112, 1050 Bruxelles. CCP 000-0808993-13.

Los Amigos del Libro, Perú 3712, Casilla 450, Cochabamba: Mercado 1315, La Paz; René Moreno 26, Santa Cruz: Junin esq. 6 de Octubre, Oruro.

Livraria Mestre Jou, Rua Guaipá 518. São Paulo 10; Rua Senador Dantas 19-S205/206, Rio de Janeiro.

MPH Distributors Sdn. Bhd., 71/7" Stamford Road, Singapore 6, Singapore

Information Canada, Ottawa Biblioteca, FAO Oficina Regional para América Latina, Av. Providencia 871, Casilla

Biblioteca, FAO Oficina Hegional para America Latina, Av. Providencia 871, Casilla 10095, Santiago.

China National Publications Import Corporation, P.O. Box 88, Peking.

Litexsa Colombiana Ltda., Carrera 15, N° 51-79, Apartado Aéreo 51340, Bogotá

Libreria, Imprenta y Litografía Lehmann S.A., Apartado 10011, San José.

Instituto del Libro, Calle 19 y 10, Nº 1002, Vedado.

MAM, P.O. Box 1722, Nicosia.

Ejnar Munksgaard, Norregade 6, Copenhagen S

Su Libreria Cia. Ltda., Garcia Moreno 1172. Apartado 2556. Quito.

Ai Ahram, El Galaa St., Cairo.

Libreria Cultural Salvadoreña S.A., Avenida Morazán 113, Apartado Postal 2296, San Salvador.

Libreria Mundi Prensa, Castelló 37, Madrio; Libreria Agricola, Fernando VI, 2, Madrid - 4. Akateeminen Kirjakauppa, 1 Keskuskatu, Helsinki.

Editions A. Pedone, 13 rue Soufflot, 75005 Paris.

Alexander Horn Internationale Buchhandlung, Spiegelgasse 9, Postfach 3340, Wiesbaden. Ghana Publishing Corporation, P.O. Box 3632, Accra.

"Eleftheroudakis", 4 Nikis Street, Athènes.

Distribuciones Culturales y Técnicas "Artemis", Quinta Avenida 12-11, Zona 1, Guatemala.

Max Bouchereau, Librairie "A la Caravelle", B.P. 111B, Port-au-Prince.

Editorial Nuevo Continente S. de R.L., Avenida Cervantes 1230-A, Apartado Postal 380, Tegucigalpa.

Swindon Book Co., 13-15 Lock Road, Kowloon.

Snaebjörn Jónsson and Co. h.f., Hafnarstraeti 9, P.O. Box 1131, Reykjavík.

Oxford Book and Stationery Co., Scindia House, New Delhi: 17 Park Street. Calcutta P.T. Gunung Agung, 6 Kwitang, Djakarta.

Iran Book Co. Ltd., 127 Nadershah Avenue, P.O. Box 14-1532, Tehran; Economist Tehran, 99 Sevom Esfand Avenue, Tehran (sub-agent).

National House for Publishing, Distributing and Advertising, Rashid Street, Baghdad.

The Controller, Stationery Office, Dublin.

Emanuel Brown, P.O. Box 4101, 35 Allenby Road and Nachlat Benyamin Street, Tel Aviv; 9 Shlomzion Hamalka Street, Jerusalem.

Distribution and Sales Section, Food and Agriculture Organization of the United Nations, Via delle Terme di Caracalla, 00100 Rome: Libreria Scientifica Dott. L. De Biasio "Aeiou", Via Meravigli 16, 20123 Milan; Libreria Commissionaria Sansoni "Licosa", Via Lamarmora 45, C.P. 552, 50121 Florence.

Teachers Book Centre Ltd., 96 Church Street, Kingston.

Maruzen Company Ltd., P.O. Box 5050, Tokyo Central 100-31.

The E.S.A. Bookshop, P.O. Box 30167, Nairobi

FAO SALES AGENTS AND BOOKSELLERS AGENTS ET DÉPOSITAIRES DE LA FAO LIBRERIAS Y AGENTES DE VENTAS DE LA FAO

Korea, Rep. of Liban Luxembourg

Malaysia Maroc Mauritius México Netherlands New Zealand

Nicaragua Nigeria Norway Pakistan Panamá

Perù Philippines Poland Portugal

Rep. Dominicana
Roumanie
Saudi Arabia
Singapure
Somalia
Sri Lanka
Suisse
Sweden
Tanzania
Thailand
Togo
Turkey
United Engdom

United States of America Uruguay Venezuela

Yugoslavia

Other countries

Autres pays

Otros paises

The Eul-Yoo Publishing Co. Ltd., 5 2-Ka, Chong-ro, Seoul.

Dar Al-Maaref Liban S.A.L., place Riad El-Solh, B.P. 2320, Beyrouth.

Service des publications de la FAO, M. J. De Lannoy, rue du Trône 112, 1050 Bruxelles (Belgique)

MPH Distributors Sdn. Bhd., 71/77 Stamford Road, Singapore 6, Singapore.

Librairie "Aux Belles Images", 281 avenue Mohammed V. Rabat.

Nalanda Company Limited, 30 Bourbon Street, Port-Louis.

Dilitsa, Puebla 182-D. Apartado 24-448, Médico 7, D.F.

N.V. Martinus Nijhoff, Lange Voorhout 9, The Hague.

Government Printing Office: Government Bookshops at Rutland Street, P.O. Box 5344, Auckland; Mulgrave Street, Frivate Bag, Wellington; 130 Oxford Terrace, P.O. Box 1721. Christchurch; Princes Street, P.O. Box 1104, Dunedin; Alma Street, P.O. Box 857, Hamilton.

Culturama, Camino de Oriente, Apartado 4741, Managua University Bookshop Nigeria Ltd., University of Ibadan.

Johan Grundt Tanum Bokhandel, Karl Johansgt. GT 41-43, Oslo 1.

Mirza Book Agency, 65 The Mall, Li-hore 3.

Distribuidora Lewis S.A., Edificio Dorasol, Calle 25 y Avenida Balboa, Apartado 1634.

Libreria Juan Mejia Baca, Azangaro 722, Lima.

The Modern Book Company, 928 Rizal Avenue, Manila.

Ars Polona-Ruch, Krakowskie Przedmiescie 7, Warsaw.

Livraria Bertra: $S \in R(L)$, Apartado 37, Amadora; Livraria Portugal, Dias y Andrade Ltda., Apart. $S \in 26 \times 10^{-2}$ a do Carmo 70-74, Lisbon - 2.

Fundación De la la Desarrollo, Casa de las Gárgolas, Mercedes 4, Santo Domingo.

Ilexim, Calea Gr. 1. 14.66, P.O. Box 2001, Bucharest.

"Samater's", 🦠 🦠 Mogadishu.

M.D. Gunase Ltd., 217 Norris Road, Colombo 11.

Librairie Payot S.A., Lausanne et Genève; Hans Raunhardt, Kirchgasse 17, Zurich 1.

C.E. Fritzes Kungl. Hovbokhandel, Fredsgatan 2, 103 27 Stockholm 16.

Dar es Salaam Bookshop, P.O. Box 9030, Dar es Salaam.

Suksapan Panit, Mansion 9, Rajadamnern Avenue, Bangkok,

Librairie du Bon Pasteur, B.P. 1164, Lomé.

Güven Kitabevi Müdafaa Cad., Güven Building 12/5, Ankara.

Her Majesty's Stationery Office, 49 High Holborn, London, W.C.1; P.O. Box 569, London, S.E.1 (trade and London area mail orders); 13a Castle Street, Edinburgh EH2 3AR; 109 St. Mary Street, Cardiff CF1 1JW; 7 Linenhall Street, Belfast BT2 8AY; Brazennose Street, Manchester M60 8AS; 258 Broad Street, Birmingham 1: Southey House, Wine Street, Bristol BS1 2BO.

UNIPUB, 650 First Avenue, P.O. Box 433, Murray Hill Station, New York, N.Y. 10016.

Juan Angel Peri, Alzaibar 1328, Casilla de Correos 1755, Montevideo.

Blume Distribuidora S.A., Calle 3, N° 508, Quinta Palmera Sola, Campo Alegre, Chacao, Caracas.

Jugoslovenska Knjiga, Terazije 27/11, Belgrade: Cankarjeva Zalozba, P.O. Box 201-IV, Ljubljana.

Requests from countries where sales agents have not yet been appointed may be sent to: Distribution and Sales Section, Food and Agriculture Organization of the United Nations, Via delle Terme di Caracalla, 00100 Rome, Italy.

Les commandes ou les demandes de renseignements émanant de pays pour lesquels des agents ou des dépositaires n'ont pas encore été désignés peuvent être adressées à: Section distribution et ventes, Organisation des Nations Unies pour l'alimentation et l'agriculture, Via delle Terme di Caracalla, 00100 Rome, Italie.

Los pedidos procedentes de países en donde aún no han sido designados agentes distribuidores, pueden hacerse directamente a la Sécción de Distribución y Venta, FAO, Via delle Terme di Caracalla, 00100 Roma, Italia.