

PfizerGate: Official Government Reports prove Hundreds of Thousands of People Are Dying Every Single Week Due to COVID-19 Vaccination

By [The Expose](#)

Global Research, September 17, 2022
[The Expose](#) 14 August 2022

Region: [Europe](#)

Theme: [Media Disinformation](#), [Science and Medicine](#)

All Global Research articles can be read in 51 languages by activating the “Translate Website” drop down menu on the top banner of our home page (Desktop version).

To receive Global Research’s Daily Newsletter (selected articles), [click here](#).

Follow us on [Instagram](#) and [Twitter](#) and subscribe to our [Telegram Channel](#). Feel free to repost and share widely Global Research articles.

First published on August 16, 2022

You were instructed to stay at home to protect the healthcare system. But while you did so, hospitals essentially had a holiday, and this is backed up by official data. You were told the answer to everyone’s prayers was to get the Covid-19 injection. But now that you have done so, the healthcare system is on the brink of collapse.

Waiting times for ambulances are at an all-time high. The number of emergency calls due to people suffering cardiac arrest is at an all-time high. The number of people dying is at an all-time high, with hundreds of thousands of excess deaths occurring around the world every single week.

And official Government reports prove without a shadow of a doubt that it is all thanks to the Covid-19 vaccines.

Exhibit A: The Healthcare System is overwhelmed

Ambulances in England are taking almost an hour to reach patients who have had a suspected stroke or heart attack, more than three times the 18-minute maximum wait, the [latest NHS data](#) shows. When people call 999 they can no longer be confident that they will get the emergency care they need.


Why?

The following chart is taken from the UK Health Security Agency’s ‘[Ambulance Syndromic Surveillance System – Week 30](#)’ bulletin, and it shows the daily number of 999 calls requesting an ambulance due to suffering cardiac arrest in England vs the expected rate

(black dotted line).

Cardiac or respiratory arrest

Figure 4: Daily number of cardiac or respiratory arrest ambulance service calls (and 7-day moving average adjusted for bank holidays), England (a) nationally, (b) by UKHSA Region. Please note there is minimal usage of this syndromic indicator by the East Midlands ambulance Trust.



[Source](#)

The daily number of calls has been way above average since at least August 2021.

The National Health Service (NHS) has also confirmed in response to a freedom of information request that ambulance call-outs relating to immediate care required for a debilitating condition affecting the heart nearly doubled in the whole of 2021 and are still on the rise further in 2022.

On the 25th April 2022, Duncan Husband sent [a Freedom of Information \(FOI\) request](#) to the West Midlands Ambulance Service University NHS Foundation Trust requesting to know the number of call-outs for patients with heart conditions per year, between 1st January 2017 and the present day.


The NHS responded on the 18th May with [a spreadsheet](#) containing the requested information.

The following chart visualised the data made available in the spreadsheet -

Number of Ambulance call-outs for conditions / illnesses relating to the Heart among people under the age of 30 by month & year

Source: NHS West Midlands Ambulance Service FOI Request

■ 2017
 ■ 2018
 ■ 2019
 ■ 2020
 ■ 2021
 ■ 2022




ambulance call-outs for high conditions have been higher overall since January 2021, and have been increasing month on month. It was not until April 2021 that we saw a significant increase among people under the age of 30 though, and it again has increased month on month since then.

The following chart shows the overall total call-outs by year for everyone and those aged 0 to 29 -

Number of Ambulance call-outs for conditions / illnesses relating to the Heart by year

Source: NHS West Midlands Ambulance Service FOI Request




The average number of annual call-outs between 2017 and 2020 equates to 24,463. Meaning the number of call-outs increased by 48% in 2021. The average number of annual call-outs among under 30's between 2017 and 2020 equates to 3,940. Meaning the number of call-outs increased by 82% in 2021.

The following chart shows the monthly average number of ambulance call-outs for conditions relating to the heart by year -

Monthly Average number of Ambulance call-outs for conditions / illnesses relating to the Heart by year

Source: NHS West Midlands Ambulance Service FOI Request



There was a significant increase in 2021 among all age groups, and unfortunately, things got even worse in the first few months of 2022.

The question is, why?

Exhibit B: Covid-19 Vaccination can damage the heart, that is a FACT

Let's look at the fact that it is now known without any doubt that Covid-19 vaccination can cause serious damage to the heart. Myocarditis and Pericarditis are just two of the handful of adverse events medicine regulators have been forced to admit can occur due to Covid-19 vaccination.

They claim it is rare, but they are lying. The fact their hand has been forced in admitting they can occur means they are much more common than the average person on the street would like to think.

A [quietly published study](#) conducted by the US Centers for Disease Control and Food and Drug Administration actually found that the [risk of myocarditis following mRNA COVID vaccination is around 133x greater than the background risk](#) in the population.

Myocarditis Cases Reported After mRNA-Based COVID-19 Vaccination in the US From December 2020 to August 2021

Matthew E. Oster, MD, MPH^{1,2,3}; David K. Shay, MD, MPH¹; John R. Su, MD, PhD, MPH¹; et al

Author Affiliations | Article Information

¹US Centers for Disease Control and Prevention, Atlanta, Georgia

²School of Medicine, Emory University, Atlanta, Georgia

³Children's Healthcare of Atlanta, Atlanta, Georgia

⁴Vanderbilt University Medical Center, Nashville, Tennessee

⁵Cincinnati Children's Hospital Medical Center, Cincinnati, Ohio

⁶Boston Medical Center, Boston, Massachusetts

⁷Duke University, Durham, North Carolina

⁸US Food and Drug Administration, Silver Spring, Maryland

JAMA. 2022;327(4):331-340. doi:10.1001/jama.2021.24110

[Source](#)

This means Covid vaccination increases the risk of suffering myocarditis by a shocking 13,200%.


Myocarditis is a condition that causes inflammation of the heart muscle and reduces the heart's ability to pump blood and can cause rapid or abnormal heart rhythms.

Eventually, myocarditis weakens the heart so that the rest of the body doesn't get enough blood. Clots can then form in the heart, leading to a stroke or heart attack. Other complications of the condition include sudden cardiac death.

There is no mild version of myocarditis, it is extremely serious due to the fact that the heart muscle is incapable of regenerating. Therefore, once the damage is done there is no rewinding the clock.

The following chart shows reports of myocarditis to the U.S. Centers for Disease Control's [Vaccine Adverse Event Reporting System](#) by year -

All Myo/Pericarditis Reported to VAERS by Year (all vaccines)



[Source](#)

Is there any wonder the number of ambulance call-outs in England relating to conditions affecting the heart is at an all-time high?


Exhibit C: Hundreds of thousands of Excess Deaths are being recorded every week

The Office for National Statistics (ONS) publishes weekly figures on deaths registered in England and Wales. The [most recent data](#) shows deaths up to 29th July 2022.

The following chart, created by the ONS, shows the number of deaths per week compared to the five-year average -

Figure 1: Total deaths from all causes were above the five-year average in Week 30

Number of deaths registered by week, England and Wales, 28 December 2019 to 29 July 2022



Source: Office for National Statistics – Deaths registered weekly in England and Wales

[Source](#)

As you can see from the above, from around May 2021 onwards, England and Wales recorded a huge amount of excess deaths that were not attributed to Covid-19 compared to the five-year average. It then appears that excess deaths dropped at the start of 2022.

But appearances can be deceiving, and the only reason they dropped is that the ONS decided to include the 2021 data in the 5-year-average. This makes it all the more concerning that excess deaths have been recorded every week since the end of April 2022 compared to the five-year average (2016 to 2019 + 2021).

The most recent week shows that there were 11,013 deaths in England and Wales, equating to 1,678 excess deaths against the five-year average. Only 810 of those deaths were attributed to Covid-19.

Table 1: Deaths registered in England and Wales, week ending 29 July 2022 (Week 30 2022)


Week 30 2022	England and Wales	England	Wales
Total deaths (all causes)	11,013	10,321	660
Excess deaths	1,678	1,602	72
Percentage change compared to 5-year average (2016 to 2019 and 2021)	18.0%	18.4%	12.2%
Deaths involving COVID-19	810	745	62

[Source](#)

Most of Europe is also recording a significant amount of excess deaths, as can be seen in the following [official chart compiled by Eurostat](#) showing excess mortality across Europe in May 2022 -

Monthly Excess Mortality in May 2022

(% difference versus average monthly deaths in 2016-2019)



The world is experiencing an extremely serious issue where tens to hundreds of thousands more people are dying than what is expected every single week.

But how can we prove these deaths are definitively due to Covid-19 vaccination? The answer lies in comparing the age-standardised mortality rates per 100,00 among the vaccinated and unvaccinated.

Exhibit D: Mortality Rates are lowest among the Unvaccinated in all age-groups

The following is indisputable evidence that the Covid-19 vaccines are deadly and killing people in the thousands.


The following charts show the monthly age-standardised mortality rates by vaccination status among each age group for Non-Covid-19 deaths in England between January and May 2022, the figures can be found in table 2 of a [recently published dataset](#) collated by the UK Government agency, the [Office for National Statistics](#) -

Monthly Age-Standardised Mortality Rates by Vaccination Status by Age Group for Non-Covid-19 Deaths in England

January to May 2022

Source: (UK Gov.) Office for National Statistics

■ Jan ■ Feb ■ March ■ April ■ May




[Source Data](#)

In every single month since the beginning of 2022, partly vaccinated and double vaccinated 18-39-year-olds have been more likely to die than unvaccinated 18 to 39-year-olds. Triple vaccinated 18 to 39-year-olds however have had a mortality rate that has worsened by the month following the mass Booster campaign that occurred in the UK in December 2021.

Monthly Age-Standardised Mortality Rates by Vaccination Status among 18 to 39-year-olds for Non-Covid-19 Deaths in England January to May 2022

Source: (UK Gov.) Office for National Statistics




We also see a similar pattern among every single other age group.

40-49

Monthly Age-Standardised Mortality Rates by Vaccination Status among 40 to 49-year-olds for Non-Covid-19 Deaths in England January to May 2022


Source: (UK Gov.) Office for National Statistics



50-59

Monthly Age-Standardised Mortality Rates by Vaccination Status among 50 to 59-year-olds for Non-Covid-19 Deaths in England January to May 2022


Source: (UK Gov.) Office for National Statistics



60-69

Monthly Age-Standardised Mortality Rates by Vaccination Status among 60 to 69-year-olds for Non-Covid-19 Deaths in England January to May 2022


Source: (UK Gov.) Office for National Statistics



70-79

Monthly Age-Standardised Mortality Rates by Vaccination Status among 70 to 79-year-olds for Non-Covid-19 Deaths in England January to May 2022


Source: (UK Gov.) Office for National Statistics



80-89

Monthly Age-Standardised Mortality Rates by Vaccination Status among 80 to 89-year-olds for Non-Covid-19 Deaths in England January to May 2022


Source: (UK Gov.) Office for National Statistics



90+

Monthly Age-Standardised Mortality Rates by Vaccination Status among 90+ year-olds for Non-Covid-19 Deaths in England January to May 2022

Source: (UK Gov.) Office for National Statistics



These are age-standardised figures. There is no other conclusion that can be found for the fact mortality rates per 100,000 are the lowest among the unvaccinated other than that the Covid-19 injections are killing people.

But just in case that isn't enough to finally open your eyes to this devastating fact, here's several more pieces of indisputable evidence to back up this fact.

Exhibit E: 1 in every 246 Vaccinated People died within 60 Days of Covid-19 Vaccination


The UK Government has revealed that 1 in every 246 people vaccinated against Covid-19 in England has died within 60 days of receiving a dose of the Covid-19 vaccine.

Table 9 of the ONS ['Deaths by vaccination status, England' dataset](#) contains figures on 'Whole period counts of all registered deaths grouped by how many weeks after vaccination the deaths occurred; for deaths involving COVID-19 and deaths not involving COVID-19, deaths occurring between 1 January 2021 and 31 May 2022, England'.

Here's a chart showing the number of deaths within 60 days of Covid-19 vaccination in England between 1st Jan 2021 and 31st March 2022, according to the [Office for National Statistics dataset](#) -

Number of Deaths within 60 Days of Covid-19 Vaccination in England by Age Group *January 2021 to May 2022*

Source: (UK Gov.) Office for National Statistics



Between 1st Jan 21 and 31st May 2022, a total of 14,103 people died with Covid-19 within 60 days of vaccination, and a total of 166,556 people died of any other cause within 60 days of vaccination.

This means that in all, 180,659 people died within 60 days of Covid-19 vaccination between January 2021 and May 2022 in England.

The following table is taken from page 65 of the UK Health Security Agency's week 27 '[Weekly national Influenza and COVID-19 surveillance report](#)', and shows vaccine uptake in England by age -

Table 5: Provisional cumulative COVID-19 vaccine uptake by age in England

NATIONAL	People in NIMS cohort	Vaccinated with at least 1 dose		Vaccinated with at least 2 doses		Vaccinated with at least 3 doses	
		Number vaccinated	% vaccine uptake	Number vaccinated	% vaccine uptake	Number vaccinated	% vaccine uptake
Over 80	2,946,025	2,818,037	95.7	2,800,942	95.1	2,728,187	92.6
75 to under 80	2,355,428	2,256,247	95.8	2,241,256	95.2	2,187,139	92.9
70 to under 75	2,764,825	2,606,724	94.3	2,584,219	93.5	2,496,589	90.3
65 to under 70	2,993,111	2,762,902	92.3	2,731,202	91.2	2,587,759	86.5
60 to under 65	3,628,509	3,291,737	90.7	3,245,874	89.5	2,986,114	82.3
55 to under 60	4,175,254	3,717,033	89.0	3,655,114	87.5	3,277,175	78.5
50 to under 55	4,247,550	3,676,016	86.5	3,599,983	84.8	3,123,017	73.5
45 to under 50	3,956,509	3,240,827	81.9	3,151,206	79.6	2,578,890	65.2
40 to under 45	4,349,072	3,351,970	77.1	3,229,066	74.2	2,485,578	57.2
35 to under 40	4,690,263	3,405,003	72.6	3,243,542	69.2	2,318,112	49.4
30 to under 35	4,895,523	3,410,544	69.7	3,204,714	65.5	2,134,792	43.6
25 to under 30	4,563,841	3,116,966	68.3	2,889,515	63.3	1,808,902	39.6
20 to under 25	3,917,777	2,826,821	72.2	2,561,019	65.4	1,533,070	39.1
18 to under 20	1,390,072	1,017,688	73.2	896,158	64.5	471,217	33.9
16 to under 18	1,393,464	909,897	65.3	698,342	50.1	186,650	13.4
12 to under 16	2,944,954	1,562,882	53.1	1,042,424	35.4	18,355	0.6
5 to under 12	5,084,722	484,810	9.5	24,762	0.5	41	0.0
Total*	63,391,306	44,480,115	70.2	41,852,943	66.0	32,966,513	52.0

[Source](#)

According to the UKHA, 44.48 million people have had a single dose, 41.8 million people have had two doses, and 32.9 million people have had three doses as of July 3rd 2022.

Therefore, using simple maths, we find that 1 in every 246 vaccinated people has died within 60 days of Covid-19 Vaccination in England.

44,480,115 (People vaccinated) / 180,659 (deaths) = 246 = 1 death for every 246 people vaccinated

Exhibit F: COVID-19 Vaccines are at least a shocking 7,402% deadlier than all other Vaccines combined

The UK Medicine Regulator has confirmed that over a period of nineteen months the Covid-19 Vaccines have caused at least 5.5x as many deaths as all other available vaccines combined in the past 21 years. This means, that when compared side by side, the Covid-19 injections are a shocking 7,402% more deadly than every other vaccine available in the UK.

The Medicine and Healthcare product Regulatory Agency (MHRA) confirmed in [response to a Freedom of Information request](#) (FOI) that had received a grand total of 404 reported adverse reactions to all available vaccines (excluding the Covid-19 injections) associated with a fatal outcome between the 1st January 2001 and the 25th August 2021 - a time frame of 20 years and 8 months.


The MHRA has received a total of 404 UK spontaneous suspected ADR reports for any vaccine between 01/01/2001 – 25/08/2021 associated with a fatal outcome. Please note this number excludes reports received for the COVID-19 vaccines as further information is provided on these vaccines in the weekly summary of Yellow Card reporting which can be found via the link referenced above.

[Source](#)

The MHRA also confirmed, separately, in their [weekly Yellow Card report summary](#) that they had received a grand total of 2,213 adverse reactions to the Covid-19 injections associated with a fatal outcome between January 2021 and July 2022, a period of 19 months -


Number of Deaths reported as Adverse Reactions to each available COVID-19 Vaccine in the UK Jan 2021 to July 2022 (19 Months)

Source: UK Medicine and Health Care product Regulatory Agency (MHRA) Yellow Card Report



[Source Data](#)

Meaning, there have officially been 5.5x as many deaths in just 19 months due to the Covid-19 vaccines than there have been due to every other available vaccine combined since the year 2001.



Twenty years and 8 months is a period that is 13.7 x longer than the nineteen-month period where the Covid-19 vaccines have been rolled out.

Therefore, the number of deaths reported to all other vaccines combined in the same time frame of nineteen months equates to 29.5 deaths.

This means the Covid-19 injections are proving to be a shocking 7,402% more deadly than every other vaccine available in the UK.

Reported Deaths due to Covid-19 Vaccination from Jan 21 to July 22 (19 Months)

vs

Average Number of Deaths due to all other Vaccines Combined over a 19 Month Period

Source: UK Medicine and Health Care product Regulatory Agency (MHRA) Yellow Card Report




Exhibit G: Athlete Deaths are 1700% higher than expected since the COVID Vaccine roll-out

The number of athletes who have died since the beginning of 2021 has risen exponentially compared to the yearly number of deaths of athletes officially recorded between 1966 and 2004.


So much so that the monthly average number of deaths between January 2021 and April 2022 is 1,700% higher than the monthly average between 1966 and 2004, and the current trend for 2022 so far shows this could increase to 4,120% if the increased number of deaths continues, with the number of deaths in March 2022 alone 3 times higher than the previous annual average.

According to a [scientific study](#) conducted by the 'Division of Pediatric Cardiology, University Hospital of Lausanne, Lausanne, Switzerland which was published in 2006, between the years 1966 and 2004 there were 1,101 sudden deaths among athletes under the age of 35.

Now, thanks to the [GoodSciencing.com](#) team, we have a comprehensive list of athletes who have collapsed and/or died since January 2021, a month after the first Covid-19 injection was administered to the general public.


Because it is such a long list we are not including it in this article so that full list can be accessed in full [here](#).

The following chart shows the number of recorded athlete collapses and deaths between January 2021 and April 2022, courtesy of the linked list above -



As you can see there has undoubtedly been a rise from January 2021 onwards, the question is whether this was ordinary and to be expected.

In all between Jan 21 and April 22 a total number of 673 athletes are known to have died. This number could, however, be much higher. So that's 428 less than the number to have died between 1966 and 2004. The difference here though is that the 1,101 deaths occurred over 39 years, whereas 673 recent deaths have occurred over 16 months.



The yearly average number of deaths between 1966 and 2004 equates to 28. January 2022 saw 3 times as many athlete deaths as this previous annual average, as did March 2022. So this is obviously highly indicative of a problem.

The 2021 total equates to 394 deaths, 14x higher than the 1966 to 2004 annual average. The Jan to April 2022 total, a period of 4 months, equates to 279 deaths, 9.96x higher than the annual average between 1966 and 2004.

However, if we divide the 66 to 04 annual average by 3 to make it equivalent to the 4 months' worth of deaths so far in 2022, we get 9.3 deaths. So in effect, 2022 so far has seen deaths 10x higher than the expected rate.


The following chart shows the monthly average number of recorded athlete deaths -

The yearly average number of deaths between 1966 and 2004 equates to 28. January 2022 saw 3 times as many athlete deaths as this previous annual average, as did March 2022. So this is obviously highly indicative of a problem.

The 2021 total equates to 394 deaths, 14x higher than the 1966 to 2004 annual average. The Jan to April 2022 total, a period of 4 months, equates to 279 deaths, 9.96x higher than the annual average between 1966 and 2004.

However, if we divide the 66 to 04 annual average by 3 to make it equivalent to the 4 months' worth of deaths so far in 2022, we get 9.3 deaths. So in effect, 2022 so far has seen deaths 10x higher than the expected rate.

The following chart shows the monthly average number of recorded athlete deaths -



So between 1966 and 2004, the monthly average number of deaths equates to 2.35. But between January 2021 and April 2022, the monthly average equates to 42. This is an increase of 1,696%.

Closing Arguments: The data doesn't lie

There is plenty more evidence out there to prove that the Covid-19 injections are killing hundreds of thousands of people every single week. For instance, the UK Government has confirmed fully vaccinated young adults are 92% more likely to die than unvaccinated young adults (see [here](#)).

They've also confirmed COVID vaccinated children are at least 4423% more likely to die of any cause & 13,633% more likely to die of COVID-19 than unvaccinated children (see [here](#)).

But the most damning evidence of all lies in 4 simple facts.

Fact No.1: Medicine Regulators have been forced to admit the Covid-19 vaccine can damage the heart.

Fact No.2: Record-breaking numbers of people are requesting an ambulance due to conditions affecting the heart.

Fact No.3: Hundreds of thousands of excess deaths are being recorded around the world on a weekly basis, but only a small minority can be attributed to Covid-19.

Fact No.4: Age-standardised mortality rates are lowest among the unvaccinated population in every single age group.

These are not baseless claims. They are official Government statistics and they are found in official Government reports.

Therefore, official Government reports prove without a shadow of a doubt that hundreds of thousands of people are dying every single week due to Covid-19 vaccination.

*

Note to readers: Please click the share buttons above or below. Follow us on Instagram and Twitter and subscribe to our Telegram Channel. Feel free to repost and share widely Global Research articles.

Featured image is from The Expose

The original source of this article is [The Expose](#)
Copyright © [The Expose](#), [The Expose](#), 2022

[**Comment on Global Research Articles on our Facebook page**](#)

[**Become a Member of Global Research**](#)

Articles by: [The Expose](#)

Disclaimer: The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: publications@globalresearch.ca
www.globalresearch.ca contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: publications@globalresearch.ca