
AUTHOR INDEX

VOLUMES 17–49

1981–2013

This index lists, alphabetically by surname, all authors of feature articles, Notes and New Techniques, Rapid Communications, and editorials that appeared in the 1981 through 2013 issues of *Gems & Gemology*, together with the full title of the article, the specific issue (“Sp” for Spring, “Su” for Summer, “F” for Fall, and “W” for Winter, followed by two digits for the year), and the inclusive page numbers. Full citation is given under the first author only; co-authors are listed separately and cross-referenced to first authors. Also included are presenters whose abstracts were published in the Fall 1999 (F99), Fall 2006 (F06), and Summer 2011 (Su11) issues, the proceedings of the Third, Fourth, and Fifth International Gemological Symposium, respectively.

A

- Abbaschian R., see Shigley J.E.
Abduriyim A.:
Applications of LA-ICP-MS (laser ablation–inductively coupled plasma–mass spectrometry) to the gemological field, F06:87-88
Geographic origin determination of colored gemstones, Su11:114-116
Abduriyim A., Kimura H., Yokoyama Y., Nakazono H., Wakatsuki M., Shimizu T., Tansho M., Ohki S.: Characterization of “green amber” with infrared and nuclear magnetic resonance spectroscopy, F09:158-177
Abduriyim A., Kitawaki H.:
Applications of laser ablation–inductively coupled plasma–mass spectrometry (LA-ICP-MS) to gemology, Su06:98-118
Abduriyim A., Kitawaki H., Furuya M., Schwarz D.: Paraiba-type copper-bearing tourmaline from Brazil, Nigeria, and Mozambique: Chemical fingerprinting by LA-ICP-MS, Sp06:4-21
Abduriyim A., McClure S.F., Rossman G.R., Leelawatanasuk T., Hughes R.W., Laurs B.M., Lu R., Isatelle F., Scarratt K., Dubinsky E.V., Douthit T.R., Emmett J.L.: Research on gem feldspar from the Shigatse region of Tibet, Su11:167-180
Abduriyim A., see also Choi H.-M., Kim Y., Kitawaki H.
Abraham J.S.D.: Heat treating corundum: The Bangkok operation, Su82:79-82
Achard J., see Wang W.
Adamo I., Bocchio R.: Nephrite jade from Val Malenco, Italy: Review and update, Su13: 98-106
Adamo I., Bocchio R., Diella V., Pavese A., Vignola P., Prosperi L., Palanza V.: Demantoid from Val Malenco, Italy: Review and update, W09:280-287
Adamo I., Bocchio R., Pavese A., Prosperi L.: Characterization of peridot from Sardinia, Italy, Su09:130-133
Adamo I., Diella V., Pezzotta F.: Tsavorite and other grossulars from Itrafo, Madagascar, F12:178-187
Adamo I., Pavese A., Prosperi L., Diella V., Ajò D., Gatta G.D., Smith C.P.: Aquamarine, Maxixite-type beryl, and hydrothermal synthetic blue beryl: Analysis and identification, F08:214-226
Adamo I., Pavese A., Prosperi L., Diella V., Merlini M., Gemmi M., Ajò D.: Characterization of the new Malossi hydrothermal synthetic emerald, W05:328-338
Adamo I., see also Bocchio R., Pezzotta F., and Simoni M.
Ahn Y.-K., Seo J.-G., Park J.-W.: Spectral correlation of manganese and iron in tourmalines from Madagascar, Su11:143-144
Ahn Y.-K., see also Kwon S.-R. and Seo J.G.
Ai H., see Chen T.
Ajò D., see Adamo I.
Akamatsu S.: The present and future of Akoya cultured pearls, F99:73-74
Akamatsu S., Zansheng L.T., Moses T.M., Scarratt K.: The current status of Chinese freshwater cultured pearls, Su01:96-113
Akamatsu S., see also Scarratt K.
Albright M.K.: Opportunities and danger: The world in 2006, F06:2-6
Amorim H.S., see Schnellrath J.
Anckar B.: Amethyst mining in Zambia, F06:112-113
Anckar B., see also Hainschwang T., Laurs B.M., and Zwaan J.C.
Anderson A.L.:
Curves and optics in nontraditional gemstone cutting, W91:234-239
Leigha: The creation of a three-dimensional intarsia sculpture, Sp98:24-33
Andouche A., see Karampelas S.
Andres Y., see Fritsch E.
Anthonis A.: Optical characterization of CVD synthetic diamond plates grown at LIMHP-CNRS, France, F06:152-153
Anthonis A., see also Crepin N.
Anwar J., see Bowersox G.W.
Appel P.W.U., Jensen A.: A new gem material from Greenland: Iridescent orthoamphibole, Sp87:36-42
Arizmendi E., see Kiefert L.
Armbruster T., see Hainschwang T. and Laurs B.M.
Ashbaugh III C.E.:
Gamma-ray spectroscopy to measure radioactivity in gemstones, Su92:104-111
Gemstone irradiation and radioactivity, W88:196-213
Ashbaugh III C.E., Shigley J.E.:
Reactor-irradiated green topaz, Su93:116-121
Atichat W.: Ruby-sapphire quality grading for the gem trade, F06:128

- Atichat W., Chandayot P., Saejoo S., Leelawatanasook T., Sriprasert B., Pisutha-Arnond V., Wathanakul P., Sutthirat C.: "Pigeon's blood" ruby and "royal blue" sapphire: Color standards for the gem trade, Su11:157-158
- Atichat W., see also Huong L.T.-T., Wathanakul P.
- Atkinson D., Kothavala R.Z.: Kashmir sapphire, Su83:64-76
- Attaway N.L., see Sucher S.D.
- Attaway S.W., see Sucher S.D.
- Attawi A., see Scarratt K.
- Ayalew D., see Rondeau B.
- Azrielant O.: Online vs. offline: Are they really in opposite corners of the ring? F06:56-57
- B**
- Baker D.M.: Revolution in diamond cutting: Laser sawing of diamond crystals, F81:150-152
- Balinskas S., see Magaña Q.
- Balitskaya L.V., see Balitsky V.S.
- Balitskaya O.V., see Balitsky V.S.
- Balitsky D.V., see Balitsky V.S.
- Balitsky V.S.: Synthesis and enhancement of gems in Russia in the second half of the 1990s, F99:173
- Balitsky V.S., Balitsky D.V., Bondarenko G.V., Balitskaya O.V.: The 3543 cm^{-1} infrared absorption band in natural and synthetic amethyst and its value in identification, Su04:146-161
- Balitsky V.S., Bublikova T.M., Sorokina S.L., Balitskaya L.V., Shteinberg A.S.: Man-made jewelry malachite F87:152-157
- Balitsky V.S., Lu T., Rossman G.R., Makhina I.B., Mar'in A.A., Shigley J.E., Elen S., Dorogovin B.A.: Russian synthetic ametrine, Su99:122-134
- Balitsky V.S., Makhina I.B., Prygov V.I., Mar'in A.A., Emel'chenko A.G., Fritsch E., McClure S.F., Lu T., DeGhionno D., Koivula J.I., Shigley J.E.: Russian synthetic pink quartz, Sp98:34-43
- Bank H., see Lind Th. and Schmetzer K.
- Barbosa H.D.: Copper tourmaline from Paraíba, Brazil: Reopening of the mine, regional exploration, F99:138
- Bariand P., see Wyart J.
- Barjon J., see Willems B.
- Barot N.R., Boehm E.W.: Gem-quality green zoisite, Sp92:4-15
- Bassett A.M., see Dirlam D.M. and Smith C.P.
- Bassett W.A., see Shen A.H.
- Beaton D.: Color quantification: A spectrographic imaging approach, F06:93-94
- Beaton D., see also Kondo D., Laurs B.M., and Scarratt K.
- Beattie R.A., Blackman K.N., Levonis H.: Australian opal nomenclature and assessment, Su11:116
- Beavers B., Shepherd J.: Chinese freshwater cultured pearls with exotic metallic colors, Su11:144
- Becker G., see Sinkankas J.
- Bedini A., Ehrman S., Cesaro S.N., Pasini M., Rapinesi I.A., Sali D.: The Vallerano diamond from ancient Rome: A scientific study, Sp12:39-41
- Befi R.: Coated topaz, F06:128-129
- Befi R., see also Laurs B.M.
- Beili Z., see Schmetzer K.
- Bekele E., see Rondeau B.
- Bell K.C.: Natural pearl formation as seen through macro photography, F06:169-170
- Benzel W., see Morton D.
- Berg L.M.: The power of branding and brand-partnering at retail, F06:45
- Berg R.B.: The importance of surface features and adhering material in deciphering the geologic history of alluvial sapphires—an example from western Montana, F06:145
- Berger B., see Morton D.
- Bernardes de Oliveira M., see Shigley J.E.
- Bernhardt H.-J., see Hänni H.A., Peretti A., and Schmetzer K.
- Bernhardt U.K.: Engraved gems: 6000 BC–2000 AD, F99:169
- Bersani D., see Karamelas S.
- Bertel E., see Gabasch H.
- Beyssac O., see Danet F.
- Bhandari R., Choudhary G.: Update on Mexi fire synthetic fire opal, W10:287-290
- Bhandari R., see also Choudhary G.
- Bidny A.S.: New data for distinguishing between hydrothermal synthetic, flux synthetic, and natural corundum, F06:153-154
- Bidwell D., DelRe N., Widemann A., Epelboym M.: Natural non-nacreous pearls from the giant clam *Tridacna gigas*, Su11:144-145
- Biehler R., see Schmetzer K.
- Blackman K.N., see Beattie R.A.
- Blodgett T., Gilbertson A., Geurts R., Goedert B.: Length-to-width ratios among fancy shape diamonds, Su11:129
- Blodgett T., Shen A.: Application of discriminant analysis in gemology: Country-of-origin separation in colored stones and distinguishing HPHT-treated diamonds, Su11:145
- Blodgett T., see also Geurts R.H., Moses T.M.
- Bocchio R., Adamo I., Caucia F.: Aquamarine from the Masino-Bregaglia Massif, Central Alps, Italy, F09:204-207
- Bocchio R., see also Adamo I.
- Bodeur Y., see Rondeau B.
- Boehm E.W.: ICA colored gemstone worldwide mining report, F06:157
- Portable instruments and tips on practical gemology in the field, Sp02:14-27
- Untreated and underappreciated gems, F06:28
- Boehm E.W., see also Barot N.R., Johnson M.L., Kane R.E., Koivula J.I., and Shigley J.E.
- van der Bogert C.H., Smith C.P., Hainschwang T., McClure S.F.: Gray-to-blue-to-violet hydrogen-rich diamonds from the Argyle mine, Australia, Sp09:20-37
- Bondanza M.: Technical innovations, F06:42
- Bondarenko G.V., see Balitsky V.S.
- Bordelon O., see Emmett J.L.
- Bosshart G.: Cobalt glass as a lapis lazuli imitation, W83:228-231
- Rare reverse color change in a blue zircon from Myanmar (Burma), F06:94-95
- Bosshart G., see also Hughes R.W., Schmetzer K., Shigley J.E., and Smith C.P.
- Botha M.: Three-dimensional solid modeling in applied diamond crystallography, F06:129
- Boulliard J.-C., see Danet F.
- Bourgoin V., see Danet F.
- Bowersox G.W.: Central Asia: A prime source of gemstones for the 21st century, F99:140
- A status report on gemstones from Afghanistan, W85:192-204
- Bowersox G.W., Anwar J.: The Gujjar Killi emerald deposit, Northwest Frontier Province, Pakistan, Sp89:16-24
- Bowersox G.W., Foord E.E., Laurs B.M., Shigley J.E., Smith C.P.: Ruby and sapphire from Jegdalek, Afghanistan, Su00:110-126
- Bowersox G.W., Snee L.W., Foord E.E., Seal II R.R.: Emeralds of the Panjshir Valley, Afghanistan, Sp91:26-39
- Boyajian W.E.: Breakthrough technology, Sp00:1
- Demystifying diamond cut, F98:157

- Disclose or be disclosed, Su03:83
An economic review of the past decade in diamonds, F88:134-153
- G. Robert Crowningshield: A giant among gemologists, F03:181
In honor of Robert C. Kammerling, W96:231
- The impact of fluorescence in diamonds: A different research perspective, W97:243
- The International Gemological Symposium: Facing the future with GIA, Sp91:1
- Meeting the millennium in the gem and jewelry trade, F99:8-13
- New diamond treatments: What do they mean for the gemological laboratory? F00:189
- Our future: Forthright or fractured? F94:141
- A retrospective of the '90s: The challenge of change, W00:291
- Richard T. Liddicoat: Celebrating 50 years of leadership, Sp02:1
- Shedding light on "fire," F01:173
- Shifting tides in the diamond industry, F05:201
- Symposium 1999: Meeting the millennium, F97:165
- Tomorrow's challenge: CVD synthetic diamonds, W03:267
- Unlocking the secrets of the fourth C, F04:197-198
- Boyajian W.E., see also Liddicoat R.T.
- Bracher M., see Scarratt K.
- Bracher P., see Scarratt K.
- Brand A.A.: Emerald mineralization in northwestern Ontario, Canada, F06:113
- Brandstätter F., Niedermayr G.: Inclusions of native copper and tenorite in cuprian-elbaite tourmaline from Paraíba, Brazil, F94:178-183
- Braunwart E.: Branding techniques and the fashion industry, F06:31
- Breeding C.M.:
High-energy ultraviolet luminescence imaging: Applications of the DTC DiamondView for gem identification, F06:88
Hydrogen-rich diamonds from Zimbabwe with natural radiation features, Su11:129-130
- Breeding C.M., Shen A.H., Eaton-Magaña S., Rossman G.R., Shigley J.E., Gilbertson A.: Developments in gemstone analysis techniques and instrumentation during the 2000s, F10:241-257
- Breeding C.M., Shigley J.E.: The "type" classification system of diamonds and its importance in gemology, Su09:96-111
- Breeding C.M., see also Chadwick K.M., Du Toit G., Eaton-Magaña S., Laurs B.M., Luo Y., Merkel P.B., Shigley J.E., Skalwold E.A., Titkov S.V., and Wang W.
- Brennan W., see Epstein D.S.
- Brown G.: Treated Andamooka matrix opal, Su91:100-107
- de Brum T.M.M., see Juchem P.L., Schnellrath J.
- Bublikova T.M., see Balitsky V.S.
- Buckley J.: Giving back wisely: Philanthropy as an investment for retail jewelers, F06:166
- Buckley S., see McManus C.
- Buerki P.R., see Reinitz I.M.
- Burford M., see Schmetzer K.
- Burianek M.: The gemstones of the Shrine of the Three Magi (ca. 1200 AD) in Cologne Cathedral, Germany, F06:121
- Butler J.E.: Growth of CVD synthetic diamond, F06:111-112
- Butler J.E., see also Eaton-Magaña S., Gaillou E., and Wang W.
- Buyko A.K., see Zaitsev A.N.
- ### C
- Cade A.:
Characterization of sapphires from Yogo, Montana, F06:129-130
Garnet inclusions in Yogo sapphires, F06:106
- Cairncross B., Campbell I.C., Huizenga J.M.: Topaz, aquamarine, and other beryls from Klein Spitzkoppe, Namibia, Su98:114-125
- Calderon G.P., see Jennings R.H.
- Calnon J.: Perspective of an electronic retailer, F99:109-110
- Campbell I.C., see Cairncross B.
- Cann B.L., see Khan R.U.A.
- Canut de Bon C., see Coenraads R.R.
- Cariño M., Monteforte M.: History of pearling in La Paz Bay, South Baja California, Su95:88-105
- Carmona C.I.:
Estimating weights of mounted colored gemstones, F98:202-211
Products of endangered species used in jewelry, F06:166-167
Products of endangered and threatened species used in jewelry, F99:169-170
- Carmona C., Cole J.E., Marks J.: "Too precious to wear": The role of the jewelry industry in coral conservation, Su11:158
- Carriere D.P., see Sucher S.D.
- Cartier L.E., Krzemnicki M.S., Ito M.: Cultured pearl farming and production in the Federated States of Micronesia, Su12:108-122
- Caspi A.:
Inclusion mapping in diamonds, Su11:153
Modern diamond cutting and polishing, Su97:102-121
- Caspi A., Kerner A.: Symmetry: From assessments to metrics, Su11:153-154
- Cassedanne J.P., Sauer D.A.: The Santa Terezinha de Goiás emerald deposit, Sp84:4-13
- Castaman E., see Superchi M.
- Caucia F., see Bocchio R., Simoni M.
- Cavalcanti Neto M.T.O., see Zwaan J.C.
- Kenki-Tok B., see Rondeau B.
- Cesaro S.N., see Bedini A.
- Ceulemans T.: Statistical study of the performance and predictive value of color measurement instruments for cape-colored rough diamonds, F06:130
- Chadwick K.M., Breeding C.M.:
Color variations and properties of johachidolite from Myanmar, F08:246-251
- Chalain J.-P.A.: An imitation of black diamond: Artificial black cubic zirconium oxide, F99:173-174
- Chalus P., see Krzemnicki M.S.
- Chambel L.: Diamond deposits of Angola, F99:155-156
- Chandayot P., see Atichat W.
- Chapman J.G.:
Recent studies of colored diamonds from Argyle, Su11:130
Studies of the pink and blue coloration in Argyle diamonds, F99:156-157
- Chapman J.G., see also Shigley J.E.
- Charles D.: Defects in single-crystal CVD synthetic diamond studied by optical spectroscopy with the application of uniaxial stress, F06:121-122
- Chauviré B., see Rondeau B.
- Chen H., see Zhang B., Zhang J.
- Chen Q., Yin Z., Qi L., Xiong Y.:
Turquoise from Zhushan County, Hubei Province, China, F12:198-204
- Chen Q., see also Yin Z.
- Chen T., Ai H., Yang M., Zheng S., Liu Y.: Brownish red zircon from Muling, China, Sp11:36-41
- Chen T., Yang M., Ai H.: Blue and pink sapphires from Muling, northeastern China, Su11:136-137
- Chen Z., see Li J.
- Cheng Y., see Li J.
- Chodur N.L., see Juchem P.L.
- Choi H.-M., Kim Y.-C., Kim S.-K., Abduryim A.: Evidence of an interstitial 3H-related optical cen-

- ter at 540.7 nm in natural diamond, Su11:131
- Choi H.-M., see also Kim Y.
- Choi K.-M., see Lee B.-H.
- Choudhary G.:
A new type of composite turquoise, Su10:106-113
Remarkable gems encountered at the Gem Testing Laboratory, Jaipur, India, Su11:145-146
- Choudhary G., Bhandari R.: A new type of synthetic fire opal: Mexifire, F08:228-233
- Choudhary G., Fernandes S.: Spectroscopic examination of commercially available quartz varieties: A gemological perspective, Su11:146-147
- Choudhary G., Golecha C.: A study of nail-head spicule inclusions in natural gemstones, F07:228-235
- Choudhary G., see also Bhandari R. and Fernandes S.
- Christenson C.: Red beryl, F99:140
- Chyi K.L., see Dietrich R.V.
- Cino K., see Moses T.M.
- Clanin J.:
The fundamentals in mining for colored gemstones and mineral specimens, Su11:107-108
Geology and mining of southern Tanzanian alluvial gem deposits, F06:107
Mining of pegmatite-related primary gem deposits, F06:145
- Clarke C., see Shigley J.E.
- Coenraads R.R., Canut de Bon C.: Lapis lazuli from the Coquimbo Region, Chile, Sp00:28-41
- Coenraads R.R., Zenil A.R.: Leopard opal: Play-of-color opal in vesicular basalt from Zimapán, Hidalgo State, Mexico, W06:236-246
- Cohen S.: A manufacturer's perspective, F99:55
- Colbert J.: Digital asset management for gem and jewelry photography, F06:163
- Coldham T.: Sapphires from Australia, F85:130-146
- Cole J.E., see Carmona C., Shigley J.E.
- Collins A.T.:
Identification technologies for diamond treatments, F06:33-34
Pitfalls in color grading diamonds by machine, Sp84:14-21
- Collins A.T., see also Gaillou E.
- Conner L., see Fritsch E.
- Cook B.: "Bahia Gold" golden rutile-quartz, Serra da Mangabeira, Novo Horizonte, Bahia, Brazil, F06:130
- Cook B., see also Shigley J.E.
- Cook F.A.:
Applications of geophysics in gemstone exploration, Sp97:4-23
Gemstones and global tectonics, F99:140-141
- Cook F.A., see also Levinson A.A.
- Cook J.L., see Dirlam D.M.
- Cooper M., see King J.M. and Welbourn C.M.
- Cooper M.A., see Laurs B.M.
- Coopersmith H.G.: The making of a diamond mine: Why everyone cannot have one, Su11:108
- Coquillard C.: The multichannel retailer, F06:54
- de Corte K., Van Meerbeeck M.: IR and UV-Vis spectroscopy of gem emeralds—A tool to differentiate natural and synthetic stones, as well as geographic origin? Su11:147
- Costin G., see Fritz E.A.
- Creagh D.C., see Millstead P.W.
- Crepin N., Anthonis A., Willems B.: A case study of naturally irradiated diamonds from Zimbabwe, Su11:105
- Crowder M.J., see Martineau P.M.
- Crown A.: Tanzanite mining update—A follow-up to the mine disaster of April 9, 1998 at Merelani, Tanzania, F99:141-142
- Crowningshield R.:
Cultured ³/₄ blister pearls, Sp82:36-38
Grading the Hope diamond, Su89:91-94
Irradiated topaz and radioactivity, W81:215-217
Padparadscha: What's in a name? Sp83:30-36
- Crowningshield R., Fryer C.W., Hurlbut C.: A simple procedure to separate natural from synthetic amethyst on the basis of twinning, F86:130-139
- Cushman T.:
Case study Madagascar: Progress and development through education, F06:161
The short life and death of a sapphire boomtown, F99:142
- D**
- Danet F., Schoor M., Boulliard J.-C., Neuville D.R., Beyssac O., Bourgoin V.: Inclusions in aquamarine from Ambatofotsikely, Madagascar, F12:205-208
- Danisi R.M., see Pezzotta F.
- De Corte K.: Overview of dislocation networks in natural type IIa diamonds, F06:122-123
- DeGhionno D.G., see Balitsky V.S., Johnson M.L., and Koivula J.I.
- Deljanin B.:
Cross-referencing Identification System (CIS): Database and tool for diamond research, F06:163-164
Mining and heat treatment of "geuda" sapphire at Ratnapura, Sri Lanka, F99:142-143
Study of fancy-color and near-colorless HPHT-grown synthetic diamonds from Advanced Optical Technology Co., Canada, F06:154-155
- Deljanin B., see also Hainschwang T.
- DelRe N.:
Achievements from patents, designs, and trademarks relating to the gem trade, F99:164-165
Imaging spectroscopy: A developing frontier for gem analysis, F06:88-89
- DelRe N., see also Bidwell D., Epelboym M., Hainschwang T.
- DeMaggio M.: Visions of gems: The photodocumentation of gemological subjects, F99:160
- Demartin F., see Guastoni A.
- Demianets L.N., see Shigley J.E.
- Denton M.B.: The present and future potential of Raman spectroscopy in the characterization of gems and minerals, F06:89
- Devouard B., see Muhlmeister S.
- D'Haenens-Johansson U.F.S., Edmonds A.M., Green B., Newton M.E., Martineau P.M., Khan R.U.A.: Optical properties of silicon-related defects in CVD synthetic diamond, Su11:131-132
- D'Haenens-Johansson U.F.S., see also Eaton-Magaña S., Wang W.
- Dhamani A.: The Gulf perspective, F06:61
- Dharmaratne P.G.R., Premasiri H.M.R., Dillimuni D.: Sapphires from Thammannawa, Kataragama area, Sri Lanka, Su12:98-107
- Dhillon H.K., see Khan R.U.A.
- Diehl R., Herres N.: X-ray fingerprinting routine for cut diamonds, Sp04:40-57
- Diella V., see Adamo I., Diella V., Pezzotta F.
- Dietrich R.V., White J.S., Nelen J.E., Chyi K.L.: A gem-quality iridescent orthoamphibole from Wyoming, F88:161-164
- Dikinis S.D., see Spencer L.K.
- Dillimuni D., see Dharmaratne P.G.R.
- Dirlam D.M., Laurs B.M., Pezzotta F., Simmons W.B.: Liddicoatite tourmaline from Anjanabonoina, Madagascar, Sp02:28-53
- Dirlam D.M., Misiorowski E.B., Cook J.L., Weldon R.: The Sinkankas library, Sp89:2-15

- Dirlam D.M., Misiorowski E.B., Thomas S.A.: Pearl fashion through the ages, Su85:63-78
- Dirlam D.M., Misiorowski E.B., Tozer R., Stark K.B., Bassett A.M.: Gem wealth of Tanzania, Su92:80-102
- Dirlam D.M., Shigley J.E., Overlin S.: The ultimate gemologist: A tribute to Richard T. Liddicoat, Sp02:2-13
- Dirlam D.M., see also Goebel M., Kane R.E., Misiorowski E.B., Overlin S., and Shigley J.E.
- Dissanayake C.B., Rupasinghe M.S.: A prospectors' guide map to the gem deposits of Sri Lanka, F93:173-181
- Dobrinets I.A., Zaitsev A.M.: "Fluorescence cage": Visual identification of HPHT-treated type I diamonds, F09:186-190
- Dobrinets I.A., see also Epelboym M. Doering P., see Wang W.
- Donaldson C.H., see Taylor R.P.
- Dorogovin B.A., see Balitsky V.S.
- Douman M., see Kiefert L.
- Douthit T.R., see Abduriyim A., Emmett J.L. and Wang W.
- Dowe J., see McManus C.
- Downs R.T.: Report on the progress of the RRUFF project: An integrated database of Raman spectra, X-ray diffraction, and chemical data for minerals, F06:89-90
- Downs R.T., see also Fritz E.A., Henderson R.R.
- Dröschel R., Evers J., Ottomeyer H.: The Wittelsbach Blue, W08:348-363
- Drucker R.: Gem enhancements and their effect on pricing, F99:165-166
- Market trends in a changing global economy, Su11:158-159
- Social, political, economic, and gemological impacts on pricing trends, F06:95
- Software for gemstone grading and appraisal valuation, F06:130-131
- Du Toit G.: Demantoid from Iran, F06:131
- Du Toit G., Shen A.H., Breeding C.M.: The color durability of "Chocolate Pearls" by Ballerina Pearl Co., F08:234-241
- Du Toit G., see also Scarratt K. and Schwarz D.
- Dubinsky E., King J., Zucker B.: Gemstone color as nature's palette: Van Gogh's commentary on a 111 ct star sapphire and other gem-quality corundum, Su11:159
- Dubinsky E., see also Abduriyim A.
- Dumanska-Slowik M., Natkaniec-Nowak L., Weslucha-Birczynska A., Gawel A., Lankosz M., Wrobel P.: Agates from Morocco: Gemological characteristics and proposed origin, F13: 148-159
- ## E
- Eaton-Magaña S.: Fluorescence of fancy-color natural diamonds, F06:131-132
- Luminescence of the Hope diamond and other blue diamonds, F06:95-96
- Observation of strain through photoluminescence peaks in diamonds, Su11:132
- Eaton-Magaña S., D'Haenens-Johansson U.F.S.: Recent advances in CVD synthetic diamond quality, Su12:124-127
- Eaton-Magaña S., Post J.E., Heaney P.J., Walters R.A., Breeding C.M., Butler J.E.: Fluorescence spectra of colored diamonds using a rapid, mobile spectrometer, W07:332-351
- Eaton-Magaña S., see also Breeding C.M., Shigley J.E., Smith C.P., and Wang W.
- Ebert J.M.: Art Deco: The period, the jewelry, Sp83:3-11
- Edelstein C.: The American designer jewelry movement: Where it came from and where it's going, F99:105-106
- Edmonds A.M., see D'Haenens-Johansson U.F.S.
- Ehrman S., see Bedini A.
- Eickhorst M.: Better understanding of gems and daylight for enhanced work and business success, F99:166
- The impact of the choice of illumination in the wholesale buying, selling, and grading of gemstones, Su11:123
- Eisen S.: Jewelry with a purpose, F99:170
- El Baz M.K., see Jennings R.H.
- Elen Shane: Identification of yellow cultured pearls from the black-lipped oyster *Pinctada margaritifera*, Sp02:66-72
- Luminescence, reflected-infrared, and reflected-ultraviolet digital photography: Gemological applications, F06:123
- Spectral reflectance and fluorescence characteristics of natural-color and heat-treated "golden" South Sea cultured pearls, Su01:114-123
- Update on the identification of treated "golden" South Sea cultured pearls, Su02:156-159
- Elen Shane, Fritsch E.: The separation of natural from synthetic colorless sapphire, Sp99:30-41
- Elen Shane, see also Balitsky V.S., Johnson M.L., Kiefert L., Koivula J.I., Nassau K., and Shigley J.E.
- Elen Sheryl, see Shigley J.E.
- Elliott J.: Contemporary intarsia: The Medvedev approach to gem inlay, W86:229-234
- Ellison R.K., see Shigley J.E.
- Emel'chenko A.G., see Balitsky V.S.
- Emerson E., see Wang W.
- Emmett J.L.: Fluxes and the heat treatment of ruby and sapphire, F99:90-92
- Emmett J.L., Douthit T.R.: Heat treating the sapphires of Rock Creek, Montana, W93:250-272
- Emmett J.L., Scarratt K., McClure S.F., Moses T., Douthit T.R., Hughes R., Novak S., Shigley J.E., Wang W., Borde lon O., Kane R.E.: Beryllium diffusion of ruby and sapphire, Su03:84-135
- Emmett J.L., see also Abduriyim A., Wang W.
- Enzmann F., see Karampelas S.
- Epelboym M., DelRe N., Widemann A., Zaitsev A., Dobrinets I.: Characterization of some natural and treated colorless and colored diamonds, Su11:133
- Epelboym M., see also Bidwell D.
- Epstein D.S.: Amethyst from Brazil, W88:214-228
- The Capoeirana emerald deposit near Nova Era, Minas Gerais, Brazil, F89:150-158
- Epstein D.S., Brennan W., Mendes J.C.: The Indaia sapphire deposits of Minas Gerais, Brazil, Sp94:24-32
- Erel E., see Schwarz D.
- Ertl A.: Elbaite from the Himalaya mine, Mesa Grande, California, F06:96
- Esmerian R.: In pursuit of elusive luxury, F06:53
- Evans D.J.F., Fisher D., Kelly C.J.: Coated pink diamond—A cautionary tale, Sp05:36-41
- Evans D.J.F., see also Martineau P.M.
- Evers J., see Dröschel R.
- ## F
- Fallick A.E., see Giuliani G., Schwarz D.
- Falster A.U., see Laurs B.M., Simmons W.B., and Zwaan J.C.
- Fan C., see Li J.

- Fan N.J., see Shen A.H.
- Fant G.: The Internet as a complementary distribution channel, F06:55
- Farges F., Sucher S., Horovitz H., Fourcault J.-M.: The French Blue and the Hope: New data from the discovery of a historical lead cast, Sp09:4-19
- Farook A.: An Examination of the state of the gem trade in Sri Lanka, F99:143-144
- Faulkner M.J., Shigley J.E.: Zircon from the Harts Range, Northern Territory, Australia, W89:207-215
- Feather R.C.: The Smithsonian Institution's corundum conundrums, F99:144
- Fedortchouk Y.: What determines the morphology of a resorbed diamond? F06:146
- Feneyrol J., see Giuliani G.
- Feral K.: Detecting HPHT synthetic diamond using a handheld magnet, W12:262-272
- Fernandes S., Choudhary G.: Gem-quality andalusite from Brazil, Su09:120-129
- Fernandes S., see also Choudhary G.
- Filippi J., see Wyart J.
- Finch A.A., see Taylor R.P.
- Fisher D., Spits R.A.: Spectroscopic evidence of GE POL HPHT-treated natural type IIa diamonds, Sp00:42-49
- Fisher D., see also Evans D.J.F.
- Fiske D., Shepherd J.: Continuity and change in Chinese freshwater pearl culture, Su07:138-145
- Fleck R., see Morton D.
- Foord E.E., see Bowersox G.W. and Shigley J.E.
- Fourcault J.-M., see Farges F.
- Francis C.A., see Hurlbut C.S. Jr. and Kampf A.R.
- Friess S.D., see Krzemnicki M.S.
- Fritsch E.:
 Classification of gem opals using Raman spectroscopy, F99:145
 Gem characterization: A forecast of important techniques in the coming decade, F06:90
- Fritsch E., Conner L., Koivula J.I.: A preliminary gemological study of synthetic diamond thin films, Su89:84-90
- Fritsch E., McClure S.F., Ostrooumov M., Andres Y., Moses T., Koivula J.I., Kammerling R.C.: The identification of Zachery-treated turquoise, Sp99:4-16
- Fritsch E., Massuyeau F., Rondeau B., Segura O., Hainschwang T.: Advancing the understanding of luminescence in gem materials, Su11:123
- Fritsch E., Misiorowski E.B.: The history and gemology of queen conch pearls, W87:208-221
- Fritsch E., Rossman G.R.:
 New technologies of the 1980s: Their impact in gemology, Sp90:64-75
 An update on color in gems. Part 1: Introduction and colors caused by dispersed metal ions, F87:126-139
 An update on color in gems. Part 2: Colors involving multiple atoms and color centers, Sp88:3-15
 An update on color in gems. Part 3: Colors caused by band gaps and physical phenomena, Su88:81-102
- Fritsch E., Scarratt K.: Natural-color nonconductive gray-to-blue diamonds, Sp92:35-42
- Fritsch E., Shigley J.E.: Contribution to the identification of treated colored diamonds: Diamonds with peculiar color-zoned pavilions, Su89:95-101
- Fritsch E., Shigley J.E., Rossman G.R., Mercer M.E., Muhlmeister S.M., Moon M.: Gem-quality cuprianelbaite tourmalines from São José da Batalha, Paraíba, Brazil, F90:189-205
- Fritsch E., Shigley J.E., Stockton C.M., Koivula J.I.: Detection of treatment in two unusual green diamonds, F88:165-168
- Fritsch E., Stockton C.M.: Infrared spectroscopy in gem identification, Sp87:18-26
- Fritsch E., Wu S.-T.T., Moses T., McClure S.F., Moon M.: Identification of bleached and polymer-impregnated jadeite, F92:176-187
- Fritsch E., see also Balitsky V.S., Elen S., Hainschwang T., Johnson M.L., Kammerling R.C., Kane R.E., Karamelas S., Koivula J.I., McClure S.F., Moses T., Muhlmeister S., Robert D., Rondeau B., Rooney M.-L.T., Shigley J.E., and Woodruff R.E.
- Fritz E.A., Laurs B.M., Downs R.T., Costin G.: Yellowish green diopside and tremolite from Merelani, Tanzania, Su07:146-148
- Fritz E.A., see also Laurs B.M.
- Fryer C.W., Koivula J.I.:
 An examination of four important gems, Su86:99-102
 The eyepiece pointer: A useful micro scope accessory, Su85:105-107
- Fryer C.W., see also Crowningshield R., Koivula J.I., and Shigley J.E.
- Fuhrbach J.R.: Kilbourne Hole peridot, Sp92:16-27
- Fukushima H., see Sunagawa I.
- Furuya M.: Copper-bearing tourmalines from new deposits in Paraíba State, Brazil, F07:236-239
- Furuya M., see also Abduriyim A.
- ## G
- Gabasch H., Klauser F., Bertel E., Rauch T.: Coloring of topaz by coating and diffusion processes: An X-ray photoemission study of what happens beneath the surface, Su08:148-154
- Gaillou E.: Geologic origin of opals deduced from geochemistry, F06:107
- Gaillou E., Post J.E.: An examination of the Napoleon Diamond Necklace, W07:352-357
- Gaillou E., Wang W., Post J.E., King J.M., Butler J.E., Collins A.T., Moses T.M.: The Wittelsbach-Graff and Hope diamonds: Not cut from the same rough, Su10:80-88
- Gaillou E., see also Rondeau B.
- Galenon R.T.: Marketing of the Tahitian cultured pearl, F06:170
- Galibert O., see Hughes R.W.
- Galinetto P., see Simoni M.
- Galopim de Carvalho R.:
 The Bragança "diamond" discovered? F06:132-133
 Brazilian colored gemstones in Portuguese 18th-19th century jewelry, F06:167
 Colored gemstone promotion in small scale markets: The Portuguese case, F06:167-168
 Magnificent jewels in Portugal, F06:168-169
- Gambini E., see Superchi M.
- Garcia-Guillerminet H., see Zwaan J.C.
- Garland M.I.: Characterization of inclusion suites in sapphire using Raman spectroscopy, F99:145-146
- Garzon C.: Understanding emerald enhancements, F99:145
- Gasarov M., see Solodova Y.
- Gatta G.D., see Adamo I., Pezzotta F.
- Gauthier J.-P., see Karamelas S., Rondeau B.
- Gawel A., see Dumanska-Slowik M.
- Gelb T.H., see King J.M.
- Gemmi M., see Adamo I.
- Geurts R.H., Reinitz I.M., Blodgett T., Gilbertson A.M.: GIA's symmetry grading boundaries for round brilliant cut diamonds, W11:286-295

- Geurts R.H., see also Blodgett T., King J.M., Moses T.M., and Reinitz I.M.
- Ghargari L.: Jasper occurrences in the Brad area, Apuseni Mountains (Romania), F99:139-140
- Gicquel A., see Wang W.
- Gilbertson A.:
The evolution of the American Round Brilliant Diamond (aka American Cut), 1860–1955, F06:133
Optimizing face-up appearance in colored gemstone faceting, Su13:64-81
The revolution in cut grading, F99:157
- Gilbertson A., Gudlewski B., Johnson M., Maltezos G., Scherer A., Shigley J.: Cutting diffraction gratings to improve dispersion ("fire") in diamonds, W09:260-270
- Gilbertson A., see also Blodgett T., Breeding C.M., Geurts R.H., King J.M., Moses T.M., Reinitz I.M., and Shigley J.E.
- Giuliani G., Ohnenstetter D., Fallick A.E., Feneyrol J.: State of the art in the formation of high-value colored stones, Su11:108-110
- Giuliani G., see also Long P.V., Schwarz D.
- Goebel M., Dirilam D.M.: Polynesian black pearls, F89:130-148
- Goedert B., see Blodgett T. and Shigley J.E.
- Golecha C., see Choudhary G.
- Gorshkov A.I., see Titkov S.V.
- Goyal M.: Pyrope-almandine garnets from various mining areas in Orissa, India, F99:147
- Graeser S., see Smith C.P.
- Grambole D., see Nasdala L.
- Gray F.L.: Engraved gems: A historical perspective, W83:191-201
- Gray M.: Faceting large gemstones, Sp88:33-42
- Gray M., see also Laurs B.M.
- Graziani G., Gubelin E.J., Martini M.: The Lennix synthetic emerald, F87:140-147
- Graziani G., see also Gubelin E.J.
- Green B., see Moses T.M. and Reinitz I.M.
- Green B., see D'Haenens-Johansson U.F.S.
- Greig D.: Software management systems for jewelers, F99:166-167
- Grizenko A.G., see Vins V.G.
- Groat L.A.: Funding for gemological research: Ideas and case studies, F06:133-134
- Groat L., see also Rondeau B.
- Grobéty B., see Laurs B.M.
- Groover K., see Morton D.
- Grozman Y.: A close look at gemstone color grading: Definition of the key color, F06:96-97
- Grussing T.: Carving gem-quality opal, Su82:95-99
- Guastoni A., Kondo D., Nestola F.: Bastnäsite-(Ce) and parisite-(Ce) from Mt. Malosa, Malawi, Sp10:42-47
- Guastoni A., Pezzotta F., Superchi M., Demartin F.: Pyrope from the Dora Maira massif, Italy, F01:198-204
- Gubelin E.J.:
Gemstones of Pakistan: Emerald, ruby, and spinel, F82:123-139
New synthetic rubies made by Professor P. O. Knischka, F82:165-168
Zabargad: The ancient peridot island in the Red Sea, Sp81:2-8
- Gubelin E.J., Graziani G., Kazmi A.H.: Pink topaz from Pakistan, F86:140-151
- Gubelin E.J., Schmetzer K.:
Gemstones with alexandrite effect, W82:197-203
- Gubelin E.J., Weibel M., Woensdregt C.R.: Some unusual sillimanite cat's-eyes, Su86:96-98
- Gubelin E.J., see also Graziani G., Meyer H.O.A., Schmetzer K., and Smith C.P.
- Gubelin S., see Karamelas S.
- Gudlewski B., see Gilbertson A.
- Guhin S.S., see King J.M.
- Gumpesberger S.M.:
Extreme conoscopy, Su11:147
Magnetic separation of gemstones, F06:124
A variation on the crossed filters approach using pocket LED light sources, F06:124
- Gunawardene M.:
Colombage-Ara scheelite, F86:166-169
Inclusions in taaffeites from Sri Lanka, F84:159-163
- Gunawardene M., Rupasinghe M.S.: The Elahera gem field in central Sri Lanka, Su86:80-95
- Gunter M.E., see Johnston C.L.
- Gunther D.: Laser ablation-inductively coupled plasma-mass spectrometry: A new way of analyzing gemstones, F99:160-161
- Gunther D., see also Laurs B.M. and Smith C.P.
- Guo J., Wang F., Yakoumelos G.: Sapphires from Changle in Shandong Province, China, W92:255-260
- Guo J., see also Wang Fuquan
- Gurney J.J.: Changes and new developments in Africa, F99:34-36
- Gurney J.J., Levinson A.A., Smith H.S.: Marine mining of diamonds off the west coast of southern Africa, W91:206-219
- Gurney J.J., see also Kirkley M.B. and Levinson A.A.

H

- Haas E.: The diamond distribution system, F99:52
- Häberli S.: Shedding a new light on Medieval darkness, F99:161-162
- Häberli S., see also Hänni H.A.
- Häger T., see Huang L.T.-T., Zwaan J.C.
- Hainschwang T.: Natural "CO₂-rich" colored diamonds, F06:97
- Hainschwang T., Leggio L.: The characterization of tortoise shell and its imitations, Sp06:36-52
- Hainschwang T., Notari F.: The cause of iridescence in Rainbow andradite from Nara, Japan, W06:248-258
- Hainschwang T., Notari F., Anckar B.: Trapiche tourmaline from Zambia, Sp07:36-46
- Hainschwang T., Notari F., Massi L., Armbruster T., Rondeau B., Fritsch E., Nagashima M.:
Hibonite: A new gem mineral, Su10:135-138
- Hainschwang T., Simic D., Fritsch E., Deljanin B., Woodring S., DelRe N.: A gemological study of a collection of chameleon diamonds, Sp05:20-35
- Hainschwang T., see also van der Bogert C.H., Fritsch E., Karamelas S., and Schmetzer K.
- Hall M., see King J.M., McClure S.F., Shen A.H. and Wang W.
- Hall R.L., see Mychaluk K.A.
- Hametner K., see Smith C.P.
- Hammer V.M.F., see Smith C.P.
- Hanano J., Wildman M., Yurkiewicz P.G.: Majorica imitation pearls, F90:178-188
- Hanneman W.W.: A new classification for red-to-violet garnets, Sp83:37-40
- Hänni H.A.:
Fissure-filled emeralds and their detection, F99:93-94
Fissure fillings in emeralds: A comparison of different identification methods, F99:146-147
- Hänni H.A., Schmetzer K.: New rubies from the Morogoro area, Tanzania, F91:156-167
- Hänni H.A., Schmetzer K., Bernhardt H.-J.: Synthetic rubies by Douros: A new challenge for gemologists, Su94:72-87

- Hänni H.A., Schubiger B., Kiefert L., Häberli S.: Raman investigations on two historical objects from Basel Cathedral: The Reliquary cross and Dorothy monstrance, Su98:102-113
- Hänni H.A., see also Kiefert L., Krzemnicki M.S., Schmetzer K., and Smith C.P.
- Hansawek R.: Kanchanaburi sapphires and their reaction to heat treatment, F99:147-148
- Hanson A.E., see Nassau K.
- Hao W., Li J.
- Hardy P., see Kan-Nyunt H.-P.
- Hargett D.R.: Jadeite of Guatemala: A contemporary view, Su90:134-141
- Hargett D.R., see also Koivula J.I. and Shigley J.E.
- Harlow G.E.:
- Jadeite jade from Guatemala: Distinctions among multiple deposits, F06:146
 - Mineral assemblages and the origin of ruby in the Mogok Stone Tract, Myanmar, F06:147
- Harlow G.E., Shi G.-H.: An LA-ICP-MS study of lavender jadeite from Myanmar, Guatemala, and Japan, Su11:116-117
- Harlow G.E., see also Hughes R.W., Nissinboim A.
- Harrell J.A., see Thoresen L.
- Harris J.: Diamond occurrence and evolution in the mantle, F06:107-108
- Harris J.W., see also Nasdala L.
- Hasenfeld H.:
- The diamond dealer's perspective, F06:48
 - The New York diamond market, F99:44-45
- Haske M.: Detection of irradiated diamonds, F99:157-158
- Hatleberg J.N.: An exact replica of the original Mogul cut Koh-i-noor diamond, F06:158-159
- Hauzenberger C., see Huong L.T.-T. and Schwarz D.
- Hawthorne F.C., see Laurs B.M.
- Hays N.K., see Misiowski E.B.
- He M.: Relationship between texture and crystallization degree in nephrite jade from Hetian, Xinjiang, China, F06:134
- Heaney P.J., see Eaton-Magaña S. and Hu K.
- Hemphill T.S.: Exploring cut and diamond appearance with the virtual diamond, F99:158-159
- Hemphill T.S., Reinitz I.M., Johnson M.L., Shigley J.E.: Modeling the appearance of the round brilliant cut diamond: An analysis of brilliance, F98:158-183
- Hemphill T.S., see also Moses T.M. and Reinitz I.M.
- Henderson R.R., Downs R.T., La Sure J.: Determining the chemical composition of garnets using Raman spectroscopy, Su11:148
- Hendry Jr., D.W.: Gemological needs in insurance documentation, F06:169
- Henn U., see Schmetzer K.
- Herres N., see Diehl R.
- Herzog F., see Krzemnicki M.S.
- Ho J.W.Y., see Zhou C.
- Hoal K.O.: Integrating the diamond project development process, F06:134-135
- Hobbs J.M.:
- The jade enigma, Sp82:3-19
 - A simple approach to detecting diamond simulants, Sp81:20-33
- Hofer S.C.:
- Describing diamond colors with common names, F99:159
 - Pink diamonds from Australia, F85:147-155
- Hofer S.C., Manson D.V.: Cryogenics, an aid to gemstone testing, F81:143-149
- Hoffman M.: Branding cultured pearls: From a retail perspective, F06:41
- Hofmeister W., see Huong L.T.-T., Nasdala L.
- Holloway G.: Diamond grading laboratory peer review, F06:159
- Homkrajac A., see Scarratt K. and Zhou C.
- Hoover D.B.:
- Determining garnet composition from magnetic susceptibility and other properties, W11:272-285
 - The GEM DiamondMaster and the thermal properties of gems, Su83:77-86
- Horikawa Y., see Kitawaki H.
- Horovitz H., see Farges F.
- Hozjan D.J., see Murphy A.R.
- Htun H.:
- Identifying sources of Burmese rubies, F99:148-149
 - Melo "pearls" from Myanmar, F06:135-136
- Hu K., Heaney P.J.: A microstructural study of pietersite from Namibia and China, W10:280-286
- Hughes R.W., Galibert O., Bosshart G., Ward F., Oo T., Smith M., Sun T.T., Harlow G.E.: Burmese jade: The inscrutable gem, Sp00:2-26
- Hughes R.W., see also Abduriyim A., Emmett J.L.
- Huizenga J.M., see Cairncross B.
- Hunger K., see Karamelas S.
- Hunter J.: Educating the jewelry industry about lab-created moissanite, F99:174
- Huong L.T.-T., Häger T., Hofmeister W.: Confocal micro-Raman spectroscopy: A powerful tool to identify natural and synthetic emeralds, Sp10:36-41
- Huong L.T.-T., Häger T., Hofmeister W., Hauzenberger C., Schwarz D., Long P.V., Wehmeister U., Khoi N.N., Nhung N.T.: Gemstones from Vietnam: An update, F12:158-176
- Huong L.T.-T., Hofmeister W., Häger T., Khoi N.N., Nhung N.T., Atichat W., Pisutha-Armond V.: Aquamarine from the Thuong Xuan District, Thanh Hoa Province, Vietnam, Sp11:42-48
- Hurlbut C.S. Jr.: A cubic zirconia refractometer, Su81:93-95
- Hurlbut C.S. Jr., Francis C.A.: An extraordinary calcite gemstone, W84:222-225
- Hurlbut C.S. Jr., see also Crowningshield R. and Kopf R.W.
- Hyatt A., see Wang W. and Zhou C.
- Hyrsl J.: Genetic classification of mineral inclusions in quartz, F06:97-98
- Hyrsl J., see also Seifert A.V.

I

- Ionescu C.: Gem vesuvianite and grossular from the Vata area, Apuseni Mountains, Romania, F99:139
- Irving M.: The Canadian diamond industry: Where to now? F06:24
- Isatelle F., see Abduriyim A.
- Isik I., see Sariiz K.
- Ito M.: Circle and spot formation mechanisms and changes in luster, color, and roundness of cultured pearls by grafting methods in *Pinctada margaritifera*, Su11:148
- Iverson J.:
- Great expectations, W11:259
 - A few words on reader participation, F12:157
 - New beginnings, F11:181
 - Thank you, W12:235
 - Transparency and synthetic diamonds, Su12:79
 - Turning a new page in the digital age, Sp12:1

J

- Janowski B.: The U.S. diamond industry, F99:56-57
- Jacob D.E., see Zwaan J.C.
- Janse A.J.A.(Bram): Diamonds from Australia, F99:37-39

- Global rough diamond production from 1870 to 2005, F06:136
- Global rough diamond production since 1870, Su07:98-119
- A history of diamond sources in Africa: Part I, W95:228-255
- A history of diamond sources in Africa: Part II, Sp96:2-30
- Major diamond mines of the world: Tectonic location, production, and value, F06:148-149
- Mystery diamonds—From alluvial deposits, Su11:110
- Janse A.J.A., see also Shigley J.E.
- Jara G., see Keller P.C.
- Jegge E.P., see Schmetzer K.
- Jennings R.H., Kammerling R.C., Kovaltchouk A., Calderon G.P., El Baz M.K., Koivula J.I.: Emeralds and green beryls of upper Egypt, Su93:100-115
- Jensen A., Petersen O.V.: Tugtupite: A gemstone from Greenland, Su82:90-94
- Jensen A., see also Appel P.W.U.
- Jia Q.: An analysis of the development and tax policy of China's gem industry, Su11:159-160
- Jobbins E.A., see Shigley J.E.
- Johnson M.L.:
 Characterization of some emerald filling substances, F99:149-151
 Durability testing of filled emeralds, Su07:120-137
 Mineral collectors—An overlooked gem market, Su11:160
 Technological developments in the 1990s: Their impact on gemology, W00:380-396
- Johnson M.L., Boehm E., Krupp H., Zang J.W., Kammerling R.C.: Gem-quality grossular-andradite: A new garnet from Mali, F95:152-166
- Johnson M.L., Elen S., Muhlmeister S.: On the identification of various emerald filling substances, Su99:82-107
- Johnson M.L., Kammerling R.C., DeGhionno D.G., Koivula J.I.: Opal from Shewa Province, Ethiopia, Su96:112-120
- Johnson M.L., McClure S.F., DeGhionno D.G.: Some gemological challenges in identifying black opaque gem materials, W96:252-261
- Johnson M.L., Mercer M.E., Fritsch E., Maddison P., Shigley J.E.: "Ti-sapphire": Czochralski-pulled synthetic pink sapphire from Union Carbide, F95:188-195
- Johnson M.L., Wentzell C.Y., Elen S.: Multicolored bismuth-bearing tourmaline from Lundazi, Zambia, F97:204-211
- Johnson, M.L., see also Gilbertson A., Hemphill T.S., Kammerling R.C., Koivula J.I., Moses T.M., and Reinitz I.M.
- Johnson P.: Pink HPHT synthetic diamonds—A new coloration technique, Su11:133
- Johnson P., see also Moe K.S. and Wang W.
- Johnston C.L., Gunter M.E., Knowles C.R.: Sunstone labradorite from the Ponderosa mine, Oregon, W91:220-233
- Jonathan C., see Weldon R.
- Juchem P.L., de Brum T.M.M., Chodur N.L., Liccardo A.: Gem materials in the south of Brazil, Su11:137-138
- Juchem P.L., see also Schnellrath J.
- ## K
- Kammerling R.C., Kane R.E., Koivula J.I., McClure S.F.: An investigation of a suite of black diamond jewelry, W90:282-287
- Kammerling R.C., Keller A.S., Scarratt K.V., Repetto S.: Update on mining rubies and fancy sapphires in northern Vietnam, Su94:109-114
- Kammerling R.C., Koivula J.I.: Thermal alteration of inclusions in rutilated topaz, F89:165-167
- Kammerling R.C., Koivula J.I., Kane R.E.: Gemstone enhancement and its detection in the 1980s, Sp90:32-49
- Kammerling R.C., Koivula J.I., Kane R.E., Fritsch E., Muhlmeister S., McClure S.F.: An examination of nontransparent "CZ" from Russia, W91:240-246
- Kammerling R.C., Koivula J.I., Kane R.E., Maddison P., Shigley J.E., Fritsch E.: Fracture filling of emeralds: Opticon and traditional "oils," Su91:70-85
- Kammerling R.C., McClure S.F., Johnson M.L., Koivula J.I., Moses T.M., Fritsch E., Shigley J.E.: An update on filled diamonds: Identification and durability, F94:142-177
- Kammerling R.C., see also Fritsch E., Jennings R.H., Johnson M.L., Kane R.E., Koivula J.I., McClure S.F., Muhlmeister S., and Smith C.P.
- Kampf A.R.: The Gem & Mineral Council of the Natural History Museum of Los Angeles County, F06:161-162
- Kampf A.R., Francis C.A.: Beryl gem nodules from the Bananal mine, Minas Gerais, Brazil, Sp89:25-29
- Kampf A.R., see also Kane R.E. and Shigley J.E.
- Kan-Nyunt H.-P., Karampelas S., Link K., Thu K., Kiefert L., Hardy P.: Blue sapphires from the Baw Mar mine in Mogok, W13: 223-232
- Kanda H.:
 Cathodoluminescence spectroscopy to identify types of natural diamond, F06:125
 Colors of high-pressure synthetic diamonds, F99:174-175
- Kane R.E.:
 The creation of a magnificent suite of peridot jewelry: From the Himalayas to Fifth Avenue, W04:288-302
 The gemological properties of Chatham flux-grown synthetic orange sapphire and synthetic blue sapphire, F82:140-153
 The Hkamti jadeite mines area, Sagaing Division, Myanmar (Burma), F06:98-99
 Hornbill ivory, Su81:96-97
 Identifying treated and synthetic gems: The dealer's perspective, F06:36-37
 Inamori synthetic cat's-eye alexandrite, F87:158-162
 Natural rubies with glass-filled cavities, W84:187-199
 A preliminary report on the new Lechleitner synthetic ruby and synthetic blue sapphire, Sp85:35-39
 The Ramaura synthetic ruby, F83:130-148
 Ruby and sapphire occurrences around the world, F99:60-61
 Three notable fancy-color diamonds: Purplish red, purple-pink, and reddish purple, Su87:90-95
- Kane R.E., Boehm E.W., Overlin S., Dirlam D.M., Koivula J.I., Smith C.P.: A gemological pioneer: Dr. Edward J. Gübelin, W05:298-327
- Kane R.E., Kammerling R.C.: Status of ruby and sapphire mining in the Mogok Stone Tract, F92:152-174
- Kane R.E., Kammerling R.C., Koivula J.I., Shigley J.E., Fritsch E.: The identification of blue diffusion-treated sapphires, Su90:115-133
- Kane R.E., Kammerling R.C., Moldes R., Koivula J.I., McClure S.F., Smith C.P.: Emerald and gold treasures of the Spanish galleon *Nuestra Señora de Atocha*, W89:196-206

- Kane R.E., Kampf A.R., Krupp H.: Well-formed tsavorite gem crystals from Tanzania, Su90:142-148
- Kane R.E., Liddicoat R.T. Jr.: The Biron hydrothermal synthetic emerald, F85:156-170
- Kane R.E., McClure S.F., Kammerling R.C., Khoa N.D., Mora C., Repetto S., Khai N.D., Koivula J.I.: Rubies and fancy sapphires from Vietnam, F91:136-155
- Kane R.E., McClure S.F., Menzhausen J.: The legendary Dresden Green diamond, W90:248-266
- Kane R.E., see also Emmett J.L., Kammerling R.C., Koivula J.I., McClure S.F., Shigley J.E., Spencer L.K., and Stockton C.M.
- Kanis J., see Schwarz D. and Zwaan J.C.
- Karampelas S.:
 Identification of pigments in freshwater cultured pearls with Raman scattering, F06:99-100
 A refined infrared-based criterion for successfully separating natural from synthetic amethyst, F06:155
 Spectral characteristics of natural-color saltwater cultured pearls from *Pinctada maxima*, F12:193-197
- Karampelas S., Fritsch E., Gauthier J.-P., Hainschwang T.: UV-Vis-NIR reflectance spectroscopy of natural-color saltwater cultured pearls from *Pinctada margaritifera*, Sp11:31-35
- Karampelas S., Fritsch E., Hainschwang T., Gauthier J.-P.: Spectral differentiation of natural-color saltwater cultured pearls from *Pinctada margaritifera* and *Pteria sterna*, Su11:117
- Karampelas S., Fritsch E., Rondeau B., Andouche A., Métivier B.: Identification of the endangered pink-to-red *Stylaster* corals by Raman spectroscopy, Sp09:48-52
- Karampelas S., Fritsch E., Zorba T., Paraskevopoulos K.M.: Infrared spectroscopy of natural vs. synthetic amethyst: An update, F11:196-201
- Karampelas S., Lombard A.: Gemological characteristics of saltwater cultured pearls produced after xenotransplantation, Sp13:36-41
- Karampelas S., Michel J., Zheng-Cui M., Schwarz J.-O., Enzmann F., Fritsch E., Leu L., Krzemnicki M.S.: X-ray computed microtomography applied to pearls: Methodology, advantages, and limitations, Su10:122-127
- Karampelas S., Wörle M., Hunger K., Lanz H., Bersani D., Gübelin S.: A study of the gems in a ciborium from Einsiedeln Abbey, W10:291-295
- Karampelas S., see also Kan-Nyunt H.-P., Krzemnicki M.S.
- Kato H.: Today and tomorrow in the Japanese jewelry market, F99:58
- Katz M.: Building a luxury clientele, F06:51
- Kazmi A.H., see Gübelin E.J. and Zwaan J.C.
- Ke J., see Zhang B.
- Keenan C.: Quantifiable cut grade system within an educational setting, F06:100
- Keith J.D., see Shigley J.E.
- Keller A.S.:
 Buyer beware! W91:205
 Carlsbad: A new home for GIA and *Gems & Gemology*, Su97:79
 "Challenges, Changes, and New Directions," W08:295
 The Dr. Edward J. Gübelin Most Valuable Article Award, Sp97:1, Sp98:1-2, Sp99:2-3, Sp00:79-80, Sp01:1-2, Sp02:107-108, Sp03:65-66, Sp04:87-88, Sp05:2-3
 The experts behind *Gems & Gemology*: Our editorial review board, Su05:87
 First GIA Gemological Research Conference, W04:283
 A fond farewell, W10:259
 The *G&G Twenty Year Index*: Two decades of evolution, Su01:95
Gems & Gemology celebrates its 70th anniversary with recognition by ISI, Sp04:1
Gems & Gemology: The first 75 years, Su09:79
 The *Gems & Gemology* Most Valuable Article Award, Sp84:2; Sp85:1; Sp86:2; Sp87:1; Sp88:1; Sp89:1; Sp90:111-112; Sp91:57-58; Sp92:1-2; Sp93:1-2; Sp94:1-2; Sp95:74-75; Sp96:64-65.
 GIA celebrates 75 years..., Su06:95-96
 GIA Symposium 2011: Advances in gemological research, Su10:79
 In honor of Dr. Edward J. Gübelin, Sp03:1-2
 In memory of Dr. Edward J. Gübelin, Sp05:1
 The Liddicoat legacy, F02:205
 May we take a bow? W01:259
 A new gemological challenge: Synthetic diamond melee, F08:201
- New sources bring new opportunities, F91:135
- 1992 "perfect" challengers, F92:151
- Not invented here, Su00:95
- Nothing is as simple as it seems, Su99:79
- One hundred issues and counting..., W05:295
- The quintessential gemologist: Robert C. Kammerling, 1947-1996, Sp96:1
- Remembering G. Robert Crowningshield, W06:205
- Remembering gemology's Renaissance man: John Sinkankas (1915-2002), Su02:123
- The results of our first reader survey, Su04:103
- Retrospective of the first decade of the 2000s: Looking back as we move ahead, F10:165
- Retrospective 1987, Sp88:1
- Save the date for the 2009 Gemological Research Conference, F07:197
- Support your local researcher, Su98:79
- Symposium '99—You can't afford to miss it! Sp99:1
- Symposium 2006: Join us as we navigate the challenges ahead, Sp06:1
- Ten reasons why you should attend the 2009 GRC, Su08:107
- Thank you! Sp90:3
- Thank you, donors, Su92:79
- Why you need to know, W85:191
- Keller A.S., Keller P.C.: The sapphires of Mingxi, Fujian Province, China, Sp86:41-45
- Keller A.S., Kimmel K.: The 1999 International Gemological Symposium: What a ride! F99:1
- Keller A.S., Liddicoat R.T.: Stability disclosure: Are we going far enough? Su93:79
- Keller A.S., see also Kammerling R.C., Kimmel K., Liddicoat R.T., Sauer D.A., and Smith C.P.
- Keller J., see Zaitsev A.N.
- Keller P.C.:
 The Capão topaz deposit, Ouro Preto, Minas Gerais, Brazil, Sp83:12-20
 The Chanthaburi-Trat gem field, Thailand, W82:186-196
 Emeralds of Colombia, Su81:80-92
 The newly expanded Deutsches Edelsteinmuseum of Idar-Oberstein, Germany, Su83:97-102
 The rubies of Burma: A review of the Mogok stone tract,

- W83:209-219
- Keller P.C., Koivula J.I., Jara G.: Sapphire from the Mercaderes-Río Mayo area, Cauca, Colombia, Sp85:20-25
- Keller P.C., Wan G.-D.: The Changma diamond district, Mengyin, Shandong Province, China, Sp86:14-23
- Keller P.C., Wang F.: A survey of the gemstone resources of China, Sp86:3-13
- Keller P.C., see also Keller A.S., Koivula J.I., and Spencer L.K.
- Kelly C.J., see Evans D.J.F.
- Kennedy H.F.: Publicity and profits vs. advertisements and expenses, F99:167
- Kerner A., see Caspi A.
- Kerr W.C.: A report on the new Watermeyer split-facet diamond cuts, F82:154-159
- Khai N.D., see Kane R.E.
- Khamrayeva D.: Autoradiographic investigations of impurity distributions in diamond, F06:90
- Khan R.U.A., Martineau P.M., Cann B.L., Newton M.E., Dhillon H.K., Twitche D.J.: Color alterations in CVD synthetic diamond with heat and UV exposure: Implications for color grading and identification, Sp10:18-26
- Khan R.U.A., see also D'Haenens-Johansson U.F.S.
- Khoa N.D., see Kane R.E. and Smith C.P.
- Khoi N.N., Sutthirat C., Tuan D.A., Nam N.V., Thuyet N.T.M., Nhung N.T.: Ruby and sapphire from the Tan Huong-Truc Lau Area, Yen Bai Province, northern Vietnam, F11:182-195
- Khoi N.N., see also Huong L.T.-T.
- Kiefert L.: Red taaffeite, F99:151
Sapphires from New Zealand, F06:113-114
- Kiefert L., Douman M.: Ruby from Liberia, Su11:138
- Kiefert L., Hänni H.A.: Gem-quality haüyne from the Eifel District, Germany, F00:246-253
- Kiefert L., Moreno D.M., Arizmendi E., Hänni H.A., Elen S.: Cultured pearls from the Gulf of California, Mexico, Sp04:26-38
- Kiefert L., Schmidt S.T.: Some tanzanite imitations, W96:270-276
- Kiefert L., see also Hänni H.A., Kan-Nyunt H.-P., and Schmetzer K.
- Kim K.Y., see Seo J.G.
- Kim S.-K., see Choi H.-M.
- Kim Y., Choi H., Lee B., Abduriyim A.: Update on the identification of irradiated South Sea cultured pearls using electron spin resonance spectroscopy, W12:292-299
- Kim Y.-C., see also Choi H.-M., Lee B.-H.
- Kimbrough D., see Morton D.
- Kimmel K., Keller A.S.: Business and science converge at the 2006 Symposium and Gemological Research Conference, F06:1
GIA Symposium 2011: Advancing the science and business of gems, Su11:79
- Kimmel K., see also Keller A.S.
- Kimura H., see Abduriyim A.
- King J.M., Geurts R.H., Gilbertson A.M., Shigley J.E.: Color grading "D-To-Z" diamonds at the GIA Laboratory, W08:296-321
- King J.M., Moses T.M., Shigley J.E., Liu Y.: Color grading of colored diamonds in the GIA Gem Trade Laboratory, W94:220-242
- King J.M., Moses T.M., Shigley J.E., Welbourn C.M., Lawson S.C., Cooper M.: Characterizing natural-color type IIb blue diamonds, W98:246-268
- King J.M., Moses T.M., Wang W.: The impact of internal whitish and reflective graining on the clarity grading of D-to-Z color diamonds at the GIA Laboratory, W06:206-220
- King J.M., Shigley J.E.: An important exhibition of seven rare gem diamonds, Su03:136-143
- King J.M., Shigley J.E., Gelb T.H., Guhin S.S., Hall M., Wang W.: Characterization and grading of natural-color yellow diamonds, Su05:88-115
- King J.M., Shigley J.E., Guhin S.S., Gelb T.H., Hall M.: Characterization and grading of natural-color pink diamonds, Su02:128-147
- King J.M., see also Dubinsky E., Gaillou E., McClure S.F., and Moses T.M.
- Kinnunen K.A., see Lahti S.I.
- Kirkley M.B., Gurney J.J., Levinson A.A.: Age, origin, and emplacement of diamonds: Scientific advances in the last decade, Sp91:2-25
- Kirkley M.B., see also Levinson A.A.
- Kirschvink J.L., see Rossman G.
- Kissin A.J.: Ruby and sapphire from the southern Ural Mountains, Russia, W94:243-252
- Kistler R., see Morton D.
- Kitawaki H.: Identification of heat-treated corundum, F06:84
- Kitawaki H., Abduriyim A., Okano M.: Identification of melee-size synthetic yellow diamonds in jewelry, F08:202-213
- Kitawaki H., Horikawa Y., Shozugawa K., Nogawa N.: Radioactive morganite, Sp12:42-44
- Kitawaki H., see also Abduriyim A.
- Kjarsgaard B.A., Levinson A.A.: Diamonds in Canada, F02:208-238
- Klapper H., see Smith C.P.
- Klaudius J., see Zaitsev A.N.
- Klauser F., see Gabasch H.
- Kleismantas A.: Identification of beryl varieties: "Beryl Color Circle," "Color Memory," and a proposed new variety—chromaquamarine, F06:137
- Klemm L., see Schwarz D.
- Klettke J.A.: Systematic diamond descriptions for use in geology and exploration, Su11:139
- Kniewald G.: Gemological properties of colorless hyalophane from Busovaca, Bosnia-Herzegovina, F06:137-138
- Knight S.: Building a profitable appraisal business, F99:167-168
- Knowles C.R., see Johnston C.L.
- Knox K., Lees B.K.: Gem rhodochrosite from the Sweet Home mine, Colorado, Su97:122-133
- Knox K., see also Laurs B.M.
- Koivula J.I.: Carbon dioxide fluid inclusions as proof of natural-colored corundum, F86:152-155
The first-order red compensator: An effective gemological tool, Su84:101-105
The hidden beauty of amber: New light on an old subject, Sp81:34-36
Induced fingerprints, W83:220-227
Photographing inclusions, F81:132-142
Photomicrography for gemologists, Sp03:4-23
Pinpoint illumination: A controllable system of lighting for gem microscopy, Su82:83-86
The rutiled topaz misnomer, Su87:100-103
San Carlos peridot, W81:205-214
Shadowing: A new method of image enhancement for gemological microscopy, F82:160-164
Some observations on the treatment of lavender jadeite, Sp82:32-35
Tourmaline as an inclusion in Zambian emeralds, W82:225-227
Useful visual clue indicating

- corundum heat treatment, F13:160-161
- Koivula J.I., Boehm E., Kammerling R.C.: Diamond grit-impregnated tweezers: A potentially destructive gemological tool, Su90:149-151
- Koivula J.I., Elen S.: Barite inclusions in fluorite, W98:281-283
- Koivula J.I., Fritsch E.: The growth of Brazil-twinned synthetic quartz and the potential for synthetic amethyst twinned on the Brazil law, F89:159-164
- Koivula J.I., Fryer C.W.: The gemological characteristics of Chinese peridot, Sp86:38-40
- Green opal from East Africa, W84:226-227
- Identifying gem-quality synthetic diamonds: An update, F84:146-158
- Interesting red tourmaline from Zambia, Sp85:40-42
- Lepidolite with simulated matrix, Sp84:42-44
- Koivula J.I., Fryer C.W., Keller P.C.: Opal from Querétaro, Mexico: Occurrence and inclusions, Su83:87-96
- Koivula J.I., Kammerling R.C.: A gemological look at Kyocera's synthetic star ruby, W88:237-240
- "Opalite": Plastic imitation opal with true play-of-color, Sp89:30-34
- Koivula J.I., Kammerling R.C., DeGhionno D.G., Reinitz I., Fritsch E., Johnson M.L.: Gemological investigation of a new type of Russian hydrothermal synthetic emerald, Sp96:32-39
- Koivula J.I., Kammerling R.C., Fritsch E., Fryer C.W., Hargett D., Kane R.E.: The characteristics and identification of filled diamonds, Su89:68-83
- Koivula J.I., Keller P.C.: Russian flux-grown synthetic emeralds, Su85:79-85
- Koivula J.I., Nagle K., Shen A.H., Owens P.: Solution-generated pink color surrounding growth tubes and cracks in blue to blue-green copper-bearing tourmalines from Mozambique, Sp09:44-47
- Koivula J.I., Tannous M., Schmetzer K.: Synthetic gem materials and simulants in the 1990s, W00:360-379
- Koivula J.I., see also Balitsky V.S., Fritsch E., Fryer C.W., Jennings R.H., Johnson M.L., Kammerling R.C., Kane R.E., Keller P.C., Kopf R.W., Laurs B.M., Lowell J., McClure S.F., Moses T.M., Muhlmeister S., Renfro N., Robert D., Shen A., Shigley J.E., Simmons W.B., Sinkankas J., Spencer R.J., and Zwaan J.C.
- Kondo D., Beaton D.: Hackmanite/sodalite from Myanmar and Afghanistan, Sp09:38-43
- Kondo D.M., see also Guastoni A. and Smith C.P.
- Kopf R.W., Hurlbut C.S., Koivula J.I.: Recent discoveries of large diamonds in Trinity County, California, F90:212-219
- Kornylak L., see Moses T.M.
- Kothavala R.Z., see Atkinson D.
- Kouznetsov N.B.: The past, present, and future of demantoid green garnet from Russia, F06:157
- Kovaltchouk A., see Jennings R.H.
- Kozlov A.V., see Vasilyev E.
- Krashes L.S.: Harry Winston: A story told in diamonds, Sp83:21-29
- Krupp H., see Johnson M.L. and Kane R.E.
- Krzemnicki M.S.: Bluish green, light green, and pink synthetic chrysoberyl, F99:175
- Diopside needles as inclusions in demantoid garnet from Russia: A Raman microspectrometric study, W99:192-195
- Krzemnicki M.S., Friess S.D., Chalup P., Hänni H.A., Karampelas S.: X-ray computed microtomography: Distinguishing natural pearls from beaded and non-beaded cultured pearls, Su10:128-134
- Krzemnicki M.S., Hänni H.A., Walters R.A.: A new method for detecting Be diffusion-treated sapphires: Laser-induced breakdown spectroscopy (LIBS), Su04:314-322
- Krzemnicki M.S., Herzog F., Zhou W.: A historic turquoise jewelry set containing fossilized dentine (odontolite) and glass, W11:296-301
- Krzemnicki M.S., see also Cartier L.E., Karampelas S., and Strack E.
- Kurbatov K., see Solodova Y.
- Kwon S.-R., Seo J.-G., Ahn Y.-K., Park J.-W.: Characterization of distinctive color zoning and various inclusions in low-grade diamonds, Su11:134
- L**
- La Sure J., see Henderson R.R.
- Lahti S.I., Kinnunen K.A.: A new gem beryl locality: Luumäki, Finland, Sp93:30-37
- Lankosz M., see Dumanska-Slowik M.
- Lanz H., see Karampelas S.
- Larson W.F.: Review of gem localities in North America, Russia, and Southeast Asia, F99:64-65
- Larson W.F., see also Shigley J.E.
- Laskovenkov A.F., Zhernakov V.I.: An update on the Ural emerald mines, Su95:106-113
- Latendresse G.: "A pearl circus": Origin, variety, and enhancement of pearls, F99:172
- Latendresse J.R., see Sweaney J.L.
- Laurs B.M.: New technologies face off with new realities, F09:157
- Laurs B.M., Knox K.: Spessartine garnet from Ramona, San Diego County, California, W01:278-295
- Laurs B.M., Pezzotta F., Simmons W.B., Falster A.U., Muhlmeister S.: Rhodizite-londonite from the Antsongombato pegmatite, central Madagascar, W02:326-339
- Laurs B.M., Rohtert W.R., Gray M.: Benitoite from the New Idria District, San Benito County, California, F97:166-187
- Laurs B.M., Simmons W.B., Rossman G.R., Fritz E.A., Koivula J.I., Anckar B., Falster A.U.: Yellow Mn-rich tourmaline from the Canary mining area, Zambia, W07:314-331
- Laurs B.M., Simmons W.B., Rossman G.R., Quinn E.P., McClure S.F., Peretti A., Armbruster T., Hawthorne F.C., Falster A.U., Günther D., Cooper M.A., Grobéty B.: Pezzottaite from Ambatovita, Madagascar: A new gem mineral, W03:284-301
- Laurs B.M., Zwaan J.C., Breeding C.M., Simmons W.B., Beaton D., Rijdsdijk K.F., Befi R., Falster A.U.: Copper-bearing (Paraíba-type) tourmaline from Mozambique, Sp08:4-30
- Laurs B.M., see also Abduriyim A., Bowersox G.W., Dirlam D.M., Fritz E.A., Muhlmeister S., Schwarz D., Shigley J.E., Simmons W.B., and Zwaan J.C.
- Lawson S.C., see King J.M. and Martineau P.M.
- Lee B.-H., Choi K.-M., Kim Y.C., Yon S.-J.: The observation of defects after the pretreatment and simple heat treatment of ruby, Su11:148-149
- Lee C.-T., see Morton D.
- Lee H.W., see Thomas S.A.
- Leelawatanasuk T., see Abduriyim A., Atichat W., Wathanakul P.

- Lees B.K., see Knox K.
- Leggio L., see Hainschwang T.
- Lehrer G.: The techniques and art of cutting "the world's largest gemstone pendant," Bahia: A natural, transparent, rutile quartz sculpture, F06:158
- Lepage L.: Ultraviolet mineral prospecting for sapphire on Baffin Island, Nunavut, Canada, F06:155-156
- Leu L., see Karampelas S.
- Levinson A.A., Cook F.A.: Gem corundum in alkali basalt: Origin and occurrence, W94:253-263
- Levinson A.A., Gurney J.J., Kirkley M.B.: Diamond sources and production: Past, present, and future, W92:234-254
- Levinson A.A., see also Gurney J.J., Kirkley M.B., Kjarsgaard B.A., Murphy A.R., Mychaluk K.A., Sevdemish M., and Spencer R.J.
- Levonis H., see Beattie R.A.
- Lewand E.A., see Nassau K.
- Lhuaamporn T., see Wathanakul P.
- Li G., see Li J.
- Li J., Sun Y., Hao W., Luo H., Cheng Y., Liu H., Liu Y., Ye H., Fan C.: Polymer-filled aquamarine, F09:197-199
- Li J., Weng X., Yu X., Liu X., Chen Z., Li G.: Infrared spectroscopic study of filled moonstone, Sp13:28-34
- Li Y., see Yin Z.
- Liccardo A., see Juchem P.L.
- Liddicoat R.T.:
 - Basil W. Anderson, 1901-1984, Sp84:1
 - Carroll Chatham, 1914-1983, F83:129
 - China, Sp86:1
 - Congratulations! F89:129; F90:177
 - The country of origin question, W90:247
 - Diamond prospecting and market prospects, W95:227
 - Gemology today, F88:133
 - The *Gems & Gemology* most valuable article award, Sp82:1; Sp83:1
 - Gems & Gemology*: Sixty years of history and history-making, W94:219
 - Information and communication: Keys to the future, Su91:69
 - An introduction to the new *Gems & Gemology*, Sp81:1
 - Madagascar: Making its mark, Su96:79
 - The magic of pegmatites, Su84:63
 - The new Australia, F85:129
 - New challenges for the diamond industry, Su89:67
 - The new *Gems & Gemology* is one year old, W81:183
 - Opening Pandora's black box, F96:153
 - The radioactivity issue, W88:195
 - Reflections on the 1980s, W89:195
 - Russia reemerges as a gemstone giant, Su95:87
 - Synthetics manufacturers: Some help, some hinder, Su83:63
 - In tribute to Lewis Kuhn, Su81:59
 - In tribute to Robert M. Shipley, Jr., W82:185
 - Tucson '87: Don't miss it! F86:129
 - The ultimate synthetic: A jewelry-quality diamond, W86:191
 - What did you say the name was? W92:219
 - What is a synthetic? F87:125
- Liddicoat R.T., Boyajian W.E.: The 1980s in review: New realities of the gem and jewelry industry, Sp90:1-2
- Liddicoat R.T., Keller A.S.: *Gems & Gemology* turns 65, W99:173
- Liddicoat R.T., see also Kane R.E. and Keller A.S.
- Likes T., see McManus C., Yetter K.
- Limsuwan R., Sakimoto T.: Geology, exploration, mining, and processing of gems and gold from placer deposits on the Muhuwesi River, Tunduru, Tanzania, Su11:110-111
- Limsuwan R., Sakimoto T.: Using a concrete mixer to sort gem-bearing gravels for artisanal and small-scale mining, Su11:139
- Linares R.C., see Wang W.
- Lind Th., Schmetzer K., Bank H.: The identification of turquoise by infrared spectroscopy and X-ray powder diffraction, F83:164-168
- Link K., see Kan-Nyunt H.-P.
- Linnen R.L.: A fluid inclusion study of the syenite-hosted "True Blue" aquamarine occurrence, Yukon Territory, Canada, F11:114
- Lithgow G., see McManus C.
- Liu H., see Li J.
- Liu S.: Monochromatic X-ray topographic characterization of pezzotaitite with synchrotron radiation, F06:100-101
- Liu X., see Li J.
- Liu Yan:
 - Instrumental color measurement and grading of faceted gemstones, Su11:154
 - Universal color grading system, F06:101
- Liu Yan, see also King J.M. and Wang Fuquan
- Liu Ying, see Li J.
- Liu Yungui, see Chen T.
- Lombard A., see Karampelas S.
- London D.:
 - Geochemical cycles of gem-forming elements: What it takes to make tourmaline, beryl, topaz, spodumene, and other pegmatitic gems, F06:108-109
 - The miarolitic stage in granitic pegmatites: How Mother Nature makes big, clear crystals, F06:109
- Long P.V., Pardieu V., Giuliani G.: Update on gemstone mining in Luc Yen, Vietnam, W13:233-245
- Long P.V., see also Huong L.T.-T.
- Lowell J., Koivula J.I.: Amethyst from Four Peaks, Arizona, F04:230-238
- Lowry S.: Automating the infrared and Raman spectral analysis of gemstones, F06:91
- Lu R.: Color origin of lavender jadeite: An alternative approach, W12:273-283
- Lu R., Zhou C.-H., Sturman N.: Operational considerations of EDXRF, LA-ICP-MS, and photoluminescence techniques in the analysis of pearls, Su11:149-150
- Lu R., see also Abduriyim A., Wang W.
- Lu T.: Some dissolution features observed in natural diamonds, F06:138
- Lu T., see also Balitsky V.S., Shigley J.E., Zhang B., and Zhang J.
- Lucas A.:
 - Brazil's emerald industry, Sp12:73-77
 - The emerald business in South America, F06:158
- Luke A.:
 - Everything old is new again: The appeal of the auction, estate, and vintage markets, Su11:100-102
 - Jewelry design: From the masses to museums, Su11:92-94
 - Playing a bigger game: Better business for a better world, Su11:103-104
- Lule C.: Experiments on ancient gem treatment techniques, Su11:150
- Lule-Whipp C.: Chromium chalcidony from Turkey and its possible archeological connections, F06:115
- Luo H., see Li J.
- Luo Y., Breeding C.: Fluorescence produced by optical defects in diamond: Measurement, characterization, and challenges, Su13:82-97
- Lustenhower W.J., see Zwaan J.C.
- Lyckberg P.: Gem pockets in pegmatites—A worldwide study and comparison, Su11:111-112

M

- Ma L.: Developments and challenges of the China diamond market, F06:25
- Maddison P., see Johnson M.L. and Kammerling R.C.
- Magaña Q., Balinskis S.: Automated real-time spectral analysis for gemstones, Su11:154-155
- Magazina L.O., see Titkov S.V.
- Magner S.: Perspective of a high-end jeweler, F99:107-108
- Maini L.: The identification of gemstones by photoluminescence: Synthetic and natural Mg-Al spinels, F06:125
- Makhina I.B., see Balitsky V.S.
- Malinovsky I.Y., see Shigley J.E.
- Malsy A.-K., see Schwarz D.
- Maltezos G., see Gilbertson A.
- Maltsev V.S., see Thomas V.G.
- Manandhar M.N., see Smith C.P.
- Manning G.: Snake oil or cedar oil: Have your colored stones been enhanced, and are you telling the tale? F99:70
- Manson D.V., Stockton C.M.: Gem garnets in the red-to-violet color range, W81:191-204
Gem-quality grossular garnets, W82:204-213
Pyrope-spessartine garnets with unusual color behavior, W84:200-207
A response to "A new classification for red-to-violet garnets," Sp83:41-42
- Manson D.V., see also Hofer S.C. and Stockton C.M.
- Mar'in A.A., see Balitsky V.S.
- Marks J., see Carmona C.
- Martin D.D.: Gemstone durability: Design to display, Su87:63-77
- Martin F., Mérigoux H., Zecchini P.: Reflectance infrared spectroscopy in gemology, W89:226-231
- Martineau P.M., Lawson S.C., Taylor A.J., Quinn S.J., Evans D.J.F., Crowder M.J.: Identification of synthetic diamond grown using chemical vapor deposition (CVD), Sp04:2-25
- Martineau P.M., see also D'Haenens-Johansson U.F.S., Khan R.U.A.
- Martini M., see Graziani G.
- Márza I.: The Techereu gemological field, F99:151
- Mashkovtsev R.I., see Thomas V.G.
- Massi L.: Chameleon diamonds: A proposed model to explain thermochromic and photochromic behaviors, F06:101-102
- Massi L., see also Hainschwang T.
- Massuyeau F., see Fritsch E.
- Mattice G.: Demantoid garnet from the Ural Mountains, Russia, F99:151-152
- Matula L., see Niklewicz D.
- Mazzerro F., see Rondeau B.
- McClure S.F.:
A gemological comparison of the two major Oregon sunstone deposits, Su11:150-151
Identification challenges of the new millennium, F99:86-87
New colored stone treatments, F06:29-30
Source type classification of gem corundum, F06:102
- McClure S.F., Kammerling R.C.: A visual guide to the identification of filled diamonds, Su95:114-119
- McClure S.F., Kammerling R.C., Fritsch E.: Update on diffusion-treated corundum: Red and other colors, Sp93:16-28
- McClure S.F., Kane R.E., Sturman N.: Gemstone enhancement and its detection in the 2000s, F10:218-240
- McClure S.F., King J.M., Koivula J.I., Moses T.M.: A new laser technique for diamond, Su00:138-146
- McClure S.F., Koivula J.I.: A new method for imitating asterism, Su01:124-128
- McClure S.F., Moses T.M., Tannous M., Koivula J.I.: Classifying emerald clarity enhancement at the GIA Gem Trade Laboratory, W99:176-185
- McClure S.F., Shen A.H.: Coated tanzanite, Su08:142-147
- McClure S.F., Smith C.P.: Gemstone enhancement and detection in the 1990s, W00:336-359
- McClure S.F., Smith C.P., Wang W., Hall M.: Identification and durability of lead glass-filled rubies, Sp06:22-34
- McClure S.F., see also Abduriyim A., Balitsky V.S., van der Bogert C.H., Emmett J.L., Fritsch E., Johnson M.L., Kammerling R.C., Kane R.E., Laurs B.M., Moses T.M., Nassau K., Pay D., Reinitz I.M., Renfro N., Sauer D.A., Shen A.H., Shigley J.E., and Smith C.P.
- McKenzie L.: Cultured abalone mabé pearls from New Zealand, F99:172
- McManus C., Likes T., McMillan N., Yetter K., Dowe J., Wise M., Buckley S., Lithgow G., Stipes C., Torrione P.: Determining the provenance of gemstones using the Materiality Sequencing System (M2S), Su11:155-156
- McManus C., see also Yetter K.
- McMillan N.J.: Fingerprinting gem beryl samples using laser-induced breakdown spectroscopy (LIBS) and portable X-ray fluorescence (PXRF), F06:126
- McMillan N., see also McManus C., Yetter K.
- Medenbach O., see Schmetzer K.
- Mehta R.: India: The jewel in the crown, F06:62
- Mendes J.C., see Epstein D.S.
- Menzhausen J., see Kane R.E.
- Menzie J.: The impact of treatments on selling colored stones, F06:30-31
- Mercer M.E.: Methods for determining the gold content of jewelry metals, W92:222-233
- Mercer M.E., see also Fritsch E. and Johnson M.L.
- Mérigoux H., see Martin F.
- Merkel P.B., Breeding C.M.: Spectral differentiation between copper and iron colorants in gem tourmalines, Su09:112-119
- Merlini M., see Adamo I.
- Mernagh T.P., see Millsted P.W.
- Métivier B., see Karampelas S.
- Meyer H.O.A., Gübelin E.J.: Ruby in diamond, F81:153-156
- Miceli R.S.D., see Schnellrath J.
- Michailidis N.: Challenger gemological spectrometer, F06:164-165
- Michel J., see Karampelas S.
- Miciak A.R., see Sevdermish M.
- de Mille C.N., see Murphy A.R.
- Miller A.: Jewelry appraising: Professionalism in the new millennium, F99:168
- Millsted P.: Faceting transparent rhodonite from Broken Hill, New South Wales, Australia, Su06:151-158
- Millsted P.W., Mernagh T.P., Otieno-Alego V., Creagh D.C.: Inclusions in transparent gem rhodonite from Broken Hill, New South Wales, Australia, F05:246-254
- Mineeva R.M., see Titkov S.V.
- Misiorowski E.B.:
Early 20th century jewelry, F99:99-100
Jewelry of the 1980s: A retrospective, Sp90:76-93
Jewelry of the 1990s, W00:398-417
- Misiorowski E.B., Dirlam D.M.: Art Nouveau: Jewels and jewelers, W86:209-228
- Misiorowski E.B., Hays N.K.: Jewels of the Edwardians, F93:152-171
- Misiorowski E.B., see also Dirlam D.M. and Fritsch E.
- Mitchell M.A.: The Indian perspective: Challenges and new developments, F99:47-48

- Moe K.S., Moses T.M., Johnson P.: Polymer-impregnated turquoise, Su07:149-151
- Moe K.S., see also Wang W.
- Mohideen H.M. Sultan: India—Old sources and new finds, F06:115-116
- Moldes R., see Kane R.E.
- Monteforte M., see Cariño M.
- Moon M., see Fritsch E. and Shigley J.E.
- Mora C., see Kane R.E.
- Moreno D.M., see Kiefert L.
- Morris R.L.: Adapting classic designs to modern markets, F99:103
- Morton D., Sheppard B., Lee C.-T., Kimbrough D., Berger B., Fleck R., Kistler R., Benzel W., Snee L., Groover K.: Petrogenesis of the Li-bearing Stewart pegmatite, Pala, California, Su11:140
- Moses T.M., Johnson M.L., Green B., Blodgett T., Cino K., Geurts R.H., Gilbertson A.M., Hemphill T.S., King J.M., Komylak L., Reinitz I.M., Shigley J.E.: A foundation for grading the overall cut quality of round brilliant cut diamonds, F04:202-228
- Moses T.M., Reinitz I., Fritsch E., Shigley J.E.: Two treated-color synthetic red diamonds seen in the trade, F93:182-190
- Moses T.M., Reinitz I.M., Johnson M.L., King J.M., Shigley J.E.: A contribution to understanding the effect of blue fluorescence on the appearance of diamonds, W97:244-259
- Moses T.M., Shigley J.E.: G. Robert Crowningshield: A legendary gemologist, F03:184-199
- Moses T.M., Shigley J.E., McClure S.F., Koivula J.I., Van Daele M.: Observations on GE-processed diamonds: A photographic record, F99:14-22
- Moses T.M., see also Akamatsu S., Emmett J.L., Fritsch E., Gaillou E., Kammerling R.C., King J.M., McClure S.F., Moe K.S., Reinitz I.M., Scarratt K., Shen A.H., Shigley J.E., and Wang W.
- Mosselmans F.J., see Taylor R.P.
- Mouawad F., see Peretti A.
- Muhlmeister S., Fritsch E., Shigley J.E., Devouard B., Laurs B.M.: Separating natural and synthetic rubies on the basis of trace-element chemistry, Su98:80-101
- Muhlmeister S., Koivula J.I., Kammerling R.C., Smith C.P., Fritsch E., Shigley J.E.: Flux-grown synthetic red and blue spinels from Russia, Su93:81-98
- Muhlmeister S., see also Fritsch E., Johnson M.L., Kammerling R.C., Laurs B.M., Shigley J.E., and Zwaan J.C.
- Muller A.: Cultured South Sea pearls, F99:77-79
- Murphy A.R., Hozjan D.J., de Mille C.N., Levinson A.A.: Pre-Columbian gems and ornamental materials from Antigua, West Indies, F00:234-245
- Mychaluk K.A.: The Yogo sapphire deposit, Sp95:28-41
- Update on Ammolite production from southern Alberta, Canada, F09:192-196
- Mychaluk K.A., Levinson A.A., Hall R.L.: Ammolite: Iridescent fossilized ammonite from southern Alberta, Canada, Sp01:4-25
- ## N
- Nagashima M., see Hainschwang T.
- Nagle K., see Koivula J.I.
- Nakazono H., see Abduriyim A.
- Nam N.V., see Khoi N.N.
- Nasdala L., Grambole D., Harris J.W., Schulze D.J., Hofmeister W.: Radio-coloration of diamond, Su11:105-106
- Nassau K.: Altering the color of topaz, Sp85:26-34
- Artificially induced color in amethyst-citrine quartz, Sp81:37-39
- Cubic zirconia: An update, Sp81:9-19
- The early history of gemstone treatments, Sp84:22-33
- Green glass made of Mount Saint Helens ash? Su86:103-104
- Heat treating ruby and sapphire: Technical aspects, F81:121-131
- An overview of gemstone treatments, F99:95-96
- Synthetic forsterite and synthetic peridot, Su94:102-108
- Synthetic gem materials in the 1980s, Sp90:50-63
- Nassau K., Hanson A.E.: The pearl in the chicken: Pearl recipes in *Papyrus Holmiensis*, W85:224-231
- Nassau K., Lewand E.A.: Mildly radioactive rhinestones and synthetic spinel-and-glass triplets, W89:232-235
- Nassau K., McClure S.F., Elen S., Shigley J.E.: Synthetic moissanite: A new diamond substitute, W97:260-275
- Nassau K., Prescott B.E.: Nonfading Maxixe-type beryl? W81:217-219
- Nassau K., Rossman G.R., Wood D.L.: Unstable radiation-induced yellow-green color in grossular garnet, F92:188-191
- Nassau K., Shigley J.E.: A study of the General Electric synthetic jadeite, Sp87:27-35
- Nassau K., Valente G.K.: The seven types of yellow sapphire and their stability to light, W87:222-231
- Natkaniec-Nowak L., see Dumanska-Slowik M.
- Nelen J.E., see Dietrich R.V.
- Nestola F., see Guastoni A.
- Newton M.: Treated diamond: A physicist's perspective, F06:84-85
- Treated diamond identification, Su11:106
- Newton M.E., see also D'Haenens-Johansson U.F.S., Khan R.U.A.
- Nhung N.T., see Huong L.T.-T., Khoi N.N.
- Niedermayr G., see Brandstätter F.
- Niklewicz D.: The Gem & Mineral Council, F99:161
- Niklewicz D., Whetstone W., Matula L.: Hallmarking: A powerful benefit to the consumer, retailer, and international trade, Su11:160-161
- Nissinboim A., Harlow G.E.: A study of ruby on painite from the Mogok Stone Tract, Su11:140-141
- Nordrum F.S., see Rondeau B.
- Notari F., see Hainschwang T.
- Novak S., see Emmett J.L. and Shen A.H.
- ## O
- Ohki S., see Abduriyim A.
- Ohnenstetter D., see Giuliani G., Schwarz D.
- Okano M., see Kitawaki H.
- Oo T., see Hughes R.W.
- Ostrooumov M.: Gemstones from Mexico—A review, Su11:141
- Ostrooumov M., see also Fritsch E.
- Otieno-Alego V., see Millstead P.W.
- Ottaway T.: Dynamic Earth: Inco Ltd. Gallery of Earth Sciences, F99:162
- Ottaway T., see also Shigley J.E.
- Ottomeyer H., see Dröschel R.
- Overlin S.D.: Digital age marketing: Are you still partying like it's 1999? Su11:95-96
- The future of gemstones and gemstones of the future, Su11:97-99
- A history of diamonds through philately: The Frank Friedman collection, F11:214-219

- Navigating the current economy for business growth and success, Su11:80-82
- Shipwrecked! Su11:126-128
- Where is luxury in this brave new world? Su11:89-91
- Overlin S., Dirlam D.M.: Celebrating 75 years of *Gems & Gemology*, Su09:80-95
- Overlin S., see also Dirlam D.M. and Kane R.E.
- Overton T.W.:
 Gem treatment disclosure and U.S. law, Su04:106-127
 Legal protection for proprietary diamond cuts, W02:310-325
 Silicosis risks for lapidary workers in developing countries, F06:165
- Overton T.W., Shigley J.E.: A history of diamond treatments, Sp08:32-55
- Owens P.A.: Infrared spectroscopy as a discriminant between natural and manufactured glasses, F99:152
- Owens P.A., see also Koivula J.I.
- P**
- Paget D.: Canadian diamond production: A government perspective, F99:40-42
- Palanza V., see Adamo I.
- Pal'yanov Y.N., see Shigley J.E.
- Paradise T.R.: The natural formation and occurrence of green quartz, Sp82:39-42
- Paraskevopoulos K.M., see Karamelas S.
- Pardieu V., see Long P.V., Schwarz D.
- Park J.-W., see Ahn Y.-K., Kwon S.-R., Seo J.G.
- Pasini M., see Bedini A.
- Paspaley N.: The challenges and opportunities of growing and marketing South Sea cultured pearls, F06:38
- Pavese A., see Adamo I.
- Pay D.:
 Course development at the Gemological Institute of America, F06:162
 Enriching a tradition, Sp13:1
 Integrating *G&G* with GIA's gemology education, Su13:63
 Striving for timeliness and synergy, F13:125
 Looking ahead to 2014, W13:187
- Pay D., Weldon R., McClure S., Schumacher K.: Three occurrences of Oregon sunstone, F13:162-171
- Payne T.: The andradites of San Benito County, California, F81:157-160
- Peach J.L. Sr.: Freshwater pearls: New millennium—new pearl order, F99:75
- Pearson C.: The effect of international economic developments on the diamond market, F99:50
- Peretti A., Schmetzer K., Bernhardt H.-J., Mouawad F.: Rubies from Mong Hsu, Sp95:2-25
- Peretti A., see also Laurs B.M., Schmetzer K., and Smith C.P.
- Perret E.:
 Color treatment of diamonds and their potential in designer jewelry, F06:159-160
 Designing colored diamond jewelry, F99:170-171
- Perrin E.: Defeating the bling, F06:49-50
- Petersen O.V., see Jensen A.
- Petrovsky V.A., see Vasilyev E.
- Petsch E.J., see Schwarz D. and Zwaan J.C.
- Peucat J.-J., see Rondeau B.
- Pezzotta F.: New gem localities in Madagascar, F06:116
- Pezzotta F., Adamo I., Diella V.: Demantoid and topazolite from Antetozambato, northern Madagascar: Review and new data, Sp11:2-14
- Pezzotta F., Adamo I., Diella V., Gatta G.D., Danisi R.M.: The Pederneira pegmatite, Minas Gerais, Brazil: Geology and gem tourmaline, Su11:141-142
- Pezzotta F., see also Adamo I., Dirlam D.M., Guastoni A., Laurs B.M., and Superchi M.
- Phillips W.R., Talantsev A.S.: Russian demantoid, czar of the garnet family, Su96:100-111
- Pienaar H.S.: Gem-quality friedelite from the Kalahari manganese field near Kuruman, South Africa, W82:221-224
- Pisutha-Armond V.: Role of beryllium in the coloration of Fe- and Cr-doped synthetic corundum, F06:85
- Pisutha-Armond V., see also Atichat W., Huong L.T.-T., Wathanakul P.
- Poli L.: The Italian and European goldsmith industry: Current status and possible future scenarios, F06:59-60
- Ponahlo J., see Smith C.P.
- Pope S.: High-pressure, high-temperature (HPHT) diamond processing: What is this technology and how does it affect color? F06:120
- Post J.E.: X-ray diffraction using area detectors for mineral and gem characterization, F06:91-92
- Post J.E., see also Eaton-Magaña S., Gaillou E., and Sucher S.D.
- Premasiri H.M.R., see Dharmaratne P.G.R.
- Prescott B.E., see Nassau K.
- Proctor K.:
 Chrysoberyl and alexandrite from the pegmatite districts of Minas Gerais, Brazil, Sp88:16-32
 Gem pegmatites of Minas Gerais, Brazil: Exploration, occurrence, and aquamarine deposits, Su84:78-100
 Gem pegmatites of Minas Gerais, Brazil: The tourmalines of the Araçuaí districts, Sp85:3-19
 Gem pegmatites of Minas Gerais, Brazil: The tourmalines of the Governador Valadares district, Su85:86-104
- Prosperi L., see Adamo I.
- Prudden J.M.: Geology of placer gem deposits, F06:149
- Pruwer M.: The Antwerp diamond sector, F99:46
- Prygov V.I., see Balitsky V.S.
- Q**
- Qi L., see Chen Q.
- Qiu Y., see Rossman G.R.
- Quinn E.P., see Laurs B.M.
- Quinn S.J., see Martineau P.M.
- R**
- Raff B.: The multichannel approach, F06:55-56
- Ramsey J.L.: The cutting properties of kunzite, W81:220-225
- Rapaport M.:
 Diamond economics: A dynamic analysis, F99:51
 Diamond industry of the future, F06:27
- Rapinesi I.A., see Bedini A.
- Rauch T., see Gabasch H.
- Read P.G.: A computer program for gem identification, F83:157-163
- Reinitz I.M.:
 Identifying diamond treatments, F99:88-89
 The role of brilliantteering variations in the GIA Cut Grading System, F06:138-139
- Reinitz I.M., Buerki P.R., Shigley J.E., McClure S.F., Moses T.M.: Identification of HPHT-treated yellow to green diamonds, Su00:128-137
- Reinitz I.M., Johnson M.L., Hemphill T.S., Gilbertson A.M., Geurts R.H., Green B.D., Shigley J.E.: Modeling the appearance of the round brilliant cut diamond: An

- analysis of fire, and more about brilliance, F01:174-197
- Reinitz I.M., see also Geurts R.H., Hemphill T.S., Koivula J.I., Moses T.M., Rooney M.-L.T., and Shigley J.E.
- Renfro N., Koivula J.I., Wang W., Roskin G.: Synthetic gem materials in the 2000s: A decade in review, W10:260-273
- Renfro N., McClure S.F.: Dyed purple hydrophane opal, W11:260-270
- Renfro N.D., see also Shigley J.E., Skalwold E.A.
- Repetto S., see Kammerling R.C., Kane R.E., and Smith C.P.
- Richardson P.: Preliminary observations of a new polishing process for colored gems, F06:139-140
- Rijsdijk K.F., see Laurs B.M.
- Ringsrud R.:
The Coscuez mine: A major source of Colombian emeralds, Su86:67-79
Gota de aceite: Nomenclature for the finest Colombian emeralds, F08:242-245
The oil treatment of emeralds in Bogotá, Colombia, F83:149-156
Subjectivity in gemology, F06:165-166
- Robbins S.: Reinventing = Transformation, F06:47-48
- Robert D., Fritsch E., Koivula J.I.: "Emeraldolite": A new synthetic emerald overgrowth on natural beryl, W90:288-293
- Robertson S.: A case study in the perception of rarity—Ruby, Su11:161
- Rockman H.B.: Obtaining U.S. copyright registration for the Elara square cut-cornered brilliant diamond, F03:210-213
- Rohtert W.: Three parageneses of ruby and pink sapphire discovered at Fiskenæsset, Greenland, F06:149-150
- Rohtert W., see also Laurs B.M.
- Rondeau B.: Some open questions on diamond morphology, F06:109-110
- Rondeau B., Fritsch E., Mazzero F., Ayalew D., Bodeur Y.: Amazing play-of-color opals from Wollo, Ethiopia—Toward a genetic model, Su11:112
- Rondeau B., Fritsch E., Mazzero F., Gauthier J.-P., Cenki-Tok B., Bekele E., Gaillou E.: Play-of-color opal from Wegel Tena, Wollo Province, Ethiopia, Su10:90-105
- Rondeau B., Fritsch E., Peucat J.-J., Nordrum F.S., Groat L.: Characterization of emeralds from a historical deposit: Byrud (Eidsvoll), Norway, Su08:108-122
- Rondeau B., Gauthier J.-P., Mazzero F., Fritsch E., Bodeur Y., Chauviré B.: On the origins of digit patterns in gem opal, F13:138-146
- Rondeau B., see also Fritsch E., Hain-schwang T., and Karamelas S.
- Rooney M.-L.T., Welbourn C.M., Shigley J.E., Fritsch E., Reinitz I.: De Beers near colorless-to-blue experimental gem-quality synthetic diamonds, Sp93:38-45
- Root C.K.: Abbreviated jewelry descriptions—A uniform standard, Su11:161-162
- Roskin G., see Renfro N.
- Rossmann G.R.:
Advanced gem characterization, Su11:124-125
Characterization of nanofeatures in gem materials, F06:92
The Chinese red feldspar controversy: Chronology of research through July 2009, Sp11:16-30
Color in gems: The new technologies, Su81:60-71
New technologies used to identify colored stone treatments, F06:32
- Rossmann G.R., Kirschvink J.L.: Magnetic properties of gem-quality synthetic diamonds, F84:163-166
- Rossmann G.R., Qiu Y.: Radioactive irradiated spodumene, Su82:87-89
- Rossmann G.R., see also Abduriyim A., Balitsky V.S., Breeding C.M., Fritsch E., Laurs B.M., Nassau K., and Vasconcelos P.M.
- Rothman G.: Battle of the minds, F06:26
- Rothschild G.L.S.: The developing market in China, F99:59
- Rupasinghe M.S., see Dissanayake C.B. and Gunawardene M.
- S**
- Saejoo S., see Atichat W.
- Saeseaw S., see Scarratt K.
- Safar A., see Scarratt K.
- Sakimoto T., see Limsuwan R.
- Sali D., see Bedini A.
- Samosorov G., see Solodova Y.
- Samuel J.H. Jr.: The marketing of period jewelry during the 20th century and into the next millennium, F99:101-102
- Sariiz K., Isik I.: Meerschaum from Eskisehir Province, Turkey, Sp95:42
- Sauer D.A.: South America: The birth of a new jewelry-consuming market, F99:71-72
- Sauer D.A., Keller A.S., McClure S.F.:
An update on Imperial topaz from the Capão mine, Minas Gerais, Brazil, W96:232-241
Sauer D.A., see also Cassedanne J.P. Saul J.M., see Schwarz D.
Scarlsbrick D.: Chaumet—A very Parisian jeweler, F99:97
- Scarratt K.:
Focusing on cultured pearl treatments, F06:40-41
The identification of artificial coloration in diamond, Su82:72-78
The identification of ruby and sapphire, F99:82-83
Pearl identification—A practitioner's perspective, Su11:117-119
The treatment of ruby and sapphire, with implications for gem identification and the integrity of the product, F06:85-86
- Scarratt K., Beaton D., DuToit G.: Jeremejevite: A gemological update, F01:206-211
- Scarratt K., Bracher P., Bracher M., Attawi A., Safar A., Saeseaw S., Homkrajae A., Sturman N.: Natural pearls from Australian *Pinctada maxima*, W12:236-261
- Scarratt K., Moses T.M., Akamatsu S.: Characteristics of nuclei in Chinese freshwater cultured pearls, Su00:98-109
- Scarratt K., Shor R.: The Cullinan diamond centennial: A history and gemological analysis of Cullinans I and II, Su06:120-132
- Scarratt K., see also Abduriyim A., Akamatsu S., Emmett J.L., Fritsch E., Kammerling R.C., Smith C.P., and Wang W.
- Schechter J.: Chinese freshwater cultured pearl revolution evolution, F06:40
- Scheepers R.: Controls on mineralization in Block D' of the Merelani tanzanite deposit, Tanzania, F06:150
- Scherer A., see Gilbertson A.
- Schlüter J., Weitschat W.: Bohemian garnet—Today, F91:168-173
- Schmetzer K.:
Clues to the process used by General Electric to enhance the GE POL diamonds, W99:186-190
Distinguishing natural from synthetic emeralds, F99:84-85
Growth method and growth-related properties of a new type of Russian hydrothermal synthetic emerald, Sp96:40-43
Hydrothermally grown synthetic aquamarine manufactured in Novosibirsk, USSR, F90:206-211

- Schmetzer K., Bank H.: Investigation of a cat's-eye scapolite from Sri Lanka, Su83:108-110
- Schmetzer K., Bank H., Stähle V.: The chromium content of Lechleitner synthetic emerald overgrowth, Su81:98-100
- Schmetzer K., Bernhardt H.-J.: Garnets from Madagascar with a color change of blue-green to purple, W99:196-201
- Schmetzer K., Bernhardt H.-J., Biehler R.: Emeralds from the Ural mountains, USSR, Su91:86-99
- Schmetzer K., Bosshart G., Bernhardt H.-J., Gübelin E.J., Smith C.P.: Serendibite from Sri Lanka, Sp02:73-79
- Schmetzer K., Burford M., Kiefert L., Bernhardt H.-J.: The first transparent faceted grandidierite, from Sri Lanka, Sp03:32-37
- Schmetzer K., Hainschwang T., Bernhardt H.-J., Kiefert L.: New chromium- and vanadium-bearing garnets from Tranoroa, Madagascar, Su02:148-155
- Schmetzer K., Hainschwang T., Kiefert L., Bernhardt H.-J.: Pink to pinkish orange Malaya garnets from Bekily, Madagascar, W01:296-308
- Schmetzer K., Hänni H.A., Bernhardt H.-J., Schwarz D.: Trapiche rubies, W96:242-250
- Schmetzer K., Hänni H.A., Jegge E.P., Schupp F.-J.: Dyed natural corundum as a ruby imitation, Su92:112-115
- Schmetzer K., Henn U.: Synthetic or imitation? An investigation of the products of Kyocera Corporation that show play-of-color, F87:148-151
- Schmetzer K., Kiefert L., Bernhardt H.-J.: Purple to purplish red chromium-bearing taaffeites, Sp00:50-59
- Schmetzer K., Kiefert L., Bernhardt H.-J., Beili Z.: Characterization of Chinese hydrothermal synthetic emerald, W97:276-289
- Schmetzer K., Medenbach O.: Examination of three-phase inclusions in colorless, yellow, and blue sapphires from Sri Lanka, Su88:107-111
- Schmetzer K., Peretti A.: Some diagnostic features of Russian hydrothermal synthetic rubies and sapphires, Sp99:17-28
- Schmetzer K., Peretti A., Medenbach O., Bernhardt H.-J.: Russian flux-grown synthetic alexandrite, F96:186-202
- Schmetzer K., Schupp F.-J.: Flux-induced fingerprint patterns in synthetic ruby: An update, Sp94:33-38
- Schmetzer K., see also Gübelin E.J., Hänni H.A., Koivula J.I., Lind Th., Peretti A., Schwarz D., Shigley J.E., and Smith C.P.
- Schmidt S.T., see Kiefert L.
- Schnellrath J., Amorim H.S., Juchem P.L., de Brum T.M.M., Miceli R.S.D.: Blue "opal" (or cristobalite?) from Rio Grande do Sul, Brazil, Su11:142
- Schnitzer S.: Diamond manufacturing and distribution: The Israeli perspective, F99:49
- Schoeckert K.P.: Is ideal really ideal? How the cut affects the beauty of diamonds, F99:159-160
- Schoor M., see Danet F.
- Schubiger B., see Hänni H.A.
- Schulze D.J., see Nasdala L.
- Schumacher K., see Pay D.
- Schupp F.-J., see Schmetzer K.
- Schwarz D.: Emeralds from the Mananjary Region, Madagascar: Internal features, Su94:88-101
Emeralds—Recent developments and projected changes in supply, F99:62-63
- Schwarz D., Kanis J., Schmetzer K.: Sapphires from Antsiranana Province, northern Madagascar, F00:216-233
- Schwarz D., Pardieu V., Saul J.M., Schmetzer K., Laurs B.M., Giuliani G., Klemm L., Malsy A.-K., Erel E., Hauzenberger C., Du Toit G., Fallick A.E., Ohnenstetter D.: Rubies and sapphires from Winza, central Tanzania, W08:322-347
- Schwarz D., Petsch E.J., Kanis J.: Sapphires from the Andranondambo Region, Madagascar, Su96:80-99
- Schwarz D., see also Abduriyim A., Huang L.T.-T., and Schmetzer K.
- Schwarz J.-O., see Karamelas S.
- Schwieger R.: Diagnostic features and heat treatment of Kashmir sapphires, W90:267-280
- Seal II R.R., see Bowersox G.W.
- Sedova E., see Solodova Y.
- Segura O., see Fritsch E.
- Seifert A.V., Hyrsyl J.: Sapphire and garnet from Kalalani, Tanga Province, Tanzania, Su99:108-120
- Seifert A.V., see also Zwaan J.C.
- Seo J.-G., Kim K.Y., Ahn Y.K., Park J.W.: Changes in color and optical properties of various sapphires by electron-beam irradiation, Su11:151
- Seo J.-G., see also Ahn Y.-K., Kwon S.-R.
- Sergeev A.M., see Titkov S.V.
- Serras-Herman H., Herman A.: Lectures—An inspirational way for artists to communicate, Su11:162
- Sevdermish M.: Color communication: The analysis of color in gem materials, F06:102-103
- Sevdermish M., Miciak A.R., Levinson A.A.: The rise to prominence of the modern diamond cutting industry in India, Sp98:4-23
- Shank S.C.: Gem artists of North America: The renaissance of modern lapidary art, F99:171
- Shen A.H.: Identification of dyed chrysocolla chalcedony, F06:140
- Shen A.H., Bassett W.A., Skalwold E.A., Fan N.J., Tao Y.: Precision measurement of inter-facet angles on faceted gems using a goniometer, Sp12:32-38
- Shen A., Koivula J.I., Shigley J.E.: Identification of extraterrestrial peridot by trace elements, F11:208-213
- Shen A.H., Wang W., Hall M.S., Novak S., McClure S.F., Shigley J.E., Moses T.M.: Serenity coated colored diamonds: Detection and durability, Sp07:16-34
- Shen A.H., see also Blodgett T., Breeding C.M., Du Toit G., Koivula J.I., McClure S.F., Shigley J.E., and Wang W.
- Shepherd J., see Beavers B. and Fiske D.
- Sheppard B., see Morton D.
- Shi G.-H.: Texture and composition of kosmochlor and chromian jadeite aggregates from Myanmar: Implications for the formation of green jadeite, F06:150-151
- Shi G.-H., see also Harlow G.E.
- Shigley J.E.: California benitoite: A proven mineable reserve and new gemological data, F99:152-153
The ongoing challenge of diamond identification, F99:80-81
- Shigley J.E., Abbaschian R., Clarke C.: Gemesis laboratory-created diamonds, W02:301-309
- Shigley J.E., Breeding C.: Optical defects in diamond: A quick reference chart, Su13:107-111
- Shigley J.E., Breeding C.M., Shen A.H.: An updated chart on the characteristics of HPHT-grown synthetic diamonds, W04:303-313
- Shigley J.E., Chapman J., Ellison R.K.: Discovery and mining of the

- Argyle diamond deposit, Australia, Sp01:26-41
- Shigley J.E., Cook B.C., Laurs B.M., Bernardes de Oliveira M.: An update on "Paraíba" tourmaline from Brazil, W01:260-276
- Shigley J.E., Dirlam D.M., Laurs B.M., Boehm E.W., Bosshart G., Larson W.F.: Gem localities of the 1990s, W00:292-335
- Shigley J.E., Dirlam D.M., Schmetzer K., Jobbins E.A.: Gem localities of the 1980s, Sp90:4-31
- Shigley J.E., Foord E.E.: Gem-quality red beryl from the Wah Wah Mountains, Utah, W84:208-221
- Shigley J.E., Fritsch E., Koivula J.I., Sobolev N.V., Malinovsky I.Y., Pal'yanov Y.N.: The gemological properties of Russian gem-quality synthetic yellow diamonds, W93:228-248
- Shigley J.E., Fritsch E., Reinitz I.: Two near-colorless General Electric type-IIa synthetic diamond crystals, F93:191-197
- Shigley J.E., Fritsch E., Reinitz I., Moon M.: An update on Sumitomo gem-quality synthetic diamonds, Su92:116-122
- Shigley J.E., Fritsch E., Reinitz I., Moses T.M.: A chart for the separation of natural and synthetic diamonds, W95:256-264
- Shigley J.E., Fritsch E., Stockton C.M., Koivula J.I., Fryer C.W., Kane R.E.: The gemological properties of the Sumitomo gem-quality synthetic yellow diamonds, W86:192-208
- Shigley J.E., Fritsch E., Stockton C.M., Koivula J.I., Fryer C.W., Kane R.E., Hargett D.R., Welch C.W.: The gemological properties of the De Beers gem-quality synthetic diamonds, W87:187-206
- Shigley J.E., Gilbertson A., Eaton-Magaña S.: Characterization of colorless coated cubic zirconia (Diamantine), Sp12:18-30
- Shigley J.E., Goedert B., Ottaway T.L.: The GIA Gem Project—An online resource of information on gemstones, Su11:151-152
- Shigley J.E., Kampf A.R.: Gem-bearing pegmatites: A review, Su84:64-77
- Shigley J.E., Koivula J.I.: Amethystine chalcidony, W85:219-223
- Shigley J.E., Koivula J.I., Fryer C.W.: The occurrence and gemological properties of Wessels mine sugilite, Su87:78-89
- Shigley J.E., Laurs B.M., Janse A.J.A., Elen S., Dirlam D.M.: Gem localities of the 2000s, F10:188-216
- Shigley J.E., Laurs B.M., Renfro N.D.: Chrysoprase and prase opal from Haneti, central Tanzania, W09:271-279
- Shigley J.E., McClure S.F., Breeding C.M., Shen A.H., Muhlmeister S.M.: Lab-grown colored diamonds from Chatham Created Gems, Su04:128-145
- Shigley J.E., McClure S.F., Cole J.E., Koivula J.I., Lu T., Elen S., Demianets L.N.: Hydrothermal synthetic red beryl from the Institute of Crystallography, Moscow, Sp01:42-55
- Shigley J.E., McClure S.F., Koivula J.I., Moses T.M.: New filling material for diamonds from Oved Diamond Company: A preliminary study, Su00:147-153
- Shigley J.E., Moses T.M., Reinitz I., Elen S., McClure S.F., Fritsch E.: Gemological properties of near-colorless synthetic diamonds, Sp97:42-53
- Shigley J.E., Stockton C.M.: "Cobalt-blue" gem spinels, Sp84:34-41
- Shigley J.E., Thompson T.J., Keith J.D.: Red beryl from Utah: A review and update, W03:302-313
- Shigley J.E., see also Ashbaugh III C.E., Balitsky V.S., Bowersox G.W., Breeding C.M., Dirlam D.M., Emmett J.L., Faulkner M.J., Fritsch E., Gilbertson A., Hemphill T.S., Johnson M.L., Kammerling R.C., Kane R.E., King J.M., Moses T.M., Muhlmeister S., Nassau K., Overton T.W., Reinitz I.M., Rooney M.-L.T., Shen A.H., Shirey S., Skalwold E.A., Titkov S.V., and Wang W.
- Shimizu T., see Abduriyim A.
- Shirey S., Shigley J.E.: Recent advances in understanding the geology of diamonds, W13: 188-222
- Shor R.:
Auction houses: A powerful market influence on major diamonds and colored gemstones, Sp13:2-15
Polished diamond supplies from secondary market sources, Su11:163
Retail markets and the growing global significance of branding, F99:53-54
A review of the political and economic forces shaping today's diamond industry, F05:202-233
From single source to global free market: The transformation of the cultured pearl industry, F07:200-226
- Shor R., Weldon R.: An era of sweeping change in diamond and colored stone production and markets, F10:166-187
- Shor R., Weldon R.: Ruby and sapphire production and distribution: A quarter century of change, W09:236-259
- Shor R., see also Scarratt K.
- Shozugawa K., see Kitawaki H.
- Shteinberg A.S., see Balitsky V.S.
- Simic D., see Hainschwang T.
- Simmons W.B., Laurs B.M., Falster A.U., Koivula J.I., Webber K.L.: Mt. Mica: A renaissance in Maine's gem tourmaline production, Su05:150-163
- Simmons W.B., see also Dirlam D.M., Laurs B.M., and Zwaan J.C.
- Simoni M., Caucia F., Adamo I., Galinetto P.: New occurrence of fire opal from Bemia, Madagascar, Su10:114-121
- Singamroong S.: Sapphires from Ban Huai Sai, Laos, F06:103
- Singer D.: The mark of excellence in jewelry, F06:43
- Sinkankas J.:
Artistry in rock crystal: The Van Pelt collection, W82:214-220
Contributions to a history of gemology: Specific gravity origins and development of the hydrostatic method, F86:156-165
- Sinkankas J., Koivula J.I., Becker G.: Peridot as an interplanetary gemstone, Sp92:43-51
- Siripant S.: A color communication system for gemstones, F99:162-163
- Sivovolenko S.:
Fancy-color diamonds: Better color appearance by optimizing cut, F06:104-105
Study of interdependence: Fancy-color diamond appearance, cut, and lighting conditions, F06:140
- Sivtsov A.V., see Titkov S.V.
- Skalwold E.A.: Nano-polycrystalline diamond sphere: A gemologist's perspective, Su12:128-131
- Skalwold E.A., Renfro N., Shigley J.E., Breeding C.M.: Characterization of a synthetic nano-polycrystalline diamond gemstone, F12:188-192
- Skalwold E.A., see also Shen A.H.
- Smirnov S.:
Color grading of color-enhanced natural diamonds: A case study of Imperial Red diamonds, F06:126-127
New hydrothermal synthetic gemstones from Taurus, Novosibirsk,

- Russia, F99:175-176
- Smirnov S., see also Thomas V.G.
- Smith C.P.:
 "Diffusion ruby" proves to be synthetic ruby overgrowth on natural corundum, F02:240-248
 Infrared spectra of gem corundum, F06:92-93
 Introduction to analyzing internal growth structures: Identification of the negative *d* plane in natural ruby, F96:170-184
 Natural-color tanzanite, Su11:119-120
- Smith C.P., Bosshart G.: Star of the South: A historic 128 ct diamond, Sp02:54-64
- Smith C.P., Bosshart G., Graeser S., Hänni H., Günther D., Hametner K., Gübelin E.J.: Poudretteite: A rare gem species from the Mogok Valley, Sp03:24-31
- Smith C.P., Bosshart G., Ponahlo J., Hammer V.M.F., Klapper H., Schmetzer K.: GE POL diamonds: Before and after, F00:192-215
- Smith C.P., Gübelin E.J., Bassett A.M., Manandhar M.N.: Rubies and fancy-color sapphires from Nepal, Sp97:24-41
- Smith C.P., Kammerling R.C., Keller A.S., Peretti A., Scarratt K.V., Khoa N.D., Repetto S.: Sapphires from southern Vietnam, F95:168-186
- Smith C.P., McClure S.F.: Chart of commercially available gem treatments, W02:294-300
- Smith C.P., McClure S.F., Eaton-Magaña S., Kondo D.M.: Pink-to-red coral: A guide to determining origin of color, Sp07:4-15
- Smith C.P., see also Adamo I., van der Bogert C.H., Bowersox G.W., Kane R.E., McClure S.F., Muhlmeister S., Schmetzer K., and Wang W.
- Smith H.S., see Gurney J.J.
- Smith K.L.: Opal from Opal Butte, Oregon, W88:229-236
- Smith M., see Hughes R.W.
- Snee L.W.:
 Afghanistan gem deposits: Studying newly reopened classics and looking for new deposits, F06:116-117
 Pegmatite genesis—Complex or simple emplacement? Revisiting southern California pegmatites, F06:151-152
- Snee L.W., see also Bowersox G.W., Morton D.
- Sobolev N.V.:
 The new Komsomolskaya mine in Yakutia, Russia: Unique features of its diamonds, F06:117
 Russian diamond sources, F99:43
- Sobolev N.V., see also Shigley J.E.
- Solodova Y.: Comparative investigation of diamonds from various pipes in the Malaya-Botuobiya and Daldyn-Alakit areas (Siberia), F06:141-142
- Solodova Y., Sedova E., Gasanov M., Samosorov G., Kurbatov K.: Mineralogical characteristics of diamonds from the Nurbinskaya pipe, Yakutian diamond-bearing province, Russia, Su11:134-135
- Sorokina S.L., see Baliitsky V.S.
- Spear P.M., see Welbourn C.M.
- Spencer L.K., Dikinis S.D., Keller P.C., Kane R.E.: The diamond deposits of Kalimantan, Borneo, Su88:67-80
- Spencer R.J., Levinson A.A., Koivula J.I.: Opal from Querétaro, Mexico: Fluid inclusion study, Sp92:28-34
- Spits R.A., see Fisher D.
- Sripasert B.: Spectroscopic characteristics of some gem tourmalines, Su11:152
- Sripasert B., see also Atichat W., Wathanakul P.
- Stachel T.: Diamonds and cratons— Does the relationship hold for the Canadian deposits? Su11:112-114
- Stähle V., see Schmetzer K.
- Stark K.B., see Dirlam D.M.
- Steinbach M.P.: New artificially asteriated gemstones, Su11:152-153
- Stripes C., see McManus C.
- Stockton C.M.:
 The chemical distinction of natural from synthetic emeralds, F84:141-145
 Pastel pyropes, Su88:104-106
 The separation of natural from synthetic emeralds by infrared spectroscopy, Su87:96-99
 Two notable color-change garnets, Su82:100-101
- Stockton C.M., Kane R.E.: The distinction of natural from synthetic alexandrite by infrared spectroscopy, Sp88:44-46
- Stockton C.M., Manson D.V.:
 Gem andradite garnets, W83:202-208
 Peridot from Tanzania, Su83:103-107
 A proposed new classification for gem-quality garnets, W85:205-218
 Scanning electron microscopy in gemology, Su81:72-79
- Stockton C.M., see also Fritsch E., Manson D.V., and Shigley J.E.
- Stone-Sundberg J.: Recent advances in synthetic sapphire growth, Su11:156
- Strack E.: European freshwater pearls: Origin, distribution, and characteristics, F06:105
- Strack E., Krzemnicki M.S.: Experimental treatments involving dye and heat for Chinese freshwater cultured pearls, and their detection with Raman spectroscopy, Su11:120
- Stuller M.: Meeting customer needs, F99:111
- Sturman D.B.: Study of the biaxial gemstones on the refractometer, F06:127
- Sturman N.: The "keshi" pearl issue, F06:142
- Sturman N., see also Lu R., McClure S.F., Scarratt K., and Zhou C.
- Sucher S.D.: A crystallographic analysis of the Tavernier Blue diamond, F09:178-185
- Sucher S.D., Attaway S.W., Attaway N.L., Post J.E.: Possible "sister" stones of the Hope diamond, Sp10:28-35
- Sucher S.D., Carriere D.P.: The use of laser and X-ray scanning to create a model of the historic Koh-i-Noor diamond, Su08:124-141
- Sucher S.D., see also Farges F.
- Sukharev A., see Vasilyev E.
- Suleman A.K.: Colored stone sources in Africa and Madagascar, F99:66-67
- Sun T.T., see Hughes R.W.
- Sun Y., see Li J.
- Sunagawa I.: Growth, morphology, and perfection of single crystals: Concepts in discriminating natural from synthetic gemstones, F06:112
- Sunagawa I., Yasuda T., Fukushima H.: Fingerprinting of two diamonds cut from the same rough, W98:270-280
- Superchi M.: Gemological investigation of multicolored tourmalines from new localities in Madagascar, F06:156
- Superchi M., Pezzotta F., Gambini E., Castaman E.: Yellow scapolite from Ihosy, Madagascar, W10:274-279
- Superchi M., see also Guastoni A.
- Sussmann R.S., see Wang W.
- Sutthirat C.:
 Durability and safety testing of lead glass-treated ruby and beryllium-treated sapphire, and environmental impact assessments, Su11:121
 Indications of heating in corundum from experimental results, F06:86
- Sutthirat C., see also Atichat W., Khoi N.N.

- Suwa Y.:
The jewelry market in Japan in 2020, F06:58-59
Will there be another chance for business in the Asian colored stone jewelry market? F99:68-69
- Swarovski N.: Reinventing Swarovski, F06:46
- Sweaney J.L., Latendresse J.R.: Freshwater pearls of North America, F84:125-140
- T**
- Taijing L., see Balitsky V.S.
Talantsev A.S., see Phillips W.R.
Tallaire A., see Wang W., Willems B.
Tannenbaum E.: Magellan's guide to the diamond universe, F06:23
Tannous M., see Koivula J.I. and McClure S.F.
Tansho M., see Abduriyim A.
Tashey T.E.:
Gem Quality Index (GQI), F99:163-164
Recommendations for advancing the color science of gemology, Su11:163
A system to describe the face-up color appearance of white and off-white polished diamonds, F06:142-143
- Tawornmongkolkij M., see Wathanakul P.
Taylor A.J., see Martineau P.M.
Taylor M.C.:
The first California gem tourmaline locality, F99:153-154
The gel model for the formation of gem-bearing pockets within granitic pegmatites, and implications for gem synthesis, F06:110-111
- Taylor R.P., Finch A.A., Donaldson C.H., Mosselmans F.J.: Applications of fluorescence in gemology, Su11:125
- Tempelsman M.:
Globalization and technology: Dynamic forces for the 21st century, F99:2-7
Transitions and traditions, F06:7-12
- Tennakoon S.: In-situ corundum localities in Sri Lanka: New occurrences, F06:117-118
- Thomas S.A.: "Modern" jewelry: Retro to Abstract, Sp87:3-17
Thomas S.A., Lee H.W.: Gemstone carving in China: Winds of change, Sp86:24-34
Thomas S.A., see also Dirlam D.M.
Thomas V.G., Mashkovtsev R.I., Smirnov S.Z., Maltsev V.S.: Taurus hydrothermal synthetic sapphires doped with nickel and chromium, F97:188-202
- Thompson S.E. "Voices of the Earth": Transcending the traditional in lapidary arts, W01:310-317
- Thompson T.J., see Shigley J.E.
Thoresen L., Harrell J.A.:
Archaeogemology of peridot, Su11:121-122
- Thu K., see Kan-Nyunt H.-P.
Thuyet N.T.M., see Khoi N.N.
Tian L.: Sapphires from Shandong, China, F99:154
- Titkov S.V.: Inclusions in white-gray diamonds of cubic habit from Siberia, F06:127-128
- Titkov S.V., Shigley J.E., Breeding C.M., Mineeva R.M., Zudin N.G., Sergeev A.M.: Natural-color purple diamonds from Siberia, Sp08:56-64
- Titkov S.V., Zudin N.G., Gorshkov A.I., Sivtsov A.V., Magazina L.O.: An investigation into the cause of color in natural black diamonds from Siberia, F03:200-209
- Tivol T.: Can a family business compete in the 21st century jewelry market? F99:112
- Torrione P., see McManus C.
Tower J., see Wang W.
Tozer R., see Dirlam D.M.
Tretyakova L.L.: Reflection and scattering spectroscopy for nondestructive gem identification, F99:163
- Tuan D.A., see Khoi N.N.
Tucker E.: Jade forms from ancient China, Sp82:20-31
Twitchen D.J., see Khan R.U.A.
- U**
- Underwood T.:
Digital color communication for gemstones, with an exploration of applications within our industry, F06:143
Surface-enhanced topaz, F99:154-155
- V**
- Vagner K.: Gemological Institute of America's public outreach programs, F06:162-163
- Valente G.K., see Nassau K.
Van Daele M., see Moses T.M.
Van Meerbeeck M., see de Corte K.
Van Royen J.: HPHT treatment of type IaB brown diamonds, F06:86-87
- Vasconcelos P.M., Wenk H.-R., Rossman G.R.: The Anahí ametrine mine, Bolivia, Sp94:4-23
Vasilyev E., Petrovsky V.A., Kozlov A.V., Sukharev A.: The nature of black coloration in gem-quality diamonds from Brazil, Su11:135
- Vignola P., see Adamo I.
- Vins V.:
Natural diamond enhancement: The transformation of intrinsic and impurity defects in the diamond lattice, F06:120-121
New ultra-deep diamond cleaning technology, Su11:136
- Vins V.G., Yelissev A.P., Grizenko A.G.: Donor nitrogen aggregation in synthetic diamonds annealed in the graphite stability field, Su11:135-136
- Vrána S., see Zwaan J.C.
- W**
- Wagner R.M.: What does that emerald look like? How to communicate color and appearance across continents, F99:168-169
- Wakatsuki M., see Abduriyim A.
Walters R.A., see Eaton-Magaña S. and Krzemnicki M.S.
Wan G.-D., see Keller P.C.
Wan R.:
The Tahitian cultured pearl, F06:39
The Tahitian cultured pearl: Past, present, and future, F99:76
- Wang Fuquan: A gemological study of turquoise in China, Sp86:35-37
- Wang Fuquan, Guo J.: Chicken-blood stone from China, F89:168-170
- Wang Fuquan, Liu Y.: Garnets from Altay, China, W93:273-277
- Wang Fuquan, see also Guo J. and Keller P.C.
- Wang Furui: The sapphires of Penglai, Hainan Island, China, F88:155-160
- Wang M., see Zhang J.
Wang W.:
Developing corundum standards for LA-ICP-MS trace-element analysis, F06:105-106
A review of diamond color treatment and its identification, Su11:107
- Wang W., D'Haenens-Johansson U.F.S., Johnson P., Moe K.S., Emerson E., Newton M., Moses T.M.: CVD Synthetic Diamonds from Gemesis Corp., Su12:80-97
- Wang W., Doering P., Tower J., Lu R., Eaton-Magaña S., Johnson P., Emerson E., Moses T.M.: Strongly colored pink CVD lab-grown diamonds, Sp10:4-17
- Wang W., Hall M., Breeding C.M.: Natural type Ia diamond with green-yellow color due to Ni-related defects, W07:240-243

- Wang W., Hall M.S., Moe K.S., Tower J., Moses T.M.: Latest-generation CVD-grown synthetic diamonds from Apollo Diamond Inc., W07:294-312
- Wang W., Moses T., Linares R.C., Shigley J.E., Hall M., Butler J.E.: Gem-quality synthetic diamonds grown by a chemical vapor deposition (CVD) method, W03:268-283
- Wang W., Scarratt K., Emmett J.L., Breeding C.M., Douthit T.R.: The effects of heat treatment on zircon inclusions in Madagascar sapphires, Su06:134-150
- Wang W., Scarratt K., Hyatt A., Shen A.H., Hall M.: Identification of "chocolate pearls" treated by Ballerina Pearl Co., W06:222-235
- Wang W., Smith C.P., Hall M., Breeding C.M., Moses T.M.: Treated-color pink-to-red diamonds from Lucent Diamonds Inc., Sp05:6-19
- Wang W., Tallaire A., Hall M., Moses T.M., Achard J., Sussmann R.S., Gicquel A.: Experimental CVD synthetic diamonds from LIMHP-CNRS, France, F05:234-244
- Wang W., see also Emmett J.L., Gaillou E., King J.M., McClure S.F., and Renfro N.
- Ward F., see Hughes R.W.
- Wathanakul P.: Beryllium-assisted heat treatment experiments on blue sapphires, F06:87
- Wathanakul P., Wongkokua W., Lhuaamporn T., Tawornmongkolkij M., Leelawatanasuk T., Atichat W., Pisutha-Armond V., Sutthirat C., Sriprasert B.: Experiments on heating of blue sapphires with beryllium, Sul1:153
- Wathanakul P., see also Atichat W. Webber K.L., see Simmons W.B.
- Wehmeister U., see Huong L.T.-T.
- Weibel M., see Gübelin E.J.
- Weitschat W., see Schlüter J.
- Welborn P.: Marketing in the 21st century, F06:166
- Welbourn C.: Identification of synthetic diamonds: Present status and future developments, F06:34-35
- Welbourn C.M., Cooper M., Spear P.M.: De Beers natural versus synthetic diamond verification instruments, F96:156-169
- Welbourn C.M., see also King J.M. and Rooney M.-L.T.
- Welch C.W., see Shigley J.E.
- Weldon R.:
The Anahí ametrine mine: A model for gemstone sustainability, Sul1:163-164
- Photographing phenomenal gemstones, F06:144
- Weldon R., Jonathan C.: The Museum of London's extraordinary Cheapside Hoard, F13:126-137
- Weldon R., see also Dirlam D.M., Pay D., and Shor R.
- Weng X., see Li J.
- Wenk H.-R., see Vasconcelos P.M.
- Wentzell C.Y.: Cultured abalone blister pearls from New Zealand, F98:184-200
- Wentzell C.Y., see also Johnson M.L.
- Weslucha-Birczynska A., see Dumanska-Slowik M.
- Whetstone W., see Niklewicz D.
- White J.S., see Dietrich R.V.
- Wickstrom D.: The auction house as a purveyor of high-end jewelry, F06:52
- Widemann A., see Bidwell D., Epelboym M.
- Wildman M., see Hanano J.
- Willems B., Tallaire A., Barjon J.: Exploring the origin and nature of luminescent regions in CVD synthetic diamond, F11:202-207
- Willems B., see also Crepin N.
- Wise M.A.: Geology of "true" hidden-ite deposits, F06:152
- Wise M., see also McManus C.
- Wise R.W.: Queensland boulder opal, Sp93:4-15
- Woensdregt C.F., see Gübelin E.J.
- Wongkokua W., see Wathanakul P.
- Wood D.L., see Nassau K.
- Woodring S., see Hainschwang T.
- Woodruff R.E., Fritsch E.: Blue pectolite from the Dominican Republic, W89:216-225
- Wörle M., see Karampelas S.
- Wrobel P., see Dumanska-Slowik M.
- Wu S.-T.T., see Fritsch E.
- Wyart J., Bariand P., Filippi J. (trans. by C. Stockton): Lapis-lazuli from Sar-e-Sang, Badakhshan, Afghanistan, W81:184-190
- X**
- Xiong Y., see Chen Q.
- Y**
- Yager T.R.:
Recent trends in world colored gem production, Sul1:142-143
Recent trends in world gem production, F06:144-145
- Yakoumelos G., see Guo J.
- Yang M., see Chen T.
- Yantzer P.: The AGS performance cut grading system, F06:160
- Yasuda T., see Sunagawa I.
- Ye H., see Li J.
- Yelissev A.P., see Vins V.G.
- Yetter K., McMillan N.J., McManus C., Likes T.: Provenance of rubies and sapphires: an application of laser-induced breakdown spectroscopy (LIBS) and advanced chemometrics for the gem industry, Sul1:157
- Yetter K., see also McManus C.
- Yin Z., Zhang P., Chen Q., Zheng C., Li Y.: A comparison of modern and fossil ivories using multiple techniques, Sp13:16-27
- Yin Z., see also Chen Q.
- Yokoyama Y., see Abduriyim A.
- Yon S.J., see Lee B.-H.
- Yu X., see Li J.
- Yuan J.C.C.: Investigation by synchrotron X-ray diffraction topography of the crystal structure defects in colored diamonds (natural, synthetic, and treated), F06:93
- Yurkiewicz P.G., see Hanano J.
- Yurman D.:
Creating a luxury brand, F99:104
Jewelry design and brand creation: Designing over the years, F06:44
- Z**
- Zaitsev A.M., see Dobrinets I.A., Epelboym M.
- Zaitsev A.N., Zaitseva O.A., Buyko A.K., Keller J., Klaudius J., Zolotarev A.A.: Gem-quality yellow-green haüyne from Oldoinyo Lengai volcano, northern Tanzania, F09:200-203
- Zaitseva O.A., see Zaitsev A.N.
- Zang J.W., see Johnson M.L.
- Zansheng L.T., see Akamatsu S.
- Zecchini P., see Martin F.
- Zenil A.R., see Coenraads R.R.
- Zhang B., Lu T., Chen H., Ke J.:
Research and identification of natural and treated nephrite in China, Sul1:122
- Zhang J., Lu T., Chen H.:
Characteristics of coated jadeite jade, W13:246-251
- Zhang J., Lu T., Wang M., Chen H.:
The radioactive decay pattern of blue topaz treated by neutron irradiation, W11:302-307
- Zhang P., see Yin Z.
- Zheng C., see Yin Z.
- Zheng S., see Chen T.
- Zheng-Cui M., see Karampelas S.
- Zhernakov V.I., see Laskovenkov A.F.
- Zhou C., Homkrajae A., Ho J.W.Y., Hyatt A., Sturman N.: Update on the identification of dye treatment in yellow or "golden" cultured pearls, W12:284-291

-
- Zhou C.-H., see also Lu R.
Zhou W., see Krzemnicki M.S.
Zolotarev A.A., see Zaitsev A.N.
Zorba T., see Karampelas S.
Zucker B.: From Alexander the Great
to Elihu Yale: A study of India and
the diamond trade, F06:160-161
Zucker B., see also Dubinsky E.
Zudin N.G., see Titkov S.V.
Zwaan J.C.: The Sandawana model of
emerald formation, F06:111
Zwaan J.C., Jacob D.E., Häger T.,
Cavalcanti Neto M.T.O., Kanis J.:
Emeralds from the Fazenda
Bonfim region, Rio Grande do
Norte, Brazil, Sp12:2-17
Zwaan J.C., Kanis J., Petsch E.J.:
Update on emeralds from the
Sandawana mines, Zimbabwe,
Su97:80-100
Zwaan J.C., Seifert A.V., Vrána S.,
Laurs B.M., Anckar B., Simmons
W.B., Falster A.U., Lustenhouwer
W.J., Muhlmeister S., Koivula J.I.,
Garcia-Guillerminet H.: Emeralds
from the Kafubu area, Zambia,
Su05:116-148
Zwaan J.C., see also Laurs B.M.
Zwaan P.C.:
Enstatite, cordierite, kornepurine,
and scapolite with unusual prop-
erties from Embilipitiya, Sri
Lanka, W96:262-269
Sri Lanka: The gem island,
Su82:62-71